Wetland Function-Value Evaluation Form

					wetiand I.D
Total area of wetland Human made?	Is wetland	part of a wildlife corrido	or?	or a "habitat island"?	Latitude Longitude
Adjacent land use	Distance to nearest roadway or other development			Prepared by: Date	
Dominant wetland systems present	Contiguous undeveloped buffer zone present			Wetland Impact: See General Permit Table	
· · · · ·	If not, where does the wetland lie in the drainage basin?				Office Field Corps manual wetland delineation
Function/Value	Suitability Y N	Rationale (Reference #)*	Principal Function	l n(s)/Value(s)	completed? Y N Comments
▼ Groundwater Recharge/Discharge					
Floodflow Alteration					
Fish and Shellfish Habitat					
Sediment/Toxicant Retention					
Nutrient Removal					
→ Production Export					
Sediment/Shoreline Stabilization					
W ildlife Habitat					
Recreation					
Educational/Scientific Value					
★ Uniqueness/Heritage					
Visual Quality/Aesthetics					
ES Endangered Species Habitat					
Other					

Notes:

*Refer to backup list of numbered considerations.

Sampling	Point:	W-A55	PSS
----------	--------	-------	-----

	Absolute	Dominant I		Dominance Test worksheet:	
Tioe Stratam (Fiot Size.		Species?		Number of Dominant Species	
1. Acer rubrum	20		<u>FAC</u>	That Are OBL, FACW, or FAC:3	(A)
2				Total Number of Dominant	
3					(B)
4					(-)
				Percent of Dominant Species That Are OBL_FACW_or_FAC: 75%	
5				That Are OBL, FACW, or FAC:	(A/B)
6				Prevalence Index worksheet:	
7					
		= Total Cove	er	Total % Cover of: Multiply by:	
50% of total cover:10	20% of	total cover:_	4	OBL species x 1 =	
Sapling/Shrub Stratum (Plot size: 15'				FACW species x 2 =	
1 Lindera benzoin	60	✓	FAC	FAC species x 3 =	
••				FACU species x 4 =	
2				UPL species x 5 =	
3					(D)
4				Column Totals: (A)	(B)
5				Prevalence Index = B/A =	
6					
7				Hydrophytic Vegetation Indicators:	
				1 - Rapid Test for Hydrophytic Vegetation	
8				2 - Dominance Test is >50%	
9				3 - Prevalence Index is ≤3.0 ¹	
		= Total Cove		4 - Morphological Adaptations ¹ (Provide supp	ortina
50% of total cover: 30	20% of	total cover:_	12	data in Remarks or on a separate sheet)	J9
Herb Stratum (Plot size:)					,
1. Rosa multiflora	20	✓	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
2. Symplocarpus foetidus	20		OBL		
3 Impatiens capensis	10		FACW	¹ Indicators of hydric soil and wetland hydrology ma	ust
			$\overline{}$	be present, unless disturbed or problematic.	
4. Typha latifolia	10		OBL	Definitions of Four Vegetation Strata:	
5. Phalaris arundinacea	10		FACW	T W 1 1 1 1 2 7 2	,
6				Tree – Woody plants, excluding vines, 3 in. (7.6 cm more in diameter at breast height (DBH), regardle:	
7				height.	33 01
8					
				Sapling/Shrub – Woody plants, excluding vines,	
9				than 3 in. DBH and greater than or equal to 3.28 f	t (1
10				m) tall.	
11				Herb - All herbaceous (non-woody) plants, regard	lless
	70	= Total Cove	er	of size, and woody plants less than 3.28 ft tall.	
50% of total cover: <u>35</u>	20% of	total cover:_	14	Mondy vine All woody vines greater than 2.20 f	l
Woody Vine Stratum (Plot size: 30')				Woody vine – All woody vines greater than 3.28 f height.	· III
1				Troight.	
3					
4				Hydrophytic	
5				Vegetation	
	0	= Total Cove	er	Present? Yes No	
50% of total cover:0	20% of	total cover:_	0		
Remarks: (Include photo numbers here or on a separate sh	neet.)				
Tremainer (morage priore name or or or a coparate or	,				

Sampling F	Point: W-A55	PEM
------------	--------------	-----

201		Dominant In		Dominance Test worksheet:
Tree Stratum (Plot size:30')	% Cover	Species?	Status	Number of Dominant Species
1				That Are OBL, FACW, or FAC: 2 (A)
2				Total Number of Dominant
3				Species Across All Strata: 2 (B)
4				
5				Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)
6				I THAT ARE OBE, I ACW, OF I AC.
7				Prevalence Index worksheet:
1	0 =	Total Cause		Total % Cover of: Multiply by:
50% of total cover:0		Total Cove		OBL species x 1 =
4	20% 01 0	.otal cover:_		FACW species x 2 =
(FAC species x 3 =
1				· · · · · · · · · · · · · · · · · · ·
2				FACU species x 4 =
3				UPL species x 5 =
4				Column Totals: (A) (B)
5				Dravalanca Inday P/A
6				Prevalence Index = B/A =
7				Hydrophytic Vegetation Indicators:
				1 - Rapid Test for Hydrophytic Vegetation
8				2 - Dominance Test is >50%
9				3 - Prevalence Index is ≤3.0 ¹
500/ -54-4-1 0		Total Cove		4 - Morphological Adaptations ¹ (Provide supporting
50% of total cover: 0 Herb Stratum (Plot size: 5')	20% of t	otal cover:_	0	data in Remarks or on a separate sheet)
(Floris Struttum)	00		EA 0\A/	Problematic Hydrophytic Vegetation ¹ (Explain)
1. Phalaris arundinacea	60		FACW	
2. Typha latifolia	20		OBL	¹ Indicators of hydric soil and wetland hydrology must
3. Juncus effusus	5		FACW	be present, unless disturbed or problematic.
4. Scirpus cyperinus	5		FACW	Definitions of Four Vegetation Strata:
5. Scirpus atrovirens	5		OBL	Definitions of Four Vegetation Strata.
6				Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or
7				more in diameter at breast height (DBH), regardless of
				height.
8				Sapling/Shrub – Woody plants, excluding vines, less
9				than 3 in. DBH and greater than or equal to 3.28 ft (1
10				m) tall.
11				Herb – All herbaceous (non-woody) plants, regardless
		Total Cove		of size, and woody plants less than 3.28 ft tall.
50% of total cover: 47.5	20% of t	total cover:_	<u> 19</u>	Woody vine – All woody vines greater than 3.28 ft in
Woody Vine Stratum (Plot size:)				height.
1				
2				
3				
4				
5				Hydrophytic
5	0 =			Vegetation Present? Yes
500/ of total aguery 0		: Total Cove total cover:_		100 100
50% of total cover: 0		.otal cover:_		
Remarks: (Include photo numbers here or on a separate s	heet.)			