Tel: (724) 325-1776 | Fax (724) 733-1799



Final Laboratory Report TEM EPA Water Analysis

Mr. R. Timothy Weston K & L Gates 17 North Second Street 18th Floor Harrisburg, PA 17101 US

Method: EPA Method 100.2 600/R-94-134

Report Date: 05/31/2019
Sample Receipt Date: 05/22/2019
RJ Lee Group Job No.: LLH808740-2

Authorization/P.O. No.: Samples Received: 1

Client Job No.:

		Date	Date	Filter Area	Volume	Area Analyzed	Confidence Interval	Asbestos Structures >10 µ m		Analytical Sensitivity (MFL)	Concentration (MFL)
Client Sample Number	RJLG Sample Number	Prepped	Analyzed	(mm²)	(ml)	(mm²)	>10 µ m	Chry	Amph	>10 µ m	>10 µ m
001	3158580.HTW1	05/22/2019	05/28/2019	1220	2	0.18806	0-4	0	0	3.2	< 3.2

Authorized Signature

Ashleigh Sload, Analyst

NOTES

- 1. Water samples collected more than 24 hours before receipt may be out of compliance. Drinking water samples are filtered within 24 hours of receipt.
- 2. "<" indicates results less than analytical sensitivity. "---" indicates that sample was not analyzed.
- 3. Sample(s) for this project were analyzed at our: Monroeville, PA (AIHA #100364, NVLAP #101208-0, NY ELAP #10884) facility.
- 4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- 5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, MFL-million fibers per liter.
- 6. Samples will be held for 30 days and then disposed of per Federal regulations.
- 7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

DISCLAIMER

RJ Lee Group, Inc. is accredited by the New York Department of Health Environmental Laboratory Program (NY ELAP) and the Pennsylvania Department of Environmental Protection (PA DEP) for asbestos in water analysis by TEM. This report may not be used to claim product endorsement by NY ELAP, PA DEP or any other regulatory or laboratory accrediting agency. Any reproduction of this document must be in full in order for the report to be valid. This report is not valid unless it bears the name of a NY ELAP and PA-DEP approved signatory.

These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limiting provisions and no responsibility or liability is assumed for the manner in which the results are used or interpreted. Unless notified in writing to return the samples covered by this report, RJ Lee Group will store the samples for a period of thirty (30) days before discarding. A shipping and handling fee will be assessed for the return of any sample.



Final Laboratory Report TEM EPA Water Analysis

Mr. R. Timothy Weston K & L Gates 17 North Second Street 18th Floor Harrisburg, PA 17101

Method: EPA Method 100.2 600/R-94-134

Report Date: 06/17/2019 Sample Receipt Date: 06/06/2019 RJ Lee Group Job No.: LLH808740-3

Authorization/P.O. No.: Samples Received: 1

Client Job No.:

		Date	Date	Filter Area	Volume	Area Analyzed	Confidence Interval	Asbestos Structures >10 µ m		Analytical Sensitivity (MFL)	Concentration (MFL)
Client Sample Number	RJLG Sample Number	Prepped	Analyzed	(mm²)	(ml)	(mm²)	>10 µ m	Chry	Amph	>10 µ m	>10 µ m
002	3158888.HTW3	06/06/2019	06/14/2019	1220	12.5	0.49289	0-4	0	0	0.2	< 0.2

Authorized Signature:

Monica McGrath-Koerner, Scientist

- Water samples collected more than 24 hours before receipt may be out of compliance. Drinking water samples are filtered within 24 hours of receipt.
- "<" indicates results less than analytical sensitivity. "---" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (AIHA #100364, NVLAP #101208-0, NY ELAP #10884) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, MFL-million fibers per liter.
- Samples will be held for 30 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

DISCLAIMER

RJ Lee Group, Inc. is accredited by the New York Department of Health Environmental Laboratory Program (NY ELAP) and the Pennsylvania Department of Environmental Protection (PA DEP) for asbestos in water analysis by TEM. This report may not be used to claim product endorsement by NY ELAP, PA DEP or any other regulatory or laboratory accrediting agency. Any reproduction of this document must be in full in order for the report to be valid. This report is not valid unless it bears the name of a NY ELAP and PA-DEP approved signatory.

These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limiting provisions and no responsibility or liability is assumed for the manner in which the results are used or interpreted. Unless notified in writing to return the samples covered by this report, RJ Lee Group will store the samples for a period of thirty (30) days before discarding. A shipping and handling fee will be assessed for the return of any sample.



Final Laboratory Report TEM EPA Water Analysis

Mr. R. Timothy Weston K & L Gates 17 North Second Street 18th Floor Harrisburg, PA 17101

Method: EPA Method 100.2 600/R-94-134

Report Date: 06/19/2019 Sample Receipt Date: 06/14/2019 RJ Lee Group Job No.: LLH808740-4

Authorization/P.O. No.: Samples Received: 1

Client Job No.:

		Date	Date	Filter Area	Volume	Area Analyzed	Confidence Interval	Asbestos Structures >10 µ m		Analytical Sensitivity (MFL)	Concentration (MFL)
Client Sample Number	RJLG Sample Number	Prepped	Analyzed	(mm²)	(ml)	(mm²)	>10 µ m	Chry	Amph	>10 µ m	>10 µ m
003	3159023.HTW2	06/14/2019	06/18/2019	1220	25	0.24645	0-4	0	0	0.2	< 0.2

Authorized Signature:

Monica McGrath-Koerner, Scientist

- Water samples collected more than 24 hours before receipt may be out of compliance. Drinking water samples are filtered within 24 hours of receipt.
- "<" indicates results less than analytical sensitivity. "---" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (AIHA #100364, NVLAP #101208-0, NY ELAP #10884) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, MFL-million fibers per liter.
- Samples will be held for 30 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

DISCLAIMER

RJ Lee Group, Inc. is accredited by the New York Department of Health Environmental Laboratory Program (NY ELAP) and the Pennsylvania Department of Environmental Protection (PA DEP) for asbestos in water analysis by TEM. This report may not be used to claim product endorsement by NY ELAP, PA DEP or any other regulatory or laboratory accrediting agency. Any reproduction of this document must be in full in order for the report to be valid. This report is not valid unless it bears the name of a NY ELAP and PA-DEP approved signatory.

These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limiting provisions and no responsibility or liability is assumed for the manner in which the results are used or interpreted. Unless notified in writing to return the samples covered by this report, RJ Lee Group will store the samples for a period of thirty (30) days before discarding. A shipping and handling fee will be assessed for the return of any sample.