



December 8, 2022

Via Email: [hmcoy@equitransmidstream.com](mailto:hmcoy@equitransmidstream.com)

ATTN: Hanna McCoy  
Equitrans Midstream  
2200 Energy Drive  
Canonsburg, PA 15317

RE: Compliance Order  
George L Reade 1  
Permit No. 021-20005  
Jackson Township, Cambria County

Dear Ms. McCoy:

Enclosed is an Order of the Department. If you have any questions regarding this matter, please contact me at 724.925.5412 or Amanda Marsch at 724.925.5424.

Sincerely,

A handwritten signature in black ink, appearing to read "Samantha Foulk". The signature is fluid and cursive.

Samantha Foulk  
Water Quality Specialist Supervisor  
Southwest District Oil and Gas Operations

cc: File

Daniel F. Counahan  
April Weiland  
Justin Najewicz  
Amanda Marsch  
Tom Buchan  
Jared Schwab

**COMPLIANCE ORDER**

		DEP DOCKET NO.	
PERSON SUBJECT TO ORDER Equitrans Midstream ("ETRN" or "Permittee")		PHONE NO. 724-271-7600	
ADDRESS 2200 Energy Drive, Canonsburg, PA 15317		MUNICIPALITY Jackson Township	
PROJECT NAME OR DESCRIPTION George L Reade 1 ("Site")		COUNTY Cambria	
PERMIT NO. 021-20005	DATE OF INSPECTION 12/7/2022	TIME OF INSPECTION FROM 9:00 A.M. TO 2:15 P.M.	
NAME AND TITLE OF RECIPIENT Hanna McCoy – Director, Environmental			DATE OF SERVICE 12/8/2022

The Department of Environmental Protection ("Department") is the agency with the authority to administer and enforce the Clean Streams Law, the Act of June 22, 1937, P.L. 1987, as amended, 35 P.S. §691.1 *et seq.*, and Section 1917-A of the Administrative Code, the Act of April 9, 1929, P.L. 177 as amended, 71 P.S. §510-17, and the Rules and Regulations of the Environmental Quality Board adopted thereunder.

The undersigned authorized representative of the Department has conducted an inspection of the above project on the above date and has determined that violations listed in this Compliance Order ("Order") exist. This Order constitutes a separate Order for each violation listed.

Pursuant to Sections 5, 316, 402, and 610 of the Clean Streams Law (35 P.S. §§691.5, 691.316, 691.402, and 691.610) and Section 1917-A of the Administrative Code, as amended, 71 P.S. §510-17, the Department hereby ORDERS that the person shall perform the remedial actions listed in this Order.

Failure to comply with this Order constitutes unlawful conduct under Section 611 of the Clean Streams Law (35 P.S. §691.611). Section 605 of the Clean Streams Law (35 P.S. §691.605) provides that the Department may assess a civil penalty of up to Ten Thousand Dollars (\$10,000) per day for each violation of this Order.

Nothing contained in this Order shall be construed to relieve or limit the obligations of the above-mentioned person to comply with the terms and conditions of any permit existing or hereafter issued by the Department to this person, or to limit any civil or criminal liability of this person. Additional requirements may be imposed in the future by subsequent Department Orders or other actions. Your prompt compliance with this Order will be considered when assessing a civil penalty for the violation(s) which is (are) the subject of this Order.

**APPEAL NOTICE**

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa. C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure are available at <http://ehb.courtapps.com/public/index.php> or may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717)787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

IF YOU WANT TO CHALLENGE THIS ACTION OF THE DEPARTMENT, YOUR APPEAL MUST REACH THE BOARD WITHIN 30 DAYS. YOU DO NOT NEED A LAWYER TO FILE AN APPEAL WITH THE BOARD; HOWEVER, BECAUSE IMPORTANT LEGAL RIGHTS ARE AT STAKE, YOU SHOULD SHOW THIS DOCUMENT TO A LAWYER AT ONCE. IF YOU CANNOT AFFORD A LAWYER, YOU MAY QUALIFY FOR FREE LEGAL REPRESENTATION. FOR MORE INFORMATION CONTACT THE SECRETARY TO THE BOARD AT (717) 787-3483.

DEPARTMENT REPRESENTATIVE PHONE NUMBER: (724) 925-5412 NAME: <u>Samantha Foulk</u> (Print) TITLE: <u>Water Quality Specialist Supervisor</u> ADDRESS: <u>131 Broadview Rd</u> <u>New Stanton, PA 15672</u> SIGNATURE: _____ _____ (Date)	<p><b>ACKNOWLEDGEMENT OF SERVICE</b> The undersigned representative hereby acknowledges receipt of this order and attachment(s) hereto. This signature does not constitute an acknowledgement that any or all of the violations listed in the attachment(s) have occurred or continue to occur.</p> Sent via email: <a href="mailto:hmccoy@equitransmidstream.com">hmccoy@equitransmidstream.com</a> SIGNATURE: _____ DATE _____
---	---

Person(s) Subject to Order: <b>Equitrans Midstream</b> Project Name: <b>George L Reade 1</b> Permit No.: <b>021-20005</b>
--

**COMPLIANCE ORDER**  
**Site Conditions: Descriptions and Violations**

- A.  **CAUSED OR ALLOWED EARTH DISTURBANCE ACTIVITY WITHOUT A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM ("NPDES") PERMIT FOR STORMWATER DISCHARGES ASSOCIATED WITH CONSTRUCTION ACTIVITIES.**

Commenced earth disturbance activity on one or more acres, prior to obtaining an NPDES Permit.

1. **Description**  
 Conducting earth disturbance activities without the authorization of an NPDES Permit.
2. **Violation**  
 Conducting an earth disturbance activity, without obtaining an NPDES Permit, in violation of 25 PA Code §102.5 and Sections 402 and 611 of the Clean Streams Law, 35 P.S. §§691.402, and 691.611.

- B.  **CAUSED OR ALLOWED EARTH DISTURBANCE ACTIVITY WITHOUT AN EROSION AND SEDIMENT CONTROL PERMIT (E&S PERMIT) OR AN EROSION AND SEDIMENT CONTROL GENERAL PERMIT FOR EARTH DISTURBANCE ACTIVITIES ASSOCIATED WITH OIL AND GAS EXPLORATION, PRODUCTION, PROCESSING OR TREATMENT OPERATIONS OR TRANSMISSION FACILITIES (ESCGP).**

- Commenced timber harvesting or road maintenance earth disturbance activities involving twenty-five or more acres, prior to obtaining an E&S Permit.
- Commenced oil and gas earth disturbance activities involving five or more acres, prior to obtaining an Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities.

- 

  1. **Description**  
 Conducting the earth disturbance activity specified above, prior to obtaining an E&S Permit or ESCGP permit.
  2. **Violation**  
 Conducting an earth disturbance activity, without obtaining an E&S Permit or ESCGP permit, in violation of 25 PA Code §102.5 and Sections 402 and 611 of the Clean Streams Law, 35 P.S. §§691.402, and 691.611.

- C.  **CAUSED OR ALLOWED EARTH DISTURBANCE ACTIVITY, WITHOUT AN EROSION AND SEDIMENT CONTROL PLAN (E&S PLAN), RESULTING IN:**

- POTENTIAL FOR POLLUTION TO WATERS OF THE COMMONWEALTH.**

1. **Description**  
 Conducting an earth disturbance activity without developing an E&S Plan. Failure to develop, implement and maintain an effective E&S Plan has created the potential for sediment pollution to enter roadside ditch (40.41190, -78.94263) and conveyance channel (40.41184, -78.94014) water(s) of the Commonwealth.
2. **Violation**  
 Conducting an earth disturbance activity, without developing an E&S Plan, in violation of 25 PA Code §102.4, and Sections 402 and 611 of the Clean Streams Law, 35 P.S. §§691.402 and 691.611.

- POLLUTION ENTERING WATERS OF THE COMMONWEALTH.**

1. **Description**  
 Conducting an earth disturbance activity without developing an E&S Plan. Failure to develop, implement and maintain an effective E&S Plan has resulted in sediment pollution entering roadside ditch (40.41190, -78.94263) and conveyance channel (40.41184, -78.94014) water(s) of the Commonwealth.
2. **Violation**  
 Conducting an earth disturbance activity without an E&S Plan and causing sediment pollution to enter roadside ditch (40.41190, -78.94263) and conveyance channel (40.41184, -78.94014) water(s) of the Commonwealth, in violation of 25 PA Code §102.4, and Sections 401 and 611 of the Clean Streams Law, 35 P.S. §§691.401 and 691.611.

Person(s) Subject to Order: <b>Equitrans Midstream</b>
Project Name: <b>George L Reade 1</b>
Permit No.: <b>021-20005</b>

**COMPLIANCE ORDER**  
**Site Conditions: Descriptions and Violations**  
**(continued)**

D.  **FAILURE TO IMPLEMENT OR MAINTAIN EFFECTIVE EROSION AND SEDIMENT CONTROL BEST MANAGEMENT PRACTICES (E&S BMPs), AS REQUIRED BY 25 PA CODE CHAPTER 102, THAT MINIMIZE THE POTENTIAL FOR ACCELERATED EROSION AND SEDIMENTATION, RESULTING IN:**

**POTENTIAL FOR POLLUTION TO WATERS OF THE COMMONWEALTH.**

**1. Description**

Conducting earth disturbance activities without implementing or maintaining E&S BMPs that minimize the potential for accelerated erosion and sedimentation. Failure to implement or maintain effective E&S BMPs has resulted in the potential for sediment pollution to enter roadside ditch (40.41190, -78.94263) and conveyance channel (40.41184, -78.94014) water(s) of the Commonwealth.

**2. Violation**

Failure to implement or maintain E&S BMPs that minimize the potential for accelerated erosion and resulting in the potential for sediment pollution to roadside ditch (40.41190, -78.94263) and conveyance channel (40.41184, -78.94014) water(s) of the Commonwealth, in violation of 25 PA Code §102.4, and Sections 402 and 611 of the Clean Streams Law, 35 P.S. §§691.402 and 691.611.

**POLLUTION ENTERING WATERS OF THE COMMONWEALTH.**

**1. Description**

Conducting an earth disturbance activity without implementing or maintaining E&S BMPs that minimize the potential for accelerated erosion and sedimentation. The failure to implement or maintain effective E&S BMPs has resulted in sediment pollution entering roadside ditch (40.41190, -78.94263) and conveyance channel (40.41184, -78.94014) water(s) of the Commonwealth.

**2. Violation**

Failure to implement or maintain E&S BMPs resulting in sediment pollution entering roadside ditch (40.41190, -78.94263) and conveyance channel (40.41184, -78.94014) water(s) of the Commonwealth, in violation of 25 PA Code §102.4, and Sections 401 and 611 of the Clean Streams Law, 35 P.S. §§691.401 and 691.611.

E.  **FAILURE TO IMPLEMENT OR MAINTAIN EFFECTIVE POST-CONSTRUCTION STORMWATER MANAGEMENT BMPs (PCSM BMPs), AS REQUIRED BY 25 PA CODE CHAPTER 102, THAT TREAT AND MANAGE STORMWATER RUNOFF, RESULTING IN:**

**POTENTIAL FOR POLLUTION TO WATERS OF THE COMMONWEALTH.**

**1. Description**

Conducting 25 PA Code Chapter 102 permitted activities without implementing or maintaining the associated PCSM BMPs that treat and manage stormwater runoff. Failure to implement or maintain effective PCSM BMPs to treat and manage stormwater runoff has resulted in the potential for sediment pollution to enter \_\_\_\_\_ water(s) of the Commonwealth.

**2. Violation**

Failure to implement or maintain PCSM BMPs that treat and manage stormwater runoff, resulting in the potential for sediment pollution to enter \_\_\_\_\_ water(s) of the Commonwealth, in violation of 25 PA Code §102.4, and Sections 402 and 611 of the Clean Streams Law, 35 P.S. §§691.402 and 691.611.

**POLLUTION ENTERING WATERS OF THE COMMONWEALTH.**

**1. Description**

Conducting 25 PA Code Chapter 102 permitted activities without implementing or maintaining PCSM BMPs that treat and manage stormwater runoff. The failure to implement or maintain effective PCSM BMPs has resulted in sediment pollution entering \_\_\_\_\_ water(s) of the Commonwealth.

Person(s) Subject to Order: <b>Equitrans Midstream</b> Project Name: <b>George L Reade 1</b> Permit No.: <b>021-20005</b>
--

**COMPLIANCE ORDER**  
**Site Conditions: Descriptions and Violations**  
**(continued)**

**2. Violation**

Failure to implement or maintain PCSM BMPs that treat and manage stormwater, resulting in sediment pollution entering \_\_\_\_\_ water(s) of the Commonwealth, in violation of 25 PA Code §102.8, and Sections 401 and 611 of the Clean Streams Law, 35 P.S. §§691.401 and 691.611.

**F.  FAILURE TO PROVIDE PERMANENT STABILIZATION, AS REQUIRED BY 25 PA CODE CHAPTER 102, TO PROTECT FROM ACCELERATED EROSION AND SEDIMENTATION, RESULTING IN:**

**POTENTIAL FOR POLLUTION TO WATERS OF THE COMMONWEALTH.**

**1. Description**

Failure to provide permanent stabilization to protect from accelerated erosion and sedimentation, upon final completion of earth disturbance activities, has resulted in the potential for sediment pollution to enter \_\_\_\_\_ water(s) of the Commonwealth.

**2. Violation**

Failure to provide permanent stabilization of earth disturbance activities has resulted in the potential for sediment pollution to enter \_\_\_\_\_ water(s) of the Commonwealth, in violation of 25 PA Code §102.22, and Sections 402 and 611 of the Clean Streams Law, 35 P.S. §§691.402 and 691.611.

**POLLUTION ENTERING WATERS OF THE COMMONWEALTH.**

**1. Description**

Failure to provide permanent stabilization to protect from accelerated erosion and sedimentation, upon final completion of earth disturbance activities, has resulted in sediment pollution entering \_\_\_\_\_ water(s) of the Commonwealth.

**2. Violation**

Failure to provide permanent stabilization of earth disturbance activities has resulted in sediment pollution entering \_\_\_\_\_ water(s) of the Commonwealth, in violation of 25 PA Code §102.22, and Sections 401 and 611 of the Clean Streams Law, 35 P.S. §§691.401 and 691.611.

**G.  FAILURE TO PROVIDE TEMPORARY STABILIZATION, AS REQUIRED BY 25 PA CODE CHAPTER 102, UPON TEMPORARY CESSATION OF EARTH DISTURBANCE ACTIVITIES, RESULTING IN:**

**POTENTIAL FOR POLLUTION TO WATERS OF THE COMMONWEALTH.**

**1. Description**

Failure to provide temporary stabilization to protect from accelerated erosion and sedimentation, upon temporary cessation of earth disturbance activities, has resulted in the potential for sediment pollution to enter \_\_\_\_\_ water(s) of the Commonwealth.

**2. Violation**

Failure to provide temporary stabilization, upon temporary cessation of earth disturbance activities, has resulted in the potential for sediment pollution to enter \_\_\_\_\_ water(s) of the Commonwealth, in violation of 25 PA Code §102.22, and Sections 402 and 611 of the Clean Streams Law, 35 P.S. §§691.402 and 691.611.

**POLLUTION ENTERING WATERS OF THE COMMONWEALTH.**

**1. Description**

Failure to provide temporary stabilization to protect from accelerated erosion and sedimentation, upon temporary cessation of earth disturbance activities, has resulted in the potential for sediment pollution to enter \_\_\_\_\_ water(s) of the Commonwealth.

Person(s) Subject to Order: <u>Equitrans Midstream</u> Project Name: <u>George L Reade 1</u> Permit No.: <u>021-20005</u>
--

**COMPLIANCE ORDER**  
**Site Conditions: Descriptions and Violations**  
**(continued)**

**2. Violation**

Failure to provide temporary stabilization, upon temporary cessation of earth disturbance activities, has resulted in the potential for sediment pollution to enter \_\_\_\_\_ water(s) of the Commonwealth, in violation of 25 PA Code §102.22, and Sections 401 and 611 of the Clean Streams Law, 35 P.S. §§691.401 and 691.611.

- H.  **FAILURE TO SUBMIT A NOTICE OF TERMINATION (NOT) AS REQUIRED BY 25 PA CODE CHAPTER 102, UPON PERMANENT STABILIZATION OF THE EARTH DISTURBANCE ACTIVITIES, IMPLEMENTATION OF PCSM BMPs AND REMOVAL OF E&S BMPs.**

**1. Description**

Failing to submit an NOT upon permanent stabilization of the earth disturbance activities, per 25 PA Code §102.22(a)(2); implementation of PCSM BMPs per the approved PCSM Plan or site restoration/reclamation via the approved Reclamation/Restoration Plan; and removal of all E&S BMPs per the approved E&S Plan.

**2. Violation**

Failing to submit an NOT, upon permanent stabilization of the earth disturbance activities, implementation of the PCSM BMPs and removal of E&S BMPs, in violation of 25 PA Code §102.7, and Sections 402 and 611 of the Clean Streams Law, 35 P.S. §§691.402 and 691.611.

- I.  **FAILURE TO FILE AN INSTRUMENT WITH THE RECORDER OF DEEDS AND PROVIDE LANDOWNER NOTICE AS NECESSARY.**

**1. Description**

Failing to submit an instrument with the recorder of deeds within 45 days of permit authorization or issuance, per condition 14f. of the general permit for discharges of stormwater associated with construction and condition 15f. of the individual permit for discharges of stormwater associated with construction; failing to submit an instrument with the recorder of deeds at permit termination, per condition 25 PA Code 102.8(m)(2); and failure to provide landowner notice, per 25 PA Code 102.8(m)(2).

**2. Violation**

Failing to submit an instrument with the recorder of deeds and provide landowner notice, in violation of 25 PA Code § 102.8(m)(2), and Sections 402 and 611 of the Clean Stream Law, 35 P.S. §§691.402 and 691.611.

- J.  **FAILURE TO OBTAIN THE FINAL CERTIFICATION OF A LICENSED PROFESSIONAL FOR POST CONSTRUCTION STORMWATER BMPs.**

**1. Description**

Failing to obtain the certification of a licensed professional to assure correct installation of post construction stormwater BMPs, per 25 PA Code 102.8(1).

**2. Violation**

Failing to obtain the certification of a licensed professional to assure correct installation of post construction stormwater BMPs, in violation of 25 PA Code §102.8(1) and Sections 402 and 611 of the Clean Streams Law, 35 P.S. §§691.402 and 691.611.

Person(s) Subject to Order: <b>Equitrans Midstream</b>
Project Name: <b>George L Reade 1</b>
Permit No.: <b>021-20005</b>

### COMPLIANCE ORDER Remedial Actions

- Except as required by this Order, immediately cease all earth disturbance activities except those necessary to cease and/or prevent any impacts to Waters of the Commonwealth and migration of pollutorial substances.
- Begin implementing and/or maintaining the following best management practice(s) at the site in order to minimize the potential for accelerated erosion and sedimentation and control post construction stormwater:

**Immediately cease all sediment pollution to water(s) of the Commonwealth.**

In accordance with 25 Pa. Code §102.11(a)(1), Equitrans Midstream (“ETRN” or “Permittee”) shall design, implement, and install E&S BMPs at the George L Reade 1 Well Site and Access Roads. Because Permittee failed to properly implement and maintain E&S BMPs during earth disturbance activities associated with site spill remediation, accelerated erosion and sedimentation occurred resulting in pollution and potential pollution to Waters of the Commonwealth (“WOTC”). Specifically, temporary E&S BMPs are incorrectly implemented and/or maintained by the Permittee, resulting in pollution and potential pollution to roadside ditches and a conveyance channel.

**Therefore, Permittee shall immediately cease all earth disturbance activities, other than those necessary to properly repair and maintain existing BMPs and temporarily stabilize disturbed areas in accordance with 25 Pa. Code §102.11(a)(1). Such BMPs shall be adequate to ensure the maintenance and protection of water quality and existing designated uses.**

**On or before December 12,** Permittee shall submit an Erosion and Sediment Control Plan (“ESC Plan”) to the Department in writing that fully complies with rules and regulations of the Department that will among other requirements, minimize the potential for accelerated erosion and sedimentation and potential pollution to waters of the Commonwealth based upon existing project conditions. The ESC Plan shall identify E&S BMPs to ensure the maintenance and protection of water quality and existing designated uses based upon existing project conditions, including areas affected by the Site and Access Roads where existing BMPs have failed or are inadequate or where there is pollution from sediment and potential pollution as well as degradation and/or encroachment of aquatic resources. This ESC Plan shall also include, but not be limited to, information necessary to adequately review the ESC Plan and a description of how the operator shall maintain topsoil and subsoil during earth disturbance to prevent sediment from entering watercourses and bodies of water. The Erosion and Sediment Control Plan shall also identify all existing and receiving watercourses and bodies of water and their current conditions, which includes the location of all surface waters of this Commonwealth which may receive runoff within or from the project site, including all streams, rivers, lakes, reservoirs, ponds, seeps, springs, estuaries, and wetlands in accordance with the requirements of 25 Pa. Code §102.4(b)(5), including but not limited to possible wetlands near 40.41272, -78.94214 and 40.41208, -78.94361.

**On or before December 12, 2022,** for any disturbed area upon temporary cessation of an earth disturbance activity or any state or phase of an activity where cessation of earth disturbance activities will exceed four (4) days, Permittee shall temporarily stabilize the area(s) pursuant to 25 Pa. Code § 102.22(b) and the rules and regulations of the Department, including but not limited to immediately seeding and mulching such disturbed area(s), or otherwise protecting such area(s) from accelerated erosion and sedimentation pending future earth disturbance activities. For an earth disturbance activity or any state or phase of an activity to be considered temporarily stabilized, the disturbed areas shall be covered with either a minimum uniform coverage of mulch and seed with a density capable of resisting accelerated erosion and sedimentation or an acceptable BMP which temporarily minimizes accelerated erosion and sedimentation and include the proper placing, grading, constructing, reinforcing, lining, and covering of soil, rock or earth to ensure their resistance to erosion, sliding or other movement. Permittee shall implement and maintain all Erosion and Sedimentation Best Management Practices E&S BMPs until permanent stabilization is completed.

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF WATERWAYS ENGINEERING AND WETLANDS

Person(s) Subject to Order: <u>Equitrans Midstream</u>
Project Name: George L Reade 1
Permit No.: 021-20005

**COMPLIANCE ORDER  
Remedial Actions**

**(Continued)**

**On or before December 15, 2022**, submit a written proposal and drawings and any required authorizations to repair and/or mitigate any aquatic impacts/encroachments that has occurred as a result of Permittee’s earth disturbance activities associated with well control activities and remedial efforts at the well, well site, and surrounding areas.

Complete implementation of the ESC Plan shall occur within two (2) calendar days from ETRN’s receipt of Department approval of the ESC Plan, unless the Department approves an alternate plan and/or schedule in writing.

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF WATERWAYS ENGINEERING AND WETLANDS

Person(s) Subject to Order: <u>Equitrans Midstream</u>
Project Name: <u>George L Reade 1</u>
Permit No.: <u>021-20005</u>

**COMPLIANCE ORDER  
Remedial Actions**

**(Continued)**

**<REMAINDER INTENTIONALLY LEFT BLANK>**

**Complete implementation of the above-referenced best management practice(s) by \_\_\_\_\_.**

- Develop an E & S Plan, that minimizes accelerated erosion and sedimentation, per 25 PA Code §102.4, by \_\_\_\_\_, and subsequently submit that Plan to the following office(s): \_\_\_\_\_

- Develop a Post-Construction Stormwater Management Plan, per 25 PA Code §102.8, by \_\_\_\_\_, and subsequently file the Plan with the following office(s): \_\_\_\_\_

Immediately begin implementing and maintaining  erosion and sediment control  post-construction stormwater management best management practices, as detailed in the  Erosion and Sediment Control Plan  Post-Construction Stormwater Management Plan; including, but not limited to: \_\_\_\_\_

**Complete implementation and maintenance of the above-referenced best management practice(s) by \_\_\_\_\_.**

- Submit a full and complete  Erosion and Sediment Control  Notice of Intent for NPDES Stormwater Discharges Associated with Construction Activities permit application, as specified, by \_\_\_\_\_, to the following office(s): \_\_\_\_\_

Person(s) Subject to Order: <u>Equitrans Midstream</u> Project Name: <u>George L Reade 1</u> Permit No.: <u>021-20005</u>
--

**COMPLIANCE ORDER  
Remedial Actions**

**(Continued)**

- Submit a full and complete Notice of Termination (NOT), per 25 PA Code §102.7, by \_\_\_\_\_, and subsequently submit the NOT to the following office(s): \_\_\_\_\_  
\_\_\_\_\_
- Submit a receipt from the recorder of deeds, per 25 PA Code §102.8, by \_\_\_\_\_, and subsequently submit the receipt to the following office(s): \_\_\_\_\_  
\_\_\_\_\_
- Submit landowner notices, per 25 PA Code §102.8, by \_\_\_\_\_, and subsequently submit the receipt to the following office(s): \_\_\_\_\_  
\_\_\_\_\_