Administrative Record





Westinghouse Electric Corporation Distribution and Control Business Unit 1 Tuscarawas Road Beaver Pennsylvania 15009 412, 775 2000

September 02, 1988

Commonwealth of Pennsylvania
Department of Environmental Resources
Bureau of Waste Management
Michael D. Watson
Regional Operations Supervisor
Southwestern Regional Office
121 South Highland Avenue
Pittsburgh, PA 15206-3988

Dear Mr. Watson:

In accordance with your letter dated August 18, 1988, we have conducted a search of our files and records to identify any documents that would be responsive to your request.

Westinghouse has a record retention policy and most records are not maintained longer than six years. We did not find any record of any transaction that pertained to the Vanport Sand and Gravel pit. However, a copy of a procedure, dated October 14, 1959, pertaining to the disposition of certain wastes was located. This procedure indicated that empty cyanide containers were "to be hauled to sand pit and dumped." A copy of this procedure is attached.

Very truly yours,

T.J. Kasper, Supervisor Environmental Affairs

J. Lagar

Attachment

WPPLUS

cc: (W) Building - Pittsburgh - L.L. LeGoullon

4670Std. Cont. - Be

October 14, 195

*Cyanide Contai from Sections A A-4 and A-9

SHEULD WE HAVE COPIES MADE FOR

TO: Committee Members TIS PATCH DESK OR CAN

YOU USE BILLS COPY. ?

Mr. C. A. Pickering Mr. E. Perry

Mr. H. Wilson Mr. C. Miller

Mr. L. G. Atkinson

Mr. E. M. Walker

Mr. W. D. Cupps Mr. A. G. Erwin

Mr. C. Klingensmith

Mr. F. R. Fox

Mr. H. Burkel Mr. J. Willem

Mr. H. C. Gagliardi Mr. J. F. Johnston

Mr. W. Speer

Mr. H. Nunamaker

Mr. F. Martin

Mr. W. A. Ralph, Jr.

Mr. W. B. Wilkinson

Mr. W. L. Zischkau

Capt. A.P. Sorensen

At the Policy Committee Meeting held 10-8-59, this procedure was approve regarding the subject containers.

EMPTY CYANIDE CONTAINERS - Paper Type 1.

- a. Cut up inner plastic bag liner and place in empty parent contains
- b. Cut or punch holes in bottom and sides of container.
- c. Section emptying container to crush same, then attach special "Poison Tag" immediately.
- d. Deliver "tagged", crushed container to Receiving Attention: Mr. Miller.
- e. Disposition to be hauled to sand pit and dumped. All container tags to be removed by trucker and returned to Mr. Miller as the truck leaves plant.

EMPTY CYANIDE CONTAINERS - Metal Type 2.

a. Follow sections "a through e", as in 1. above.

CYANIDE "SLUDGE" WASTE IN METAL "CYANIDE" CONTAINERS

- a. Section disposing sludge to seal container and attach "Poison Tag
- b. Section supervisor to handle hauling instructions to electric tru personally, send to Receiving, Attention: Mr. Miller.
- c. Disposition of containers at Receiving: 1. Mr. C. Miller to notify Mr. Ellis (trucker) that the material is ready for disposition.



2. Mr. Ellis should dispose of these containers in line with his hauling agreement.

Any deliberate disregard for the above ruling shall constitute a serious breach of plant safety rules and will necessitate disciplinary action.

C. Gagliardi General Foreman D-General