
T 3820







## Soil Acreages By Field

| Field | Label | Musym | Muname   | Comp        | %   | Acres | Drainage<br>Class                  | Farmland<br>Class                         | Tfact | Kfact |
|-------|-------|-------|--|-------------|-----|-------|------------------------------------|---|-------|-------|
| F 1   | F 1   | KIB   | Klinesville shaly silt loam, 3 to 8 percent slopes         | Klinesville | 90  | 0.61  | Somewhat<br>excessively<br>drained | Farmland<br>of<br>statewide<br>importance | 2     | 0.28  |
| F 1   | F 1   | KIC   | Klinesville shaly silt<br>loam, 8 to 15<br>percent slopes  | Klinesville | 90  | 0.66  | Somewhat excessively drained       | Not prime farmland                        | 2     | 0.28  |
| F 1   | F 1   | KID   | Klinesville shaly silt<br>loam, 15 to 25<br>percent slopes | Klinesville | 100 | 0.75  | Somewhat excessively drained       | Not prime farmland                        | 2     | 0.28  |
| F 1   | F 1   | LkB   | Leck kill channery<br>silt loam, 3 to 8<br>percent slopes  | Leck Kill   | 85  | 18.76 | Well<br>drained                    | All areas<br>are prime<br>farmland        | 4     | 0.32  |
| F 1   | F 1   | LkC   | Leck kill channery<br>silt loam, 8 to 15<br>percent slopes | Leck Kill   | 90  | 0.95  | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 4     | 0.32  |
| F 2   | F 2   | AvB   | Alvira silt loam, 3 to 8 percent slopes                    | Alvira      | 82  | 0.79  | Somewhat poorly drained            | Farmland<br>of<br>statewide<br>importance | 3     | 0.32  |
| F 2   | F 2   | KID   | Klinesville shaly silt<br>loam, 15 to 25<br>percent slopes | Klinesville | 100 | 0.25  | Somewhat excessively drained       | Not prime farmland                        | 2     | 0.28  |
| F 2   | F 2   | LkC   | Leck kill channery<br>silt loam, 8 to 15<br>percent slopes | Leck Kill   | 90  | 1.14  | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 4     | 0.32  |
| F 3   | F 3   | AvB   | Alvira silt loam, 3 to<br>8 percent slopes                 | Alvira      | 82  | 1.28  | Somewhat poorly drained            | Farmland<br>of<br>statewide<br>importance | 3     | 0.32  |
| F 3   | F 3   | KID   | Klinesville shaly silt<br>loam, 15 to 25<br>percent slopes | Klinesville | 100 | 0.29  | Somewhat<br>excessively<br>drained | Not prime farmland                        | 2     | 0.28  |
| F 3   | F3    | LkC   | Leck kill channery<br>silt loam, 8 to 15<br>percent slopes | Leck Kill   | 90  | 0.81  | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 4     | 0.32  |
| F 4   | F4    | AvB   | Alvira silt loam, 3 to<br>8 percent slopes                 | Alvira      | 82  | 2.1   | Somewhat poorly drained            | Farmland<br>of<br>statewide<br>importance | 3     | 0.32  |

| Field | Label | Musym | Muname   | Comp        | %   | Acres  | Drainage<br>Class                  | Farmland<br>Class                         | Tfact | Kfact |
|-------|-------|-------|--|-------------|-----|--------|------------------------------------|---|-------|-------|
| F 4   | F 4   | HhB   | Hartleton channery<br>silt loam, 3 to 8<br>percent slopes  | Hartleton   | 75  | 0.1    | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 3     | 0.24  |
| F 4   | F 4   | KIB   | Klinesville shaly silt loam, 3 to 8 percent slopes         | Klinesville | 90  | 1.55   | Somewhat<br>excessively<br>drained | Farmland<br>of<br>statewide<br>importance | 2     | 0.28  |
| F 4   | F 4   | KID   | Klinesville shaly silt<br>loam, 15 to 25<br>percent slopes | Klinesville | 100 | 2.98   | Somewhat excessively drained       | Not prime farmland                        | 2     | 0.28  |
| F 4   | F 4   | LkB   | Leck kill channery<br>silt loam, 3 to 8<br>percent slopes  | Leck Kill   | 85  | 10.65  | Well<br>drained                    | All areas<br>are prime<br>farmland        | 4     | 0.32  |
| F 4   | F 4   | LkC   | Leck kill channery<br>silt loam, 8 to 15<br>percent slopes | Leck Kill   | 90  | 5.67   | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 4     | 0.32  |
| F 5   | F 5   | BeC   | Berks channery silt<br>loam, 8 to 15<br>percent slopes     | Berks       | 100 | 1.22   | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 3     | 0.32  |
| F 5   | F 5   | LkC   | Leck kill channery<br>silt loam, 8 to 15<br>percent slopes | Leck Kill   | 90  | 4.59   | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 4     | 0.32  |
| F 5   | F 5   | WbC   | Watson silt loam, 8 to 15 percent slopes                   | Watson      | 90  | 1.02   | Moderately<br>well<br>drained      | Farmland<br>of<br>statewide<br>importance | 3     | 0.37  |
| F 5   | F 5   | WeD   | Weikert shaly silt<br>loam, 15 to 25<br>percent slopes     | Weikert     | 85  | 1.49   | Somewhat<br>excessively<br>drained | Not prime farmland                        | 2     | 0.32  |
| F 6   | F 6   | AvB   | Alvira silt loam, 3 to 8 percent slopes                    | Alvira      | 82  | 1.45   | Somewhat poorly drained            | Farmland<br>of<br>statewide<br>importance | 3     | 0.32  |
| F 6   | F6    | KID   | Klinesville shaly silt<br>loam, 15 to 25<br>percent slopes | Klinesville | 100 | 0.47   | Somewhat excessively drained       | Not prime farmland                        | 2     | 0.28  |
| F 6   | F6    | LkB   | Leck kill channery<br>silt loam, 3 to 8<br>percent slopes  | Leck Kill   | 85  | < 0.01 | Well<br>drained                    | All areas<br>are prime<br>farmland        | 4     | 0.32  |
| F 6   | F6    | LkC   | Leck kill channery<br>silt loam, 8 to 15<br>percent slopes | Leck Kill   | 90  | 0.03   | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 4     | 0.32  |

| Field | Label | Musym | Muname   | Comp   | %  | Acres | Drainage<br>Class             | Farmland<br>Class                         | Tfact | Kfact |
|-------|-------|-------|--|--------|----|-------|-------------------------------|---|-------|-------|
| F 6   | F 6   | WbC   | Watson silt loam, 8<br>to 15 percent<br>slopes | Watson | 90 | 0.12  | Moderately<br>well<br>drained | Farmland<br>of<br>statewide<br>importance | 3     | 0.37  |

## Soil Acreages For Farm

| Musym | Muname   | Comp        | %   | Acres | Drainage<br>Class                  | Farmland<br>Class                         | Tfact | Kfact |
|-------|--|-------------|-----|-------|------------------------------------|---|-------|-------|
| KIB   | Klinesville shaly silt loam, 3 to 8 percent slopes         | Klinesville | 90  | 2.16  | Somewhat excessively drained       | Farmland<br>of<br>statewide<br>importance | 2     | 0.28  |
| KIC   | Klinesville shaly silt<br>loam, 8 to 15<br>percent slopes  | Klinesville | 90  | 0.66  | Somewhat excessively drained       | Not prime farmland                        | 2     | 0.28  |
| KID   | Klinesville shaly silt<br>loam, 15 to 25<br>percent slopes | Klinesville | 100 | 4.74  | Somewhat excessively drained       | Not prime farmland                        | 2     | 0.28  |
| LkB   | Leck kill channery<br>silt loam, 3 to 8<br>percent slopes  | Leck Kill   | 85  | 29.41 | Well<br>drained                    | All areas<br>are prime<br>farmland        | 4     | 0.32  |
| LkC   | Leck kill channery<br>silt loam, 8 to 15<br>percent slopes | Leck Kill   | 90  | 13.19 | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 4     | 0.32  |
| AvB   | Alvira silt loam, 3 to<br>8 percent slopes                 | Alvira      | 82  | 5.62  | Somewhat poorly drained            | Farmland<br>of<br>statewide<br>importance | 3     | 0.32  |
| HhB   | Hartleton channery<br>silt loam, 3 to 8<br>percent slopes  | Hartleton   | 75  | 0.1   | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 3     | 0.24  |
| BeC   | Berks channery silt<br>loam, 8 to 15<br>percent slopes     | Berks       | 100 | 1.22  | Well<br>drained                    | Farmland<br>of<br>statewide<br>importance | 3     | 0.32  |
| WbC   | Watson silt loam, 8<br>to 15 percent<br>slopes             | Watson      | 90  | 1.14  | Moderately<br>well<br>drained      | Farmland<br>of<br>statewide<br>importance | 3     | 0.37  |
| WeD   | Weikert shaly silt<br>loam, 15 to 25<br>percent slopes     | Weikert     | 85  | 1.49  | Somewhat<br>excessively<br>drained | Not prime farmland                        | 2     | 0.32  |