



JRT Farms T 551



* 1178.0 feet per inch



Soil Acreages By Field

Field	Label	Musym	Muname	Acres	Drainage Class	Farmland Class	Kfact
F 1	F 1	AIC	Allenwood gravelly silt loam, 8 to 15 percent slopes	1.22	Well drained	Farmland of statewide importance	0.32
F 1	F 1	Ln	Linden loam, occasionally flooded	22.25	Well drained	All areas are prime farmland	0.37
F 2	F 2	AIB	Allenwood gravelly silt loam, 3 to 8 percent slopes	8.1	Well drained	All areas are prime farmland	0.32
F 3	F 3	AIB	Allenwood gravelly silt loam, 3 to 8 percent slopes	7.8	Well drained	All areas are prime farmland	0.32
F 3	F 3	AIC	Allenwood gravelly silt loam, 8 to 15 percent slopes	5.6	Well drained	Farmland of statewide importance	0.32
F 3	F 3	CoB	Cookport loam, 3 to 8 percent slopes	0	Moderately well drained	All areas are prime farmland	0.32
F 3	F 3	Ln	Linden loam, occasionally flooded	5.86	Well drained	All areas are prime farmland	0.37
F 4	F 4	AIB	Allenwood gravelly silt loam, 3 to 8 percent slopes	0.66	Well drained	All areas are prime farmland	0.32
F 4	F 4	Bd	Basher silt loam, occasionally flooded	5.11	Moderately well drained	All areas are prime farmland	0.32
F 4	F 4	CoB	Cookport loam, 3 to 8 percent slopes	2.7	Moderately well drained	All areas are prime farmland	0.32
F 4	F 4	Ho	Holly silt loam	0.63	Very poorly drained	Not prime farmland	0.28
F 4	F 4	Ln	Linden loam, occasionally flooded	6.95	Well drained	All areas are prime farmland	0.37
F 5	F 5	Bd	Basher silt loam, occasionally flooded	0.2	Moderately well drained	All areas are prime farmland	0.32
F 5	F 5	Ho	Holly silt loam	4.58	Very poorly drained	Not prime farmland	0.28
F 5	F 5	Ln	Linden loam, occasionally flooded	5.06	Well drained	All areas are prime farmland	0.37

Soil Acreages For Farm

MUSYM	MUNAME	Drainage Class	Farmland Class	kfact	acres
AIB	Allenwood gravelly silt loam, 3 to 8 percent slopes	Well drained	All areas are prime farmland	0.32	16.56
AIC	Allenwood gravelly silt loam, 8 to 15 percent slopes	Well drained	Farmland of statewide importance	0.32	6.82

MUSYM	MUNAME	Drainage Class	Farmland Class	kfact	acres
Bd	Basher silt loam, occasionally flooded	Moderately well drained	All areas are prime farmland	0.32	5.31
CoB	Cookport loam, 3 to 8 percent slopes	Moderately well drained	All areas are prime farmland	0.32	2.7
Ho	Holly silt loam	Very poorly drained	Not prime farmland	0.28	5.21
Ln	Linden loam, occasionally flooded	Well drained	All areas are prime farmland	0.37	40.12