

# SAFETY DATA SHEET


## Section 1. Chemical Product and Company Identification

---

<b>Product Name:</b>	ChemTreat P891L
<b>Product Use:</b>	Water Clarification Agent
<b>Supplier's Name:</b>	ChemTreat, Inc.
<b>Emergency Telephone Number:</b>	(800)424-9300 (Toll Free)
<b>Address (Corporate Headquarters):</b>	5640 Cox Road Glen Allen, VA 23060
<b>Telephone Number for Information:</b>	(800)648-4579
<b>Date of SDS:</b>	March 7, 2017
<b>Revision Date:</b>	March 7, 2017
<b>Revision Number:</b>	17030701AN

## Section 2. Hazard(s) Identification

---



<b>Signal Word:</b>	<b>WARNING</b>
<b>GHS Classification(s):</b>	Eye damage/irritation – Category 2a Skin corrosion/irritation – Category 2 Corrosive to Metals – Category 1
<b>Hazard Statement(s):</b>	H319 Causes serious eye irritation. H315 Causes skin irritation. H290 May be corrosive to metals.
<b>Precautionary Statement(s):</b>	
<b>Prevention:</b>	P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P234 Keep only in original container.

- Response:** P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists, get medical advice/attention. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P332 + P313 If skin irritation develops or persists, get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P390 Absorb spillage to prevent material damage.
- Storage:** P406 Store in a corrosive resistant container with a resistant inner liner.
- Disposal:** P501 Dispose of contents and container in accordance with applicable local, regional, national, and/or international regulations.

**System of Classification Used:** Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Hazards Not Otherwise Classified:** None.

### Section 3. Composition/Hazardous Ingredients

---

Component	CAS Registry #	Wt. %
Aluminum chlorohydrate	12042-91-0	30 - 60

**Comments** If chemical identity and/or exact percentage of composition has been withheld, this information is considered to be a trade secret.

### Section 4. First Aid Measures

---

- Inhalation:** Call a POISON CENTER or doctor/physician if you feel unwell.
- Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
- Skin:** Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation occurs, seek medical advice/attention.



**Ingestion:** Rinse mouth. Call a poison center or doctor/physician if you feel unwell.

**Most Important Symptoms:** N/D

**Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary:** N/A

## ***Section 5. Fire Fighting Measures***

---

**Flammability of the Product:** Not flammable.

**Suitable Extinguishing Media:** Use extinguishing media suitable to surrounding fire.

**Specific Hazards Arising from the Chemical:** None known.

**Protective Equipment:** If product is involved in a fire, wear full protective clothing including a positive-pressure, NIOSH approved, self-contained breathing apparatus.

## ***Section 6. Accidental Release Measures***

---

**Personal Precautions:** Use appropriate Personal Protective Equipment (PPE).

**Environmental Precautions:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.

**Methods for Cleaning up:** Contain and/or absorb spill with inert material then place in suitable container.

**Other Statements:** None.

## Section 7. Handling and Storage

---

- Handling:** Wear appropriate Personal Protective Equipment (PPE) when handling this product. Do not get in eyes, or on skin and clothing. Wash thoroughly after handling. Do not ingest. Avoid breathing vapors, mist or dust.
- Storage:** Store away from incompatible materials (see Section 10). Store at ambient temperatures. Keep container securely closed when not in use. Label precautions also apply to empty container. Recondition or dispose of empty containers in accordance with government regulations. For Industrial use only. Protect from heat and sources of ignition. Store in corrosive resistant container with a resistant inliner. Do not freeze. Store above Freeze Point. If freezes, then mechanical mixing is required.

## Section 8. Exposure Controls/Personal Protection

---

### Exposure Limits

Component	Source	Exposure Limits
Aluminum chlorohydrate	N/E	N/E

- Engineering Controls:** Use only with adequate ventilation. The use of local ventilation is recommended to control emission near the source.

### Personal Protection

- Eyes:** Wear chemical splash goggles or safety glasses with full-face shield. Maintain eyewash fountain in work area.
- Skin:** Wear butyl rubber or neoprene gloves. Wash them after each use and replace as necessary. If conditions warrant, wear protective clothing such as boots, aprons, and coveralls to prevent skin contact. Maintain quick-drench facilities in work area.
- Respiratory:** If misting occurs, use NIOSH approved organic vapor/acid gas dual cartridge respirator with a dust/mist prefilter in accordance with 29 CFR 1910.134.

## Section 9. Physical and Chemical Properties

---

<b>Physical State and Appearance:</b>	Liquid, Colorless, Clear
<b>Specific Gravity:</b>	1.335 @ 20°C
<b>pH:</b>	3.7 @ 20°C, 100.0%
<b>Freezing Point:</b>	27°F
<b>Flash Point:</b>	N/D
<b>Odor:</b>	Mild
<b>Melting Point:</b>	N/A
<b>Initial Boiling Point and Boiling Range:</b>	212°F
<b>Solubility in Water:</b>	Complete
<b>Evaporation Rate:</b>	N/D
<b>Vapor Density:</b>	N/D
<b>Molecular Weight:</b>	N/D
<b>Viscosity:</b>	N/A
<b>Flammability (solid, gas):</b>	N/D
<b>Flammable Limits:</b>	N/A
<b>Autoignition Temperature:</b>	N/A
<b>Density:</b>	11.13 LB/GA
<b>Vapor Pressure:</b>	N/D
<b>% VOC:</b>	0
<b>Odor Threshold</b>	N/D
<b>n-octanol Partition Coefficient</b>	N/D
<b>Decomposition Temperature</b>	N/D

## Section 10. Stability and Reactivity

---

<b>Chemical Stability:</b>	Stable at normal temperatures and pressures.
<b>Incompatibility with Various Substances:</b>	Strong oxidizers.
<b>Hazardous Decomposition Products:</b>	Hydrochloric acid, Chlorine gas.
<b>Possibility of Hazardous Reactions:</b>	None known.
<b>Reactivity:</b>	N/D
<b>Conditions To Avoid:</b>	N/D

## Section 11. Toxicological Information

---

### Acute Toxicity

Chemical Name	Exposure	Type of Effect	Concentration	Species
Aluminum chlorohydrate	Oral	LD50	9187 MG/KG	Rat
	Dermal	LD50	>2000 MG/KG	Rat

### Carcinogenicity Category

Component	Source	Code	Brief Description
Aluminum chlorohydrate	N/E	N/E	N/E

Likely Routes of Exposure: N/D

### Symptoms

Inhalation: N/D

Eye Contact: N/D

Skin Contact: N/D

Ingestion: N/D

Skin Corrosion/Irritation: N/D

Serious Eye Damage/Eye Irritation: N/D

Sensitization: N/D

Germ Cell Mutagenicity: N/D

Reproductive/Developmental Toxicity: N/D

### Specific Target Organ Toxicity

Single Exposure: N/D

Repeated Exposure: N/D

Aspiration Hazard: N/D

Comments: None.

## Section 12. Ecological Information

### Ecotoxicity

Species	Duration	Type of Effect	Test Results
Ceriodaphnia dubia	48h	LC50	>2000 mg/l
Daphnia pulex	48h	LC50	7071 mg/l
Fathead Minnow	96h	LC50	>1000 mg/l
	48h	LC50	3675 mg/l

**Persistence and Biodegradability:** N/D

**Bioaccumulative Potential:** N/D

**Mobility In Soil:** N/D

**Other Adverse Effects:** N/D

**Comments:** None.

## Section 13. Disposal Considerations

Dispose of in accordance with local, state and federal regulations.

## Section 14. Transport Information

Controlling Regulation	UN/NA#:	Proper Shipping Name:	Technical Name:	Hazard Class:	Packing Group:
DOT	N/A	COMPOUND, INDUSTRIAL WATER TREATMENT, LIQUID	N/A	N/A	N/A
IMDG	UN3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	(POLYALUMINUM CHLORIDE SOLUTION)	8	PGIII
ICAO	UN3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	(POLYALUMINUM CHLORIDE SOLUTION)	8	PGIII
TDG	N/A	COMPOUND, INDUSTRIAL WATER TREATMENT, LIQUID	N/A	N/A	N/A

**Note:** When shipped by ground in the U.S., by exception 49 CFR 173.154 (d) (1) not subject to transport as a hazardous material when in authorized packaging that will not react dangerously or be degraded by the corrosive material.



## Section 15. Regulatory Information

### Inventory Status

United States (TSCA):  
Canada (DSL/NDSL):

All ingredients listed.  
All ingredients listed.

### Federal Regulations

#### SARA Title III Rules

#### Sections 311/312 Hazard Classes

Fire Hazard:	No
Reactive Hazard:	No
Release of Pressure:	No
Acute Health Hazard:	Yes
Chronic Health Hazard:	No

#### Other Sections

Component	Section 313 Toxic Chemical	Section 302 EHS TPQ	CERCLA RQ
Aluminum chlorohydrate	N/A	N/A	N/A

Comments: None.

### State Regulations

California Proposition 65: None known.

#### Special Regulations

Component	States
Aluminum chlorohydrate	None.



## International Regulations

### Canada

**WHMIS Classification:** D2B (Toxic Material)  
E (Corrosive Material)

**Controlled Product Regulations (CPR):** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## Compliance Information

**NSF:** Certified to NSF/ANSI Standard 60  
Maximum use rate for potable water – 250 mg/L  
This product ships as NSF from:  
Ashland, VA  
Eldridge, IA  
Nederland, TX  
Facility #4 USA  
Facility #7 USA  
Facility #8 USA  
Facility #14 Canada  
Facility #22 USA  
Facility #23 USA  
Facility #24 USA  
Facility #25 USA  
Facility #31 USA

**Food Regulations:** N/A

**KOSHER:** This product has not been evaluated for Kosher approval.

**FIFRA:** N/A

**Other:** None

**Comments:** None.

## Section 16. Other Information

---

### HMIS Hazard Rating

Health:	1
Flammability:	0
Physical Hazard:	0
PPE:	X

#### Notes:

The PPE rating depends on circumstances of use. See Section 8 for recommended PPE.

The Hazardous Material Information System (HMIS) is a voluntary, subjective alpha-numeric symbolic system for recommending hazard risk and personal protection equipment information. It is a subjective rating system based on the evaluator's understanding of the chemical associated risks. The end-user must determine if the code is appropriate for their use.

### Abbreviations

Abbreviation	Definition
<	Less Than
>	Greater Than
ACGIH	American Conference of Governmental Industrial Hygienists
EHS	Environmental Health and Safety Dept
N/A	Not Applicable
N/D	Not Determined
N/E	Not Established
OSHA	Occupational Health and Safety Dept
PEL	Personal Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weight Average
UNK	Unknown

**Prepared by:** Product Compliance Department; ProductCompliance@chemtreat.com

**Revision Date:** March 7, 2017



## ***Disclaimer***

---

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.