SAFETY DATA SHEET



QUORUM COPPER

Section 1. Chemical product and company identification

Product name

: QUORUM COPPER

Recommended use and

: Cleaning product

restrictions

Use only for the purpose on the product label.

Product dilution information: Up to 6 oz/gal or 47 mL/L in water

Supplier's information

: Ecolab Inc. Food & Beverage Division

370 N. Wabasha Street St. Paul, MN 55102 1-800-392-3392

Code

: 988808

Date of issue

: 11 Oct 2013

EMERGENCY HEALTH INFORMATION: 1-800-328-0026

Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Hazards identification

Product AS SOLD

GHS Classification

: SKIN CORROSION/IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION -

Category 1

GHS label elements

Signal word

Danger

Symbol

(I)

Hazard statements

: Causes severe skin burns and eye damage.

Precautionary statements

Prevention

: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling.

Response

: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or physician.

Product AT USE DILUTION

SKIN CORROSION/IRRITATION - Category

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1

Danger

V

Causes severe skin burns and eye damage.

Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER

QUORUM COPPER 11 Oct 2013

Section 2. Hazards identification

Storage

: No other specific measures identified.

Disposal

: See section 13 for waste disposal information.

Other hazards

: None known.

or physician.

No other specific measures identified.

See section 13 for waste disposal

information.

None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Product AS SOLD

Hazardous ingredients

Concentration Range (%)

CAS number

SODIUM HYDROXIDE

19

1310-73-2

SODIUM LAURIMINODIPROPIONATE

1 - 5

14960-06-6

1310-73-2

Product AT USE DILUTION

Hazardous ingredients

Concentration Range (%)

CAS number

SODIUM HYDROXIDE 2

Section 4. First aid measures

Product AS SOLD

Eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention

immediately.

Skin contact

: Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention immediately.

Ingestion

: Get medical attention immediately. Rinse mouth.

Do not induce vomiting.

Product AT USE DILUTION

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes

thoroughly before reuse.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.

Get medical attention immediately. Rinse mouth. Do not induce vomiting.

Protection of first-

aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated

clothing thoroughly with water before removing it, or wear gloves.

Notes to physician

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The

exposed person may need to be kept under medical surveillance for 48 hours.

See toxicological information (section 11)

Section 5. Fire-fighting measures

Product AS SOLD

Suitable fire extinguishing media

: Use water spray, fog or foam.

Specific hazards arising from the chemical Hazardous thermal

decomposition products

: In a fire or if heated, a pressure increase will occur and the container may burst.

:

Section 5. Fire-fighting measures

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

Specific fire-fighting methods

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Product AS SOLD

Personal precautions

: Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.

Environmental precautions Methods for cleaning up

- : Avoid contact of spilled material and runoff with soil and surface waterways.
- : Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/ neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

Product AT USE DILUTION

Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.

Avoid contact of spilled material and runoff with soil and surface waterways.

Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

Section 7. Handling and storage

Handling

Product AS SOLD

Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.

Storage

: Keep out of reach of children. Keep container

tightly closed.

Store between the following temperatures: -25 and 50°C

Product AT USE DILUTION

Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.

Keep out of reach of children. Keep container tightly closed.

Section 8. Exposure controls/personal protection

Control parameters

Ingredient name	Exposure limits
SODIUM HYDROXIDE	ACGIH TLV (United States, 3/2012). C: 2 mg/m³ OSHA PEL (United States, 6/2010). TWA: 2 mg/m³ 8 hours. NIOSH REL (United States, 6/2009). CEIL: 2 mg/m³

Section 8. Exposure controls/personal protection

Appropriate engineering controls

Product AS SOLD

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Personal protection

Eye protection

: Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.

Hand protection

: Use chemical-resistant, impervious gloves.

Skin protection

: Use synthetic apron, other protective equipment

as necessary to prevent skin contact.

Respiratory protection

: A respirator is not needed under normal and

Hygiene measures

intended conditions of product use.

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing

Section 9. Physical and chemical properties

Product AS SOLD

before reusing.

Physical state

: Liquid.

Color Odor

: Brown [Light] : Faint odor

Нq

: 13.5 to 14 (100%)

Flash point

: > 100°C

Explosion limits

: Not available.

Flammability (solid,

: Not available.

gas)

Melting point **Boiling point**

: Not available. : 100°C (212°F)

Evaporation rate (butyl acetate = 1) : Not available.

Vapor pressure

: Not available.

Vapor density

: Not available.

Relative density

: 1.212 to 1.222 (Water = 1)

Solubility

: Easily soluble in the following materials: cold

water and hot water.

Partition coefficient: : Not available.

n-octanol/water

Auto-ignition temperature

: Not available.

Decomposition

: Not available.

temperature

Odor threshold

: Not available.

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.

Use chemical-resistant, impervious gloves.

Use synthetic apron, other protective equipment as necessary to prevent skin contact.

A respirator is not needed under normal and intended conditions of product use.

Product AT USE DILUTION

Liquid.

Pale color Faint odor

12 to 13 > 100°C QUORUM COPPER

11 Oct 2013

Section 9. Physical and chemical properties

Viscosity

: Not available.

Section 10. Stability and reactivity

Product AS SOLD

Stability

: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: No specific data.

Materials to avoid

: Highly reactive or incompatible with the following materials: acids. Slightly reactive or incompatible with the following materials: metals.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Section 11. Toxicological information

Route of exposure

: Skin contact, Eye contact, Inhalation, Ingestion

Product AS SOLD

Symptoms

Eye contact : Adverse symptoms may include the following:

> pain watering redness

Skin contact

: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Inhalation

: Adverse symptoms may include the following:

coughing

Respiratory tract irritation

Ingestion

: Adverse symptoms may include the following:

stomach pains

Acute toxicity

Eye contact

: Causes serious eye damage.

Skin contact

: Causes severe burns.

Inhalation

: May cause respiratory irritation.

Ingestion

: May cause burns to mouth, throat and stomach.

Product AT USE DILUTION

Adverse symptoms may include the following:

watering

redness

Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Adverse symptoms may include the following:

coughing

Respiratory tract irritation

Adverse symptoms may include the following:

stomach pains

Causes serious eye damage.

Causes severe burns.

May cause respiratory irritation.

May cause burns to mouth, throat and

stomach.

Toxicity data

Product/ingredient name

.beta.-alanine, n-(2-carboxyethyl)-n-dodecyl-, LD50 Dermal

Rabbit 6800 mg/kg

monosodium salt

LD50 Oral

Rat

31300 mg/kg

Chronic toxicity

Carcinogenicity

No known significant effects or critical hazards.

Mutagenicity

: No known significant effects or critical hazards.

Teratogenicity **Developmental effects** : No known significant effects or critical hazards. : No known significant effects or critical hazards.

Fertility effects

: No known significant effects or critical hazards.

QUORUM COPPER 11 Oct 2015

Section 12. Ecological information

Product AS SOLD

Ecotoxicity : No known significant effects or critical hazards.

Aquatic and terrestrial toxicity

Product/ingredient nameResultSpeciesExposuresodium hydroxideAcute EC50 40 mg/lDaphnia48 hours.beta.-alanine, n-(2-carboxyethyl)-n-dodecyl-,Acute LC50 17.45 mg/lFish96 hours

monosodium salt

Other adverse effects: No known significant effects or critical hazards.

Section 13. Disposal considerations

Product AS SOLD

Disposal methods : Avoid disposal. Attempt to use product

completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.

RCRA classification : Unused product is D002 (Corrosive)

Product AT USE DILUTION

Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

DOT

DOT Classification UN1824

DOT Proper shipping name Sodium hydroxide solution

Class

Packing group II

IMO/IMDG

IMO/IMDG Classification UN1824

IMO/IMDG Proper shipping name SODIUM HYDROXIDE SOLUTION

Class 8
Packing group ||

For transport in bulk, see shipping documents for specific transportation information.

Product AT USE DILUTION

Not intended for transport.

Section 15. Regulatory information

Product AS SOLD

U.S. Federal regulations

TSCA 8(b) inventory : All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance

SARA 313 Product name CAS number Concentration

Form R - Reporting : No !

requirements

: No listed substance

California Prop. 65

: No listed substance


Section 16. Other information


Product AS SOLD

Hazardous Material Information System (U.S.A.)



National Fire Protection Association (U.S.A.)





Date of issue

: 11 Oct 2013

Prepared by

: Regulatory Affairs

1-800-352-5326

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.