	Page: 1
SAFETY DATA SHEET	Revision Date: 01/30/2018
	Print Date: 2/27/2018
	SDS Number: R0188429
Drewgard™ 315 CLOSED SYSTEM TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83787	Version: 1.7

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Drewgard™ 315
CLOSED SYSTEM TREATMENT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) RegulatoryRequestsNA@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion : Category 1

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements :

Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

SAFETY DATA SHEET

Revision Date: 01/30/2018

Print Date: 2/27/2018

SDS Number: R0188429

Version: 1.7

Drewgard™ 315 CLOSED SYSTEM TREATMENT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 83787

all contaminated clothing. Rinse skin with water/shower.
 P304 + P340 + P310 IF INHALED: Remove person to fresh air
 and keep comfortable for breathing. Immediately call a POISON
 CENTER/doctor.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with
 water for several minutes. Remove contact lenses, if present
 and easy to do. Continue rinsing. Immediately call a POISON
 CENTER/doctor.
 P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

 P501 Dispose of contents/ container to an approved waste
 disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture


Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
MOLYBDENUM COMPOUND	Trade Secret	Not a hazardous substance or mixture.	>= 15 - < 20
TRIAZOLE DERIVATIVE	Trade Secret	Acute Tox. 4; H302 Skin Corr. 1; H314 Eye Dam. 1; H318	>= 1.5 - < 3
SODIUM HYDROXIDE	1310-73-2	Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318	>= 1 - < 1.5

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
 Consult a physician.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.

If inhaled : Move to fresh air.
 If breathed in, move person into fresh air.
 Keep patient warm and at rest.
 If unconscious, place in recovery position and seek medical
 advice.
 If symptoms persist, call a physician.

 SOLENIS Strong bonds. Trusted solutions.	Page: 3
SAFETY DATA SHEET	Revision Date: 01/30/2018
	Print Date: 2/27/2018
	SDS Number: R0188429
Drewgard™ 315 CLOSED SYSTEM TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83787	Version: 1.7

- In case of skin contact : If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty
of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through
breathing, swallowing, and/or passage of the material through
the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Cough
lung edema (fluid buildup in the lung tissue)
Difficulty in breathing
Causes serious eye damage.
Causes severe burns.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local
circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO2)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water
courses.
- Hazardous combustion products : hydrogen cyanide in reducing atmospheres
nitrogen oxides (NOx)
Carbon monoxide
Carbon dioxide (CO2)
corrosive vapors
Sodium oxides
toxic fumes

SAFETY DATA SHEET

Revision Date: 01/30/2018

Print Date: 2/27/2018

SDS Number: R0188429

Version: 1.7

Drewgard™ 315 CLOSED SYSTEM TREATMENT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 83787

- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
 Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
 When diluting, always add the product to water. Never add water to the product.
 Container hazardous when empty.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Observe label precautions.
 Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
------------	---------	------------	---------	-------

SAFETY DATA SHEET

Revision Date: 01/30/2018

Print Date: 2/27/2018

SDS Number: R0188429

Drewgard™ 315 CLOSED SYSTEM TREATMENT.
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 83787

Version: 1.7

		(Form of exposure)	parameters / Permissible concentration	
MOLYBDENUM COMPOUND	Trade Secret	TWA (total dust)	15 mg/m3 (Molybdenum)	OSHA Z-1
		TWA	5 mg/m3 (Molybdenum)	OSHA Z-1
		TWA (Inhalable fraction)	10 mg/m3 (Molybdenum)	ACGIH
		TWA (Respirable fraction)	3 mg/m3 (Molybdenum)	ACGIH
		TWA (Respirable fraction)	0.5 mg/m3 (Molybdenum)	ACGIH
		TWA (Total dust)	10 mg/m3 (Molybdenum)	OSHA P0
		TWA	5 mg/m3 (Molybdenum)	OSHA P0
SODIUM HYDROXIDE	1310-73-2	C	2 mg/m3	ACGIH
		C	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		C	2 mg/m3	OSHA P0

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.
 Maintain eye wash station in immediate work area.

Skin and body protection : Wear as appropriate:
 Impervious clothing
 Chemical resistant apron
 Safety shoes
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Discard gloves that show tears, pinholes, or signs of wear.
 Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.

SAFETY DATA SHEET

Revision Date: 01/30/2018

Print Date: 2/27/2018

SDS Number: R0188429


Version: 1.7

Drewgard™ 315 CLOSED SYSTEM TREATMENT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
83787

When using do not eat or drink.
Ensure that eyewash stations and safety showers are close
to the workstation location.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: light brown
Odour	: No data available
Odour Threshold	: No data available
pH	: > 12.5
Melting point/freezing point	: 25 °F
Boiling point/boiling range	: 100 °C (1,013.33 hPa) Calculated Phase Transition Liquid/Gas
Flash point	: No data available
Evaporation rate	: > 1 Ethyl Ether
Flammability (solid, gas)	: No data available
Self-ignition	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 23.33 hPa (404.44 °C) Calculated Vapor Pressure
Relative vapour density	: > 1 AIR=1
Relative density	: 1.142 (25 °C)
Density	: 1.133 - 1.155 g/cm ³ (25 °C)
Solubility(ies)	
Water solubility	: completely soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available

 SOLENIS Strong bonds. Trusted solutions.	Page: 7
SAFETY DATA SHEET	Revision Date: 01/30/2018
	Print Date: 2/27/2018
	SDS Number: R0188429
Drewgard™ 315 CLOSED SYSTEM TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83787	Version: 1.7

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : Exposure to sunlight.
Exposure to moisture
Exposure to air or moisture over prolonged periods.

Incompatible materials : Acids
halogenated hydrocarbons
Metals
organic nitro compounds
Strong oxidizing agents
water

Hazardous decomposition products : **molybdenum fumes**
Hydrogen cyanide (hydrocyanic acid)
Nitrogen oxides (NOx)
Carbon monoxide
Carbon dioxide (CO2)
corrosive vapors
Sodium oxides
toxic fumes

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

TRIAZOLE DERIVATIVE:

SAFETY DATA SHEET

Revision Date: 01/30/2018

Print Date: 2/27/2018

SDS Number: R0188429

Version: 1.7

Drewgard™ 315 CLOSED SYSTEM TREATMENT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
83787

Acute oral toxicity : LD 50 (Rat, Female): 735 mg/kg
Acute dermal toxicity : LD 50 (Rabbit): > 2,000 mg/kg
Assessment: Not classified as acutely toxic by dermal
absorption under GHS.

SODIUM HYDROXIDE:

Acute oral toxicity : LD Lo (Rabbit): 500 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Result: Corrosive to skin

Remarks: **Causes severe skin burns and eye damage.**
The feeling of irritation or pain may be delayed.

Components:**MOLYBDENUM COMPOUND:**

Result: Possibly irritating to skin

TRIAZOLE DERIVATIVE:

Result: Corrosive to skin

SODIUM HYDROXIDE:

Result: Corrosive to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result: Corrosive to eyes

Remarks: May cause irreversible eye damage.

Components:**MOLYBDENUM COMPOUND:**


Result: Possibly irritating to eyes

TRIAZOLE DERIVATIVE:

Result: Corrosive to eyes

SODIUM HYDROXIDE:

Result: Corrosive to eyes

	Page: 9
SAFETY DATA SHEET	Revision Date: 01/30/2018
	Print Date: 2/27/2018
	SDS Number: R0188429
Drewgard™ 315 CLOSED SYSTEM TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83787	Version: 1.7

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC 50 (Oncorhynchus mykiss (rainbow trout)): 707 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): 7,070 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

Revision Date: 01/30/2018

Print Date: 2/27/2018

SDS Number: R0188429

Version: 1.7

Drewgard™ 315 CLOSED SYSTEM TREATMENT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 83787

Test Type: static test
 Remarks: Information given is based on data on the
 components and the ecotoxicology of similar products.

Ecotoxicology Assessment

- Acute aquatic toxicity : Not classified based on available information.
- Chronic aquatic toxicity : Not classified based on available information.

Components:

TRIAZOLE DERIVATIVE:

- Toxicity to fish : LC 50 (Lepomis macrochirus (Bluegill sunfish)): > 173 mg/l
 Exposure time: 96 h

 LC 50 (Oncorhynchus mykiss (rainbow trout)): ca. 25 mg/l
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC 50 (Water flea (Daphnia magna)): 280 mg/l
 Exposure time: 48 h
- Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 26.2 mg/l
 Exposure time: 72 h
 Test Type: Growth inhibition


 EbC50 (Pseudokirchneriella subcapitata (green algae)): 32 mg/l
 Exposure time: 96 h
 Test Type: Growth inhibition
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Water flea (Daphnia magna)): 0.4 mg/l
 Exposure time: 21 d
 Test Type: semi-static test
 Method: OECD Test Guideline 211
 Remarks: Information given is based on data obtained from similar substances.

SODIUM HYDROXIDE:

- Toxicity to fish : LC 50 (Western mosquitofish (Gambusia affinis)): 125 mg/l
 Exposure time: 96 h
 Method: Static
 Remarks: Mortality
- Toxicity to daphnia and other aquatic invertebrates : EC 50 (Water flea (Daphnia magna)): 34.59 - 47.13 mg/l
 Exposure time: 48 h
 Remarks: Intoxication

Ecotoxicology Assessment

- Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.

 SOLENIS Strong bonds. Trusted solutions.	Page: 11
SAFETY DATA SHEET	Revision Date: 01/30/2018
	Print Date: 2/27/2018
	SDS Number: R0188429
Drewgard™ 315 CLOSED SYSTEM TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83787	Version: 1.7

Chronic aquatic toxicity : Not classified based on available information.

Persistence and degradability

Product:

Biochemical Oxygen Demand (BOD) : Biochemical oxygen demand within 5 days
56,000 mg/l

Chemical Oxygen Demand (COD) : 61,000 mg/l
Method: Chemical oxygen demand

Components:

TRIAZOLE DERIVATIVE:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

TRIAZOLE DERIVATIVE:

Partition coefficient: n-octanol/water : log Pow: 0.658

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SAFETY DATA SHEET

Revision Date: 01/30/2018

Print Date: 2/27/2018

SDS Number: R0188429

Version: 1.7

Drewgard™ 315 CLOSED SYSTEM TREATMENT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 83787

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

U.S. DOT - ROAD

UN 1719	Caustic alkali liquids, n.o.s. (SODIUM HYDROXIDE)	8		III	
---------	--	---	--	-----	--

U.S. DOT - RAIL

UN 1719	Caustic alkali liquids, n.o.s. (SODIUM HYDROXIDE)	8		III	
---------	--	---	--	-----	--

U.S. DOT - INLAND WATERWAYS

UN 1719	Caustic alkali liquids, n.o.s. (SODIUM HYDROXIDE)	8		III	
---------	--	---	--	-----	--

TRANSPORT CANADA - ROAD

UN 1719	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)	8		III	
---------	---	---	--	-----	--

TRANSPORT CANADA - RAIL

UN 1719	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)	8		III	
---------	---	---	--	-----	--

INTERNATIONAL MARITIME DANGEROUS GOODS

UN 1719	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)	8		III	
---------	---	---	--	-----	--


INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

UN 1719	Caustic alkali liquid, n.o.s. (SODIUM HYDROXIDE)	8		III	
---------	---	---	--	-----	--

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

UN 1719	Caustic alkali liquid, n.o.s. (SODIUM HYDROXIDE)	8		III	
---------	---	---	--	-----	--

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

 SOLENIS Strong bonds. Trusted solutions.		Page: 13
SAFETY DATA SHEET		Revision Date: 01/30/2018
		Print Date: 2/27/2018
		SDS Number: R0188429
Drewgard™ 315 CLOSED SYSTEM TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83787		Version: 1.7

UN	1719	LIQUIDOS ALCALINOS CAUSTICOS N.E.P. (SODIUM HYDROXIDE)	8	III
----	------	--	---	-----

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
SODIUM HYDROXIDE	1310-73-2	1000	97665

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:

- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

Revision Date: 01/30/2018

Print Date: 2/27/2018

SDS Number: R0188429

Version: 1.7

Drewgard™ 315 CLOSED SYSTEM TREATMENT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 83787

- TCSI : On the inventory, or in compliance with the inventory
- TSCA : On TSCA Inventory

TSCA list

The following substance(s) is/are subject to a Significant New Use Rule:
 MERCURY 7439-97-6

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 01/30/2018

Full text of H-Statements

- H290 : May be corrosive to metals.
- H302 : Harmful if swallowed.
- H314 : Causes severe skin burns and eye damage.
- H318 : Causes serious eye damage.

Full text of other abbreviations

- Acute Tox. : Acute toxicity
- Eye Dam. : Serious eye damage
- Met. Corr. : Corrosive to metals
- Skin Corr. : Skin corrosion

Further information


Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data
 SOLENIS Internal data
 SOLENIS internal data including own and sponsored test reports
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -

	Page: 15
SAFETY DATA SHEET	Revision Date: 01/30/2018
	Print Date: 2/27/2018
	SDS Number: R0188429
Drewgard™ 315 CLOSED SYSTEM TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83787	Version: 1.7

Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

US / EN