



# Material Safety Data Sheet

Issue Date: 03-OCT-2011  
Supersedes: 08-FEB-2010

DEPOSITROL BL5307

---

## 1 Identification

**Identification of substance or preparation**  
DEPOSITROL BL5307

**Product Application Area**  
Water-based deposit control agent.

**Company/Undertaking Identification**  
GE Betz, Inc.  
4636 Somerton Road  
Trevose, PA 19053  
T 215 355-3300, F 215 953 5524

**Emergency Telephone**  
(800) 877-1940

Prepared by Product Stewardship Group: T 215-355-3300    Prepared on: 03-OCT-2011

## 2 Hazard(s) identification

\*\*\*\*\*  
**EMERGENCY OVERVIEW**

**WARNING**

May cause slight irritation to the skin. May cause moderate irritation to the eyes. Mists/aerosols may cause irritation to upper respiratory tract.

DOT hazard: Corrosive to aluminum  
Odor: Mild; Appearance: Yellow To Amber, Liquid

Fire fighters should wear positive pressure self-contained breathing apparatus(full face-piece type). Proper fire-extinguishing media: dry chemical, carbon dioxide, foam or water

\*\*\*\*\*

**POTENTIAL HEALTH EFFECTS**

**ACUTE SKIN EFFECTS:**

Primary route of exposure; May cause slight irritation to the skin.

**ACUTE EYE EFFECTS:**

May cause moderate irritation to the eyes.

**ACUTE RESPIRATORY EFFECTS:**

Mists/aerosols may cause irritation to upper respiratory tract.

**INGESTION EFFECTS:**

May cause gastrointestinal irritation with possible nausea, vomiting, abdominal discomfort and diarrhea.

**TARGET ORGANS:**

Prolonged or repeated exposures may cause primary irritant dermatitis.

**MEDICAL CONDITIONS AGGRAVATED:**

Not known.

**SYMPTOMS OF EXPOSURE:**

May cause redness or itching of skin.

## 3 Composition / information on ingredients

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this MSDS for our assessment of the potential hazards of this formulation.

**HAZARDOUS INGREDIENTS:**

This product is not hazardous as defined by OSHA regulations.

No component is considered to be a carcinogen by the National Toxicology Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration at OSHA thresholds for carcinogens.

## 4 First-aid measures

**SKIN CONTACT:**

Wash thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists.

**EYE CONTACT:**

Remove contact lenses. Hold eyelids apart. Immediately flush eyes with plenty of low-pressure water for at least 15 minutes. Get immediate medical attention.

**INHALATION:**

If nasal, throat or lung irritation develops - remove to fresh air and get medical attention.

**INGESTION:**

Do not feed anything by mouth to an unconscious or convulsive victim. Do not induce vomiting. Immediately contact physician. Dilute contents of stomach using 2-8 fluid ounces (60-240 mL) of milk or water.

**NOTES TO PHYSICIANS:**

No special instructions

## 5 Fire-fighting measures

**FIRE FIGHTING INSTRUCTIONS:**

Fire fighters should wear positive pressure self-contained breathing apparatus (full face-piece type).

**EXTINGUISHING MEDIA:**

dry chemical, carbon dioxide, foam or water

**HAZARDOUS DECOMPOSITION PRODUCTS:**

oxides of carbon

**FLASH POINT:**

> 200F > 93C P-M(CC)

## 6 Accidental release measures

**PROTECTION AND SPILL CONTAINMENT:**

Ventilate area. Use specified protective equipment. Contain and absorb on absorbent material. Place in waste disposal container. Flush area with water. Wet area may be slippery. Spread sand/grit.

**DISPOSAL INSTRUCTIONS:**

Water contaminated with this product may be sent to a sanitary sewer treatment facility, in accordance with any local agreement, a permitted waste treatment facility or discharged under a permit. Product as is - Incinerate or land dispose in an approved landfill.

## 7 Handling and storage

**HANDLING:**

Normal chemical handling.

**STORAGE:**

Keep containers closed when not in use. Protect from freezing. If frozen, thaw and mix completely prior to use. Shelf life 270 days.

## 8 Exposure controls / personal protection

**EXPOSURE LIMITS**

This product is not hazardous as defined by OSHA regulations.

**ENGINEERING CONTROLS:**

Adequate ventilation to maintain air contaminants below exposure limits.

**PERSONAL PROTECTIVE EQUIPMENT:**

Use protective equipment in accordance with 29CFR 1910 Subpart I

**RESPIRATORY PROTECTION:**

A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.

USE AIR PURIFYING RESPIRATORS WITHIN USE LIMITATIONS ASSOCIATED WITH THE EQUIPMENT OR ELSE USE SUPPLIED AIR-RESPIRATORS.

If air-purifying respirator use is appropriate, use any of the following particulate respirators: N95, N99, N100, R95, R99, R100, P95, P99 or P100.

**SKIN PROTECTION:**

rubber, butyl, viton or neoprene gloves -- Wash off after each use. Replace as necessary.

**EYE PROTECTION:**

splash proof chemical goggles

## 9 Physical and chemical properties

Spec. Grav. (70F,21C)	1.270	Vapor Pressure (mmHG)	~ 18.0
Freeze Point (F)	27	Vapor Density (air=1)	> 1.00
Freeze Point (C)	-3		
Viscosity(cps 70F,21C)	26	% Solubility (water)	100.0

Odor		Mild
Appearance		Yellow To Amber
Physical State		Liquid
Flash Point	P-M(CC)	> 200F > 93C
pH As Is (approx.)		11.0
Evaporation Rate (Ether=1)		< 1.00
Percent VOC:		0.0

NA = not applicable    ND = not determined

## 10 Stability and reactivity

### CHEMICAL STABILITY:

Stable under normal storage conditions.

### POSSIBILITY OF HAZARDOUS REACTIONS:

Contact with water reactive compounds may cause fire or explosion.

### INCOMPATIBILITIES:

May react with strong oxidizers.

### DECOMPOSITION PRODUCTS:

oxides of carbon

## 11 Toxicological information

Oral LD50 RAT:	4110 mg/kg
NOTE - Calculated value according to GHS additivity formula	
28 Day Oral RAT:	
NOTE - 100% polymer at 1,000 mg/kg/day caused no treatment related toxicity	
Dermal LD50 RABBIT:	>5000 mg/kg
NOTE - Calculated value according to GHS additivity formula	
Skin Irritation Score RABBIT:	SLIGHT
NOTE - Based on testing of similar material	
Eye Irritation Score RABBIT:	SLIGHT
NOTE - Based on testing of similar material	
Non-Ames Mutagenicity MOUSE:	
NOTE - 100% polymer was negative in the In Vivo Bone Marrow Micronucleus Assay	

## 12 Ecological information

#### **AQUATIC TOXICOLOGY**

Daphnia magna 48 Hour Static Renewal Bioassay  
LC50= 1768; No Effect Level= 1250 mg/L  
Fathead Minnow 96 Hour Static Renewal Bioassay  
LC50= 1708; No Effect Level= 1250 mg/L

#### **BIODEGRADATION**

BOD-28 (mg/g): 9  
BOD-5 (mg/g): 8  
COD (mg/g): 177  
TOC (mg/g): 81

## **13 Disposal considerations**

If this undiluted product is discarded as a waste, the US RCRA hazardous waste identification number is :  
Not applicable.

Please be advised; however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

## **14 Transport information**

Transportation Hazard: Corrosive to aluminum  
DOT: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(CALCIUM HYDROXIDE SOLUTION)  
8, UN 3266, PG III  
DOT EMERGENCY RESPONSE GUIDE #: 154  
Note: Some containers may be DOT exempt, please check BOL for exact container classification  
IATA: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(CALCIUM HYDROXIDE SOLUTION)  
8, UN 3266, PG III  
IMDG: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(CALCIUM HYDROXIDE SOLUTION)  
8, UN 3266, PG III

## **15 Regulatory information**

#### **TSCA:**

All components of this product are included on or are in compliance with the U.S. TSCA regulations.

#### **CERCLA AND/OR SARA REPORTABLE QUANTITY (RQ):**

No regulated constituent present at OSHA thresholds

#### **NSF Registered and/or meets USDA (according to 1998 Guidelines):**

Registration number: Not Registered

#### **SARA SECTION 312 HAZARD CLASS:**

Delayed(Chronic)

#### **SARA SECTION 302 CHEMICALS:**

No regulated constituent present at OSHA thresholds

#### **SARA SECTION 313 CHEMICALS:**

No regulated constituent present at OSHA thresholds

#### **CALIFORNIA REGULATORY INFORMATION**

**CALIFORNIA SAFE DRINKING WATER AND TOXIC  
ENFORCEMENT ACT (PROPOSITION 65):**

No regulated constituents present

**MICHIGAN REGULATORY INFORMATION**

No regulated constituent present at OSHA thresholds

## 16 Other information

HMIS vII		CODE TRANSLATION
Health	2	Moderate Hazard
Fire	1	Slight Hazard
Reactivity	0	Minimal Hazard
Special	NONE	No special Hazard
(1) Protective Equipment	B	Goggles, Gloves

(1) refer to section 8 of MSDS for additional protective equipment recommendations.

### CHANGE LOG

	EFFECTIVE DATE	REVISIONS TO SECTION:	SUPERCEDES
	-----	-----	-----
MSDS status:	29-JAN-1997		** NEW **
	30-JUL-1998	12	29-JAN-1997
	05-OCT-2001	2,3,4,8,10	30-JUL-1998
	16-OCT-2007	4,5,7,8,10	05-OCT-2001
	26-NOV-2007	2,3,8	16-OCT-2007
	28-JUL-2009	2,5,14	26-NOV-2007
	24-NOV-2009	3,8	28-JUL-2009
	08-FEB-2010	10	24-NOV-2009
	03-OCT-2011	11	08-FEB-2010