

STERLING WATER TECHNOLOGIES LLC

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identity: CP 17

Recommended use of the chemical and restrictions on use: Use as water treatment chemical.

Manufacturer: Sterling Water Technologies LLC
902 S High St
Columbia, TN 38401

Telephone: (800) 426-2428

Emergency Phone: CHEMTREC: (800) 424-9300

SDS Date of Preparation: 07/16/13

Prepared by: Chandra D Gioiello, CIH Industrial Health & Safety Consultants, Inc. Shelton, CT 203-929-3473


2. HAZARDS IDENTIFICATION

GHS Classification:

Physical	Health	Environment
Corrosive to Metals Category 1	Eye Damage Category 1 Skin Corrosion Category 1	Not Hazardous

GHS Label Elements:

Danger!



Contains: Inorganic Phosphates

Statements of Hazard

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Prevention

P234 Keep only in original container.
P260 Do not breathe mist, vapors, or spray.
P264 Wash thoroughly after handling.
P280 Wear protective gloves, protective clothing, eye protections and face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor.
P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water or shower.

P310 Immediately call a POISON CENTER or doctor.
P363 Wash contaminated clothing before reuse.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P310 Immediately call a POISON CENTER or doctor.
P304+P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P310 Immediately call a POISON CENTER or doctor.
P390 Absorb spillage to prevent material-damage.
P405 Store locked up.
P406 Store in a corrosive resistant container with a resistant inner liner.
P501 Dispose of contents and container in accordance with local and national regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	Amount
Water	7732-18-5	60-80%
Inorganic Phosphates	Proprietary	20-40%

The exact concentration is being withheld as a trade secret.

4. FIRST AID MEASURES

Eye: Immediately flush victim's eyes with large quantities of water for at least 30 minutes, while holding the eyelids apart. Get immediate medical attention.

Skin: Immediately remove contaminated clothing and wash skin thoroughly with soap and water for at least 30 minutes. Get immediate medical attention. Launder clothing before re-use. (Discard contaminated shoes).

Ingestion: Do NOT induce vomiting. If conscious, give large quantities of water. Never give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.

Inhalation: Immediately remove victim to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel. If breathing has stopped, administer artificial respiration. Get immediate medical attention.

Most important Symptoms: May cause severe eye irritation with possible eye damage. May cause severe irritation and burns to skin. Inhalation of mists may cause mucous membrane and respiratory irritation. May be harmful or fatal if swallowed.

Indication of immediate medical attention/special treatment: Immediate medical attention is required for all routes of exposure.

5. FIRE FIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Use media appropriate for surrounding fire. Cool fire exposed containers and structures with water.

Specific hazards arising from the chemical: Thermal decomposition may yield oxides of phosphorus.

Special Protective Equipment and Precautions for Fire-Fighting Instructions: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Aqueous solutions may cause surfaces to be extremely slippery and cause a slip hazard.

Explosion Data (sensitivity to mechanical impact or static discharge): None known.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures: Evacuate spill area and keep unprotected personnel away. Wear appropriate protective clothing as described in Section 8. Aqueous solutions may cause surfaces to be extremely slippery and cause a slip hazard.

Methods and Materials for Containment and Cleaning Up: Dike and collect liquid or absorb with an inert absorbent and place in appropriate containers for disposal. Do not store in aluminum containers. Prevent spill from entering sewers and water courses. Report releases as required by local, state and federal authorities.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Avoid contact with the eyes, skin and clothing. Avoid breathing mists or aerosols. Wear protective clothing and equipment as described in Section 8. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use.

Do not reuse containers. Empty containers retain product residues can be hazardous. Follow all SDS precautions when handling empty containers.

Conditions for Safe Storage, Including Any Incompatibilities: Store in a cool, dry, well-ventilated area away from incompatible materials. Protect from physical damage. Product will corrode aluminum, do not store in aluminum containers. Keep in original container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

Inorganic Phosphates	None Established
----------------------	------------------

Engineering Controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Respiratory Protection: In operations where exposure levels are exceeded, a NIOSH approved respirator with dust/mist cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice.

Skin Protection: Wear impervious gloves such as rubber or neoprene.

Eye Protection: Safety goggles recommended.

Other: Long-sleeved clothing and long pants recommended to avoid prolonged skin contact. Suitable washing facilities should be available in the work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance And Odor: Clear, slightly viscous, opaque liquid with no odor.

Physical State: Liquid	Odor Threshold: Not established
Vapor Density: Same as water	Initial Boiling Point/Range: >100°C (>212°F)
Solubility In Water: Soluble	Vapor Pressure: Same as water
Relative Density: 1.27-1.35	Evaporation Rate: Same as water
Melting/Freezing Point: <0°C (<32°F)	pH: 10-12
VOC Content: 0%	Octanol/Water Coefficient: Not determined
Solubility: Partial	Decomposition Temperature: Not determined

Viscosity: Not determined	Flammability (solid, gas): Not applicable
Flashpoint: Not determined	Autoignition Temperature: Not determined
Flammable Limits: LEL: Not determined	UEL: Not determined

10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: Product will slowly corrode metals such as aluminum.

Conditions to Avoid: Avoid contact with aluminum.

Incompatible Materials: Strong oxidizing agents, strong bases, and aluminum.

Hazardous Decomposition Products: When heated to decomposition emits toxic oxides of phosphorus.

11. TOXICOLOGICAL INFORMATION

HEALTH HAZARDS:

Ingestion: Ingestion may cause mucous membrane and gastrointestinal irritation or burns with nausea, vomiting and diarrhea.

Inhalation: Inhalation of mists may cause severe irritation of the nose throat and upper respiratory tract.

Eye: May cause severe irritation with pain and tearing. Corneal damage is possible

Skin: May cause severe irritation or burns.

Sensitization: This material is not known to cause sensitization.

Chronic: Prolonged or repeated ingestion of inorganic phosphates have been shown to cause kidney damages in studies with laboratory animals.

Carcinogenicity: None of the components is listed as a carcinogen or suspected carcinogen by IARC, NTP or OSHA.

Germ Cell Mutagenicity: None currently known.

Reproductive Toxicity: None currently known.

Numerical Measures of Toxicity:

Inorganic Phosphates: Oral rat LD50 – 2980 mg/kg; Skin rabbit LD50 – 7940 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Inorganic Phosphates: 48hr EC50 Daphnia magna - >100 mg/l; 96 hr LC50 Rainbow trout - >100 mg/L; 96 hr LC50 Mysid shrimp - >100 mg/l

Persistence and Degradability: Biodegradation is not applicable to inorganic substances.

Bioaccumulative Potential: No data available

Mobility in Soil: No data available

Other Adverse Effects: None known

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state and federal environmental regulations.

14. TRANSPORT INFORMATION

DOT Hazardous Materials Description:

Proper Shipping Name: Corrosive liquid, basic, inorganic n.o.s (Inorganic Phosphate)

UN Number: UN3266

Hazard Class/Packing Group: 8, PG III

Labels Required: Corrosive

15. REGULATORY INFORMATION

CERCLA: This product is not subject to CERCLA release reporting. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Acute Health

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements under SARA Title III, Section 313 (40 CFR 372): None

EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

CANADA:

This product has been classified under the CPR and this MSDS discloses information elements required by the CPR.

Canadian CEPA: All the components of this product are listed on the Canadian DSL.

Canadian WHMIS Classification: Class E (Corrosive)

16. OTHER INFORMATION

NFPA Rating: Health = 3 Flammability = 0 Instability = 0
HMIS Rating: Health = 3 Flammability = 0 Physical Hazard = 0

SDS Revision History:

08/11/07: New SDS

10/27/08: Updated SDS

07/16/13: Updated SDS format. Made changes to all sections.

NOTICE

This above information is believed to be correct but does not propose to be all inclusive and shall be used only as a guide. Sterling Water Technologies LLC shall not be held liable for any damage resulting from handling or from contact with the above product. This information relates only to the product designated herein and does not relate to its use in combination with any other material or process.