

SAFETY DATA SHEET

Section 1. Chemical Product and Company Identification

Product Name:	ChemTreat CT9078
Product Use:	Cleaner
Supplier's Name:	ChemTreat, Inc.
Emergency Telephone Number:	(800)424-9300 (Toll Free)
Address (Corporate Headquarters):	5640 Cox Road Glen Allen, VA 23060
Telephone Number for Information:	(800)648-4579
Date of SDS:	November 15, 2019
Revision Date:	November 15, 2019
Revision Number:	19111501AN

Section 2. Hazard(s) Identification



Signal Word:	DANGER
GHS Classification(s):	Skin corrosion/irritation – Category 1b Eye damage/irritation – Category 1 Acute Toxicity Dermal – Category 4 Acute Toxicity Inhalation – Category 4 Acute Toxicity Oral – Category 4
Hazard Statement(s):	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H312 Harmful in contact with skin. H332 Harmful if inhaled. H302 Harmful if swallowed.
Precautionary Statement(s):	
Prevention:	P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink, or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection.



Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P301 + 330 + 331 IF SWALLOWED: Rinse mouth.
Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair):
Remove/take off immediately all contaminated clothing.
Rinse skin with water/shower
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container in accordance with applicable local, regional, national, and/or international regulations.

System of Classification Used:

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards Not Otherwise Classified:

None.

Section 3. Composition/Hazardous Ingredients

Component	CAS Registry #	Wt. %
Potassium hydroxide	1310-58-3	3 - 7
Tetrapotassium pyrophosphate	7320-34-5	1 - 5
Silicic acid, disodium salt	6834-92-0	1 - 5

Comments

If chemical identity and/or exact percentage of composition has been withheld, this information is considered to be a trade secret.

Section 4. First Aid Measures

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin:	Immediately remove/take off all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before re-use. Immediately call a poison center or doctor/physician.
Ingestion:	DO NOT INDUCE VOMITING. Rinse mouth. Call a POISON CENTER or doctor/physician.
Most Important Symptoms:	N/D
Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary:	N/A

Section 5. Fire Fighting Measures

Flammability of the Product:	Not flammable.
Suitable Extinguishing Media:	Use extinguishing media suitable to surrounding fire.
Specific Hazards Arising from the Chemical:	Product may emit toxic gases or fumes under fire conditions.
Protective Equipment:	If product is involved in a fire, wear full protective clothing including a positive-pressure, NIOSH approved, self-contained breathing apparatus.



Section 6. Accidental Release Measures

Personal Precautions:	Use appropriate Personal Protective Equipment (PPE).
Environmental Precautions:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.
Methods for Cleaning up:	Contain and recover liquid when possible. Flush spill area with water spray.
Other Statements:	If RQ (Reportable Quantity) is exceeded, report to National Spill Response Office at 1-800-424-8802. Reportable Quantity of the product is 2367 Gal.

Section 7. Handling and Storage

Handling:	Wear appropriate Personal Protective Equipment (PPE) when handling this product. Do not get in eyes, or on skin and clothing. Wash thoroughly after handling. Do not ingest. Avoid breathing vapors, mist or dust.
Storage:	Store away from incompatible materials (see Section 10). Store at ambient temperatures. Keep container securely closed when not in use. Label precautions also apply to empty container. Recondition or dispose of empty containers in accordance with government regulations. For Industrial use only. Do not store or handle in aluminum, zinc, copper, or their alloys. Store above Freeze Point.

Section 8. Exposure Controls/Personal Protection

Exposure Limits

Component	Source	Exposure Limits
Potassium hydroxide	ACGIH TLV	2 mg/m ³ Ceiling
Tetrapotassium pyrophosphate	N/E	N/E
Silicic acid, disodium salt	N/E	N/E

Engineering Controls:	Use only with adequate ventilation. The use of local ventilation is recommended to control emission near the source.
------------------------------	--

Personal Protection

Eyes:	Wear chemical splash goggles or safety glasses with full-face shield. Maintain eyewash fountain in work area.
Skin:	Maintain quick-drench facilities in work area. Wear butyl rubber or neoprene gloves. Wash them after each use and replace as necessary. If conditions warrant, wear protective clothing such as boots, aprons, and coveralls to prevent skin contact.
Respiratory:	If misting occurs, use NIOSH approved organic vapor/acid gas dual cartridge respirator with a dust/mist prefilter in accordance with 29 CFR 1910.134.

Section 9. Physical and Chemical Properties

Physical State and Appearance:	Liquid, Straw, Clear
Specific Gravity:	1.126 @ 20°C
pH:	13.7 @ 20°C, 100.0%
Freezing Point:	23°F
Flash Point:	N/D
Odor:	Mild
Melting Point:	N/A
Initial Boiling Point and Boiling Range:	N/A
Solubility in Water:	Complete
Evaporation Rate:	N/D
Vapor Density:	Similar to water
Molecular Weight:	N/D
Viscosity:	N/A
Flammability (solid, gas):	N/D
Flammable Limits:	N/A
Autoignition Temperature:	N/A
Density:	9.39 LB/GA
Vapor Pressure:	Similar to water
% VOC:	<1
Odor Threshold	N/D
n-octanol Partition Coefficient	N/D
Decomposition Temperature	N/D

Section 10. Stability and Reactivity

Chemical Stability:	Stable at normal temperatures and pressures.
Incompatibility with Various Substances:	Strong oxidizers, Acids.
Hazardous Decomposition Products:	Oxides of carbon.
Possibility of Hazardous Reactions:	None known.
Reactivity:	N/D
Conditions To Avoid:	N/D

Section 11. Toxicological Information

Acute Toxicity

Chemical Name	Exposure	Type of Effect	Concentration	Species
Potassium hydroxide	Oral	LD50	365 MG/KG	Rat
Tetrapotassium pyrophosphate	Oral	LD50	2980 MG/KG	Rat
	Dermal	LD50	>7940 MG/KG	Rabbit
Silicic acid, disodium salt	Oral	LD50	800 MG/KG	Rat

Carcinogenicity Category

Component	Source	Code	Brief Description
Potassium hydroxide	N/E	N/E	N/E
Tetrapotassium pyrophosphate	N/E	N/E	N/E
Silicic acid, disodium salt	N/E	N/E	N/E

Likely Routes of Exposure: N/D

Symptoms

Inhalation:	N/D
Eye Contact:	N/D
Skin Contact:	N/D

Ingestion:	N/D
Skin Corrosion/Irritation:	N/D
Serious Eye Damage/Eye Irritation:	N/D
Sensitization:	N/D
Germ Cell Mutagenicity:	N/D
Reproductive/Developmental Toxicity:	N/D
Specific Target Organ Toxicity	
Single Exposure:	N/D
Repeated Exposure:	N/D
Aspiration Hazard:	N/D
Comments:	None.

Section 12. Ecological Information

Ecotoxicity

Species	Duration	Type of Effect	Test Results
Fathead Minnow	96h	LC50	49.8 mg/l
Ceriodaphnia dubia	48h	LC50	48.5 mg/l

Persistence and Biodegradability:	N/D
Bioaccumulative Potential:	N/D
Mobility In Soil:	N/D
Other Adverse Effects:	N/D
Comments:	None.

Section 13. Disposal Considerations

Dispose of in accordance with local, state and federal regulations.
EPA corrosivity characteristic hazardous waste D002 when disposed of in the original product form.

Section 14. Transport Information

Controlling Regulation	UN/NA#:	Proper Shipping Name:	Technical Name:	Hazard Class:	Packing Group:
DOT	UN1814	POTASSIUM HYDROXIDE SOLUTION	N/A	8	PGII
Over 2367 GA	RQ UN1814	POTASSIUM HYDROXIDE SOLUTION	N/A	8	PGII
TDG	UN1814	POTASSIUM HYDROXIDE SOLUTION	N/A	8	PGII
ICAO	UN1814	POTASSIUM HYDROXIDE SOLUTION	N/A	8	PGII
SCT	UN1814	POTASSIUM HYDROXIDE SOLUTION	N/A	8	PGII

Note: N/A

Section 15. Regulatory Information

Inventory Status

United States (TSCA):
Canada (DSL/NDSL):

All ingredients listed.
All ingredients listed.



Federal Regulations

SARA Title III Rules

Sections 311/312 Hazard Classes

Fire Hazard:	No
Reactive Hazard:	No
Release of Pressure:	No
Acute Health Hazard:	Yes
Chronic Health Hazard:	No

Other Sections

Component	Section 313 Toxic Chemical	Section 302 EHS TPQ	CERCLA RQ
Potassium hydroxide	N/A	N/A	1000
Tetrapotassium pyrophosphate	N/A	N/A	N/A
Silicic acid, disodium salt	N/A	N/A	N/A

Comments: None.

State Regulations

California Proposition 65: None known.

Special Regulations

Component	States
Potassium hydroxide	MA, MN, NY, PA, WA
Tetrapotassium pyrophosphate	None.
Silicic acid, disodium salt	None.

Compliance Information

NSF:	N/A
Food Regulations:	N/A
KOSHER:	This product has not been evaluated for Kosher approval.
Halal:	This product has not been evaluated for Halal approval.
FIFRA:	N/A
Other:	None

Comments: None.

Section 16. Other Information

HMIS Hazard Rating

Health:	3
Flammability:	0
Physical Hazard:	1
PPE:	X

Notes:

The PPE rating depends on circumstances of use. See Section 8 for recommended PPE.

The Hazardous Material Information System (HMIS) is a voluntary, subjective alpha-numeric symbolic system for recommending hazard risk and personal protection equipment information. It is a subjective rating system based on the evaluator's understanding of the chemical associated risks. The end-user must determine if the code is appropriate for their use.

Abbreviations

Abbreviation	Definition
<	Less Than
>	Greater Than
ACGIH	American Conference of Governmental Industrial Hygienists
EHS	Environmental Health and Safety Dept
N/A	Not Applicable
N/D	Not Determined
N/E	Not Established
OSHA	Occupational Health and Safety Dept
PEL	Personal Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weight Average
UNK	Unknown

Prepared by: Product Compliance Department; ProductCompliance@chemtreat.com

Revision Date: November 15, 2019



Disclaimer

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.