		Page: 1
<b>SAFETY DATA SHEET</b>		Revision Date: 08/27/2018
		Print Date: 12/26/2019
		SDS Number: R0704211
Infinity™ SL4335 Pulp Processing Aids ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 411143		Version: 1.7

## SECTION 1. IDENTIFICATION

### Product identifier

Trade name : Infinity™ SL4335  
Pulp Processing Aids  
™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries

### Recommended use of the chemical and restrictions on use

<b>Details of the supplier of the safety data sheet</b> Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA)  RegulatoryRequestsNA@solenis.com	<b>Emergency telephone number</b> 1-844-SOLENIS (844-765-3647)  <b>Product Information</b> Contact your local Solenis representative
---	--

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with 29 CFR 1910.1200

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

### GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS


### Hazardous components

No hazardous ingredients

## SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

		Page: 2
<b>SAFETY DATA SHEET</b>		Revision Date: 08/27/2018
		Print Date: 12/26/2019
		SDS Number: R0704211
Infinity™ SL4335 Pulp Processing Aids ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 411143		Version: 1.7

- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
- Notes to physician : No hazards which require special first aid measures.

---


## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam  
Carbon dioxide (CO2)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon monoxide  
Carbon dioxide (CO2)
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

	Page: 3
<b>SAFETY DATA SHEET</b>	Revision Date: 08/27/2018
	Print Date: 12/26/2019
	SDS Number: R0704211
Infinity™ SL4335 Pulp Processing Aids ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 411143	Version: 1.7

- emergency procedures : Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.


### Personal protective equipment

Hand protection

- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

- Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

- Skin and body protection : Wear resistant gloves (consult your safety equipment supplier).  
Wear as appropriate:  
Impervious clothing  
Safety shoes  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

	Page: 4
<b>SAFETY DATA SHEET</b>	Revision Date: 08/27/2018
	Print Date: 12/26/2019
	SDS Number: R0704211
Infinity™ SL4335 Pulp Processing Aids ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 411143	Version: 1.7


Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Wash hands before breaks and at the end of workday.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, yellow, amber
Odour	: negligible
Odour Threshold	: No data available
pH	: 7.5
Melting point/freezing point	: No data available
Boiling point/boiling range	: 98 °C
Flash point	: does not flash
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Self-ignition	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.3 (25 °C)
Density	: 1.3392 g/cm <sup>3</sup> (25 °C)
Solubility(ies)	
Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: 68.8 mPa.s (25 °C)

	Page: 5
<b>SAFETY DATA SHEET</b>	Revision Date: 08/27/2018
	Print Date: 12/26/2019
	SDS Number: R0704211
Infinity™ SL4335 Pulp Processing Aids ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 411143	Version: 1.7

Method: Brookfield

Viscosity, kinematic : No data available

Oxidizing properties : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Incompatible materials : Oxidizing agents  
strong mineral acids

Hazardous decomposition products : **Carbon monoxide**  
**Carbon dioxide (CO<sub>2</sub>)**

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : LD 50 (Rat): > > 2,000 mg/kg

Acute dermal toxicity : LD 50 (Rabbit): > > 2,000 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Remarks: Unlikely to cause eye irritation or injury.

### Respiratory or skin sensitisation

#### Skin sensitisation


Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

	Page: 6
<b>SAFETY DATA SHEET</b>	Revision Date: 08/27/2018
	Print Date: 12/26/2019
	SDS Number: R0704211
Infinity™ SL4335 Pulp Processing Aids ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 411143	Version: 1.7

**Carcinogenicity**

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information**

**Product:**

Remarks: No data available

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203  
 GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202  
 GLP: no

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

<b>SAFETY DATA SHEET</b>	Revision Date: 08/27/2018
	Print Date: 12/26/2019
	SDS Number: R0704211
Infinity™ SL4335 Pulp Processing Aids ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 411143	Version: 1.7

**Persistence and degradability**

**Product:**

Biodegradability : Biodegradation: < 70 %  
Exposure time: 28 d  
Remarks: Not readily biodegradable.

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with  
chemical or used container.  
Send to a licensed waste management company.  
  
Dispose of in accordance with all applicable local, state and  
federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste  
handling site for recycling or disposal.  
Do not re-use empty containers.

---

**SECTION 14. TRANSPORT INFORMATION**

**International transport regulations**

**REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

**IATA-DGR**

Not dangerous goods
---------------------

**IMDG-Code**

Not dangerous goods
---------------------

**U.S. DOT - ROAD**

Not dangerous goods
---------------------

<b>SAFETY DATA SHEET</b>	Revision Date: 08/27/2018
	Print Date: 12/26/2019
	SDS Number: R0704211
Infinity™ SL4335 Pulp Processing Aids ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 411143	Version: 1.7

\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15. REGULATORY INFORMATION**

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65**

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

**The components of this product are reported in the following inventories:**


- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory
- TCSI : Not in compliance with the inventory
- TSCA : On TSCA Inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.



	Page: 9
<b>SAFETY DATA SHEET</b>	Revision Date: 08/27/2018
	Print Date: 12/26/2019
	SDS Number: R0704211
Infinity™ SL4335 Pulp Processing Aids ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 411143	Version: 1.7

---

## SECTION 16. OTHER INFORMATION

### Further information

Revision Date: 08/27/2018

### Full text of other abbreviations

### Further information

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data


SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration,

	Page: 10
<b>SAFETY DATA SHEET</b>	Revision Date: 08/27/2018
	Print Date: 12/26/2019
	SDS Number: R0704211
Infinity™ SL4335 Pulp Processing Aids ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 411143	Version: 1.7

Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

US / EN