

Safety Data Sheet

POLYPLEX 270

1. IDENTIFICATION

Product Name: POLYPLEX 270 **Revised:** 3/26/15
Chemical Name: Not Applicable
Description: Clear, pale yellow liquid with characteristic odor
Recommended Use: Boiler Water Treatment
Restrictions on Use: For industrial use only. Not for use in treating drinking water or where steam can contact food or other edible products.

COMPANY IDENTIFICATION

CAPITAL TECHNOLOGIES, INC.
2118 WALNUT STREET
MCKEESPORT, PA 15132

PHONE NUMBER: 412/664-7711

EMERGENCY PHONE NUMBERS

CHEMTREC (800) 424-9300
Outside USA: CHEMTREC COLLECT (703) 527-3887

2. HAZARD(S) IDENTIFICATION

GHS Classification:

Serious eye damage/irritation - Category 1
Skin corrosion/irritation - Category 1C
Specific target organ toxicity, single exposure - Category 1
Specific target organ toxicity, single exposure - Category 1

Signal Word: Danger

Symbol(s):



Hazard Statements:

Causes severe skin burns and eye damage.
Causes damage to digestive system if swallowed
Causes damage to respiratory system if inhaled

Precautionary Statements:

Prevention

Do not breathe dusts or mists. Do not get in eyes, on skin, or on clothing. Wash hands, forearms, gloves and contaminated surfaces thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/eye protection/face protection.

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CONTROL CENTER or doctor for treatment advice.

Specific treatment (see First Aid on SDS or on this label).

Take off contaminated clothing and wash it before reuse.

IF exposed or concerned: Call a POISON CONTROL CENTER or doctor for treatment advice.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local, regional, national and international regulations.

Hazards Not Otherwise Classified: None Known.

Percentages of Components with Unknown Acute Toxicity:

Inhalation: 52%

3. COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL INGREDIENTS	CAS NO.*	PERCENT (%)**
POTASSIUM HYDROXIDE	1310-58-3	6% - 16%
PHOSPHONOBUTANE- 1,2,4-TRICARBOXYLIC ACID	37971-36-1	< 5%
HYDROXYETHYLIDENE DIPHOSPHONIC ACID	2809-21-4	< 5%
POLYACRYLIC COPOLYMER ESTER	Proprietary	H
MOLYBDATE SALT	10102-40-6	L

Legend: L=<1%; M=1-10%; H=>10%

* Exposure limit and regulatory information in Sections 8 & 15

** Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with a directed stream of cool, clear water for at least 30 minutes. Forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissues. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Do not allow individual to rub their eyes. Get medical attention urgently, preferably from an ophthalmologist. Do not transport the victim until the recommended flushing period is completed, unless a portable emergency eye wash bottle is immediately available.

Skin Contact: Immediately wash skin with soap and plenty of water while removing contaminated clothing, for at least 15-20 minutes. Call a poison control center or doctor for treatment advice. Do not take contaminated clothing home to be laundered. Shoes and other leather items which cannot be decontaminated should be disposed of properly. Suitable emergency safety shower facility should be immediately available.

Inhalation: Remove victim to fresh air. If individual experiences nausea, headache, dizziness, has difficulty in breathing or is cyanotic, seek medical attention. If not breathing, give artificial respiration via a suitable mechanical device such as a bag and mask. Do not use mouth-to-mouth resuscitation.

Ingestion: Do not induce vomiting. Rinse mouth with copious quantities of water first and get immediate medical attention. Drink several glasses of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep airways clear.

Note to Physician: There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage.

Most Important Symptoms/Effects:

Eye Contact: May cause severe irritation or burns. Prolonged contact may cause irreversible damage and/or blindness.

Skin Contact: Prolonged contact may cause severe irritation, rash or burns. Severity is generally determined by concentration of solution and duration of contact.

Inhalation: Inhalation of vapor or mist can cause severe irritation of nose, throat, and lungs. May cause damage to the upper respiratory tract and lungs under severe conditions.

Ingestion: May be toxic. May cause severe irritation or burns of the mouth, throat, and internal tissues resulting in possible nausea and/or vomiting. Large amounts can result in acute toxic effects which may be fatal.

Indication of Immediate Medical Attention and Special Treatment, if Necessary:

Other than acute, none known. See section 11 for toxicological information.

5. FIRE FIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Any media suitable for the surrounding fire.

Specific Hazards Arising from the Chemical: Product is corrosive to eyes, skin, and respiratory system. Closed containers may rupture (due to buildup of pressure) when exposed to extreme heat. If evaporated to dryness, some product residuals may burn. Contact with some metals may generate explosive hydrogen gas. Thermal decomposition may release oxides of carbon and nitrogen.

Special Protective Equipment and Precautions for Fire-Fighters: Wear self-contained breathing apparatus and full turn-out gear. Approach fire from upwind direction. If possible, move containers away from fire. Cool fire exposed containers with water spray. If containers rupture or leak, product may evolve irritating or toxic gas under extreme heat. Contain runoff.

6. ACCIDENTAL RELEASE MEASURES

Spill Containment and Clean-up Instructions:

Wear suitable protective equipment found in section 8. Small spills may be flushed with copious quantities of water, preferably to a sanitary sewer or waste treatment facility. Larger spills may be absorbed in sawdust or other absorbent and sweepings disposed of in an approved landfill. The area may then be flushed with copious quantities of water. Floor may be slippery; use care to avoid falling. Avoid release of this product into the environment to prevent contamination of soil, sewers, natural waterways and/or groundwater. See Section 12 for Ecological Information.

7. HANDLING AND STORAGE

Handling and Storage:

Store in a cool, dry, well ventilated area, between 10°C and 49°C. Keep containers tightly closed when not in use and follow all recommended safety precautions when handling the material. Keep out of sun and away from heat or open flame. Keep away from incompatible materials. See Section 10 for incompatible materials.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls: General ventilation expected to be satisfactory

PERSONAL PROTECTION EQUIPMENT

Respiratory: Not normally required if good ventilation is maintained. Otherwise, wear self-contained breathing apparatus

Eyes and Face: Chemical resistant goggles or face shield.

Hands and Skin: Chemical resistant rubber, neoprene latex or PVC

Other Protective Equipment: Eyewash station in area of use. Wear long sleeve shirt, long pants, and boots.

EXPOSURE GUIDELINES

Exposure Limits:

COMPONENT	TLV
POTASSIUM HYDROXIDE	2mg/m ³ /15M
MOLYBDATE SALT	5 mg/m ³ (Mo)

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor:	Clear, pale yellow liquid with characteristic odor	Vapor Pressure:	N.D.
Odor Threshold:	N.D.	Vapor Density:	<1
pH (undiluted):	13.25 - 13.75	Specific Gravity(@22°C):	1.192 - 1.202
Freeze Point:	< 0°C (32°F)	Solubility in Water:	Complete
Boiling Point:	> 100°C (212°F)	Partition Coefficient:	N.D. (n-octanol/water)
Flash Point:	None	Auto-ignition Temperature:	N.D.
Evaporation Rate:	1.0	Decomposition Temperature:	N.D.
Flammability (solid, gas):	No	Viscosity:	N.D.
Flammable Limits in Air:	LFL – N.A. UFL – N.A.		

10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive at normal temperatures and pressure.

Chemical Stability: Stable under normal conditions

Possibility of Hazardous Reactions: Will not occur under normal conditions.

Conditions to Avoid: Avoid excessive heat, sparks or open flames.

Incompatible Materials: Concentrated acids or oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition may release oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION

Ingestion Testing: Rat, LD50: 1,995 mg/kg*

Skin Testing: Rabbit, LD50: > 5,000 mg/kg*

Inhalation Testing: None established for this product.

*Calculated based on GHS acute toxicity formula.

CHRONIC TOXICITY DATA

Sensitization Testing: None established for this product.

Other Testing: None established for this product.

Routes of Exposure: Eyes, Ingestion, Inhalation, Skin.

Eye Contact: May cause severe irritation or burns. Prolonged contact may cause irreversible damage and/or blindness.

Skin Contact: Prolonged contact may cause severe irritation, rash or burns. Severity is generally determined by concentration of solution and duration of contact.

Inhalation: Inhalation of vapor or mist can cause severe irritation of nose, throat, and lungs. May cause damage to the upper respiratory tract and lungs under severe conditions.

Ingestion: May be toxic. May cause severe irritation or burns of the mouth, throat, and internal tissues resulting in possible nausea and/or vomiting. Large amounts can result in acute toxic effects which may be fatal.

Medical Conditions Aggravated by Exposure: None known

Chronic Effects from Repeated Overexposure: Other than short term effects, none established.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity Data:

Invertebrate: Daphnia magna, EC50/48hr: 435 mg/l*

Fish: Rainbow trout, LC50/96hr: 555 mg/l*

*Calculated based on GHS acute aquatic toxicity formula.

Product Fate Data: None established for this product.

Biodegradation Data: None established for this product.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of in accordance with local, regional, national and international regulations.

Contact the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse container (or equivalent) promptly after emptying and offer for reconditioning if appropriate. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal.

14. TRANSPORT INFORMATION

US DEPARTMENT OF TRANSPORTATION (DOT) INFORMATION

UN/NA ID Number: UN3266

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (CONTAINS POTASSIUM HYDROXIDE)

Hazard Class: 8

Packing Group: PGII

VESSEL TRANSPORT (IMO/IMDG)

UN/NA ID Number: UN3266

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (CONTAINS POTASSIUM HYDROXIDE)

Hazard Class: 8

Packing Group: PGII

Marine Pollutant: No

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA: All ingredients listed or exempt from listing.

CERCLA and/or SARA RQ:

Reportable Quantity: POTASSIUM HYDROXIDE (CAS#1310-58-3) - 1000lbs. (455 kg)

SARA Section 302 Hazard Class: No ingredients listed in this section.

SARA Section 311/312 Chemicals:

Acute Health Hazard: Yes

Chronic Health Hazard: No

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactive Hazard: No

SARA Section 313 Chemicals: No ingredients listed in this section.

STATE REGULATIONS

This product does not contain any ingredients known to the State of California to cause cancer.

16. OTHER INFORMATION

HAZARD RATING SUMMARY

Hazard Rating System:	NFPA	CODE TRANSLATION
Health:	2	0 = Minimal Hazard
Flammability:	0	1 = Slight Hazard
Reactivity:	0	2 = Moderate Hazard
Special:		3 = Severe Hazard
		4 = Extreme Hazard

Other Precautions: This product has been designed for use in specific types of boiler water systems and should be used only in accordance with the instructions provided by the technical representative servicing the facility. It may not be used for the treatment of potable water. This product is not approved for use in boilers where steam can contact food or other edible products.

SDS REVISION SUMMARY

Revised Date	Revision Notes
3/26/15	GHS Version 1.0: Supersedes: 2/21/14

ABBREVIATION CODE SUMMARY

- N.A. – Not Applicable
- N/A – Not Available
- N.D. – Not Determined
- N.E. – None Established

Disclaimer: The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given.