 Strong bonds. Trusted solutions.		Page: 1
SAFETY DATA SHEET		Revision Date: 12/17/2021
		Print Date: 12/20/2021
		SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850		Version: 2.1

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Amercor™ CNA6370
CORROSION INHIBITOR
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Water-boiler treatment.

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) RegulatoryRequestsNA@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 3
Acute toxicity (Dermal) : Category 4
Skin corrosion : Category 1
Serious eye damage : Category 1
Skin sensitisation : Category 1
Specific target organ toxicity : Category 3 (Respiratory system)
- single exposure

GHS label elements

SAFETY DATA SHEET	Revision Date: 12/17/2021
	Print Date: 12/20/2021
	SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850	Version: 2.1

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H227 Combustible liquid.
H302 + H312 Harmful if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.

Precautionary statements :

Prevention:


P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of
the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/
face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON
CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT
induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately
all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air
and keep comfortable for breathing. Immediately call a POISON
CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with
water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing. Immediately call a POISON
CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/
attention.
P363 Wash contaminated clothing before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or
alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container
tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

 SOLENIS Strong bonds. Trusted solutions.		Page: 3
SAFETY DATA SHEET		Revision Date: 12/17/2021
		Print Date: 12/20/2021
		SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850		Version: 2.1

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture


Components

Chemical name	CAS-No.	Classification	Concentration (%)
2-diethylaminoethanol	100-37-8	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335	>= 60 - < 70
DIETHYLHYDROXYLAMINE	3710-84-7	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 STOT SE 3; H335	>= 10 - < 15
METHOXYPROPYLAMINE	5332-73-0	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1B; H317	>= 1.5 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES


- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
Call a physician or poison control centre immediately.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.

	Page: 4
SAFETY DATA SHEET	Revision Date: 12/17/2021
	Print Date: 12/20/2021
	SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850	Version: 2.1

- If on skin, rinse well with water.
 Wash contaminated clothing before re-use.
 If on clothes, remove clothes.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 Continue rinsing eyes during transport to hospital.
 Remove contact lenses.
 Protect unharmed eye.
- If swallowed : Get medical attention immediately.
 Do NOT induce vomiting.
 Rinse mouth with water.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
 stomach or intestinal upset (nausea, vomiting, diarrhea)
 irritation (nose, throat, airways)
 Cough
 halo vision (blurred vision around bright objects)
 Difficulty in breathing
 Harmful if swallowed or in contact with skin.
 May cause an allergic skin reaction.
 Causes serious eye damage.
 Toxic if inhaled.
 May cause respiratory irritation.
 Causes severe burns.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray
 Foam
 Carbon dioxide (CO2)
 Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.
 Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Ammonia
 Carbon monoxide
 Carbon dioxide (CO2)
 Nitrogen oxides (NOx)

		Page: 5
SAFETY DATA SHEET		Revision Date: 12/17/2021
		Print Date: 12/20/2021
		SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850		Version: 2.1

- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.


SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Remove all sources of ignition.
Use personal protective equipment.
Ensure adequate ventilation.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
Suppress (knock down) gases/vapours/mists with a water spray jet.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : No sparking tools should be used.
Keep away from open flames, hot surfaces and sources of ignition.

Static ignition hazard can result from handling and use.
Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.
- Advice on safe handling : Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapours/dust.
Do not smoke.
Do not use sodium nitrite or other nitrosating agents in

		Page: 6
SAFETY DATA SHEET		Revision Date: 12/17/2021
		Print Date: 12/20/2021
		SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850		Version: 2.1

formulations containing this product. Suspected cancer-causing nitrosamines could be formed.
 When diluting, always add the product to water. Never add water to the product.
 Container hazardous when empty.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national regulations.


- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions.
 No smoking.
 Prevent unauthorized access.
 Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-diethylaminoethanol	100-37-8	TWA	2 ppm	ACGIH
		TWA	10 ppm 50 mg/m3	NIOSH REL
		TWA	10 ppm 50 mg/m3	OSHA Z-1
		TWA	10 ppm 50 mg/m3	OSHA P0
DIETHYLHYDROXYLAMINE	3710-84-7	TWA	2 ppm	ACGIH
METHOXYPROPYLAMINE	5332-73-0	TWA	5 ppm	US WEEL
		STEL	15 ppm	US WEEL

- Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

		Page: 7
SAFETY DATA SHEET		Revision Date: 12/17/2021
		Print Date: 12/20/2021
		SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850		Version: 2.1

Personal protective equipment

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.
- Hand protection
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Safety glasses
- Skin and body protection : Wear as appropriate:
Impervious clothing
Chemical resistant apron
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear resistant gloves (consult your safety equipment supplier).
Discard gloves that show tears, pinholes, or signs of wear.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Wash hands before breaks and immediately after handling the product.
When using do not eat or drink.
Ensure that eyewash stations and safety showers are close to the workstation location.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : colourless, amber
- Odour : No data available
- Odour Threshold : No data available
- pH : 12.75
- Melting point/freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : 142.2 °F / 61.2 °C

SAFETY DATA SHEET

Revision Date: 12/17/2021

Print Date: 12/20/2021

SDS Number: 000000277527

Version: 2.1


Amercor™ CNA6370 CORROSION INHIBITOR
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 885850

Method: ASTM D 6450

Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	0.939 (68 °F / 20 °C)
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	16.0 cps
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air.
Conditions to avoid	:	excessive heat Exposure to moisture Heat, flames and sparks.
Incompatible materials	:	Acids aluminum halogenated hydrocarbons nitrates organic solvent

 Strong bonds. Trusted solutions.		Page: 9
SAFETY DATA SHEET		Revision Date: 12/17/2021
		Print Date: 12/20/2021
		SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850		Version: 2.1

Hazardous decomposition products : Oxidizing agents
peroxides
Aqueous solutions of this product corrode steel.
Carbon monoxide
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)
nitrogen oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or in contact with skin.
Toxic if inhaled.

Components:

2-diethylaminoethanol:

Acute oral toxicity : LD50 (Rat): 1,320 mg/kg ca.
Acute inhalation toxicity : LC50 (Rat): ca. 4.6 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Acute dermal toxicity : LD50 (Guinea pig): ca. 885 mg/kg

DIETHYLHYDROXYLAMINE:


Acute oral toxicity : LD50 (Rat): 2,190 mg/kg
Acute inhalation toxicity : LC50 (Rat, Female, Male): 11.4 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Acute dermal toxicity : LD50 (Rabbit): 1,300 mg/kg

METHOXYPROPYLAMINE:

Acute oral toxicity : LD50 (Rat, male and female): 688.1 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Acute dermal toxicity : LD50 (Rat, male and female): ca. > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: Not classified as acutely toxic by dermal absorption under GHS.

Skin corrosion/irritation

Causes severe burns.

	Page: 10
SAFETY DATA SHEET	Revision Date: 12/17/2021
	Print Date: 12/20/2021
	SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850	Version: 2.1

Product:

Remarks : May cause skin irritation in susceptible persons.
Causes severe skin burns and eye damage.

Components:

2-diethylaminoethanol:

Species : Rabbit
Result : Corrosive after 3 minutes to 1 hour of exposure

DIETHYLHYDROXYLAMINE:

Result : Slightly irritating to skin

METHOXYPROPYLAMINE:

Species : Rabbit
Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

2-diethylaminoethanol:

Species : Rabbit
Result : Corrosive to eyes

DIETHYLHYDROXYLAMINE:

Result : Slightly irritating to eyes

METHOXYPROPYLAMINE:

Species : Rabbit
Result : Corrosive to eyes
GLP : yes

Respiratory or skin sensitisation

Skin sensitisation


May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : May cause allergic skin reaction.

	Page: 11
SAFETY DATA SHEET	Revision Date: 12/17/2021
	Print Date: 12/20/2021
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850	SDS Number: 000000277527 Version: 2.1

Components:

2-diethylaminoethanol:

Test Type : Maximisation Test
 Species : Guinea pig
 Method : OECD Test Guideline 406
 Result : Did not cause sensitisation on laboratory animals.

METHOXYPROPYLAMINE:

Test Type : Buehler Test
 Exposure routes : Dermal
 Species : Guinea pig
 Method : OECD Test Guideline 406
 GLP : yes

Germ cell mutagenicity

Not classified based on available information.

Components:

2-diethylaminoethanol:

Genotoxicity in vitro : Test Type: Ames test
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 471
 Result: negative

Test system: Chinese hamster lung cells
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 476
 Result: negative
 GLP: yes


Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Species: Mouse
 Method: OECD Test Guideline 474
 Result: negative

METHOXYPROPYLAMINE:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Test system: mouse lymphoma cells
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 476
 Result: negative

Test Type: Ames test
 Test system: Salmonella typhimurium
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 471
 Result: negative

Test Type: unscheduled DNA synthesis assay

	Page: 12
SAFETY DATA SHEET	Revision Date: 12/17/2021
	Print Date: 12/20/2021
	SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850	Version: 2.1

Test system: rat hepatocytes
 Method: OECD Test Guideline 482
 Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Species: Mouse
 Method: OECD Test Guideline 474
 Result: negative
 GLP: yes

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

Components:

2-diethylaminoethanol:

Target Organs : Respiratory system

DIETHYLHYDROXYLAMINE:

Exposure routes : Inhalation
 Target Organs : Respiratory Tract

STOT - repeated exposure

Not classified based on available information.


Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

 Strong bonds. Trusted solutions.		Page: 13
SAFETY DATA SHEET		Revision Date: 12/17/2021
		Print Date: 12/20/2021
		SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850		Version: 2.1

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

NOEC (Pimephales promelas (fathead minnow)): 1,000 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 177 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 125 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Chronic aquatic toxicity Category 3; Harmful to aquatic life with long lasting effects.


Components:

2-diethylaminoethanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 147 mg/l
Exposure time: 96 h
Test Type: static test
Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 83.6 mg/l
Exposure time: 48 h
Test Type: static test
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 5 mg/l
End point: Growth inhibition
Exposure time: 72 h
Test Type: static test
Method: DIN 38412

		Page: 14
SAFETY DATA SHEET		Revision Date: 12/17/2021
		Print Date: 12/20/2021
		SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850		Version: 2.1

EC50 (Desmodesmus subspicatus (green algae)): 44 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: DIN 38412

Toxicity to microorganisms : EC20 (activated sludge): > 1,000 mg/l
 Exposure time: 30 min
 Method: OECD Test Guideline 209

DIETHYLHYDROXYLAMINE:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 134 mg/l
 Exposure time: 96 h
 Test Type: static test
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 8.2 mg/l
 Exposure time: 48 h
 Test Type: static test
 Method: OECD Test Guideline 202


Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 101 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (microalgae)): 26 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201

METHOXYPROPYLAMINE:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 146.6 mg/l
 Exposure time: 96 h
 Test Type: static test
 Analytical monitoring: no
 Test substance: Non neutralised product
 Method: DIN 38412
 GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 65 mg/l
 Exposure time: 48 h
 Test Type: static test
 Analytical monitoring: yes
 Method: OECD Test Guideline 202
 GLP: yes
 Remarks: Information given is based on data obtained from similar substances.

 Strong bonds. Trusted solutions.		Page: 15
SAFETY DATA SHEET		Revision Date: 12/17/2021
		Print Date: 12/20/2021
		SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850		Version: 2.1

Toxicity to algae/aquatic plants : ErC50 (green algae): 44 mg/l
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia (water flea)): 3.7 mg/l
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Toxicity to microorganisms : (Pseudomonas putida): Exposure time: 17 h
Test Type: Static
Analytical monitoring: no
Method: DIN 38 412 Part 8
GLP: no
Remarks: Information given is based on data obtained from similar substances.

Ecotoxicology Assessment

Chronic aquatic toxicity : No toxicity at the limit of solubility

Persistence and degradability

Components:

2-diethylaminoethanol:


Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Exposure time: 28 d
Method: OECD Test Guideline 301A
GLP: yes

DIETHYLHYDROXYLAMINE:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 11 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

METHOXYPROPYLAMINE:

Biodegradability : Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 57 %
Exposure time: 56 d
Method: OECD Test Guideline 301F
GLP: yes
Remarks: Inherently biodegradable.

	Page: 16
SAFETY DATA SHEET	Revision Date: 12/17/2021
	Print Date: 12/20/2021
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850	SDS Number: 000000277527 Version: 2.1

Bioaccumulative potential

Components:

2-diethylaminoethanol:

Bioaccumulation : Bioconcentration factor (BCF): 0.85

Partition coefficient: n-octanol/water : log Pow: 0.21 (73 °F / 23 °C)
 Method: OECD Test Guideline 107

METHOXYPROPYLAMINE:

Bioaccumulation : Species: Cyprinus carpio (Carp)
 Bioconcentration factor (BCF): < 0.3
 Exposure time: 42 d
 Concentration: 1 mg/l
 Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: -0.5 (77 °F / 25 °C)

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
 Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.
 Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.
 Do not re-use empty containers.
 Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET

Revision Date: 12/17/2021

Print Date: 12/20/2021

SDS Number: 000000277527

Version: 2.1

Amercor™ CNA6370 CORROSION INHIBITOR
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
885850

IATA-DGR

UN number : UN 2922
Proper shipping name : Corrosive liquid, toxic, n.o.s. (DIETHYL ETHANOLAMINE, 3-METHOXYPROPYLAMINE)
Class : 8
Subsidiary risk : 6.1
Packing group : II
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number : UN 2922
Proper shipping name : CORROSIVE LIQUID, TOXIC, N.O.S. (DIETHYL ETHANOLAMINE, 3-METHOXYPROPYLAMINE)
Class : 8
Subsidiary risk : 6.1
Packing group : II
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

UN number : UN 2922
Proper shipping name : Corrosive liquids, toxic, n.o.s. (DIETHYL ETHANOLAMINE, 3-METHOXYPROPYLAMINE)
Class : 8
Subsidiary risk : 6.1
Packing group : II
ERG Code : 154
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.


SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

 Strong bonds. Trusted solutions.		Page: 18
SAFETY DATA SHEET		Revision Date: 12/17/2021
		Print Date: 12/20/2021
		SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850		Version: 2.1

Acute toxicity (any route of exposure)
Respiratory or skin sensitization
Skin corrosion or irritation
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

- TCSI : On the inventory, or in compliance with the inventory
- TSCA : All substances listed as active on the TSCA inventory
- AIIC : On the inventory, or in compliance with the inventory
- DSL : All components of this product are on the Canadian DSL
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 12/17/2021

Full text of H-Statements

- H226 : Flammable liquid and vapour.
- H302 : Harmful if swallowed.
- H311 : Toxic in contact with skin.
- H312 : Harmful in contact with skin.
- H314 : Causes severe skin burns and eye damage.


SAFETY DATA SHEET	Revision Date: 12/17/2021
	Print Date: 12/20/2021
	SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850	Version: 2.1

- H317 : May cause an allergic skin reaction.
 H318 : Causes serious eye damage.
 H331 : Toxic if inhaled.
 H332 : Harmful if inhaled.
 H335 : May cause respiratory irritation.

Full text of other abbreviations

- Acute Tox. : Acute toxicity
 Eye Dam. : Serious eye damage
 Flam. Liq. : Flammable liquids
 Skin Corr. : Skin corrosion
 Skin Sens. : Skin sensitisation
 STOT SE : Specific target organ toxicity - single exposure
 ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 NIOSH REL : USA. NIOSH Recommended Exposure Limits
 OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
 1910.1000
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1
 Limits for Air Contaminants
 US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
 ACGIH / TWA : 8-hour, time-weighted average
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour
 workday during a 40-hour workweek
 OSHA P0 / TWA : 8-hour time weighted average
 OSHA Z-1 / TWA : 8-hour time weighted average
 US WEEL / TWA : 8-hr TWA
 US WEEL / STEL : Short-Term TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure

 <small>Strong bonds. Trusted solutions.</small>	Page: 20
SAFETY DATA SHEET	Revision Date: 12/17/2021
	Print Date: 12/20/2021
	SDS Number: 000000277527
Amercor™ CNA6370 CORROSION INHIBITOR <small>™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885850</small>	Version: 2.1

Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN