		Page: 1
SAFETY DATA SHEET		Revision Date: 08/17/2022
		Print Date: 08/17/2022
		SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492		Version: 1.7

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Spectrum™ XD8904
MICROBIOCIDE AGENT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Biocide

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) EHSProductSafetyTeam@solenis.com Solenis LLC	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
--	--

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids : Category 1

Combustible Dust

Acute toxicity (Oral) : Category 4


Skin corrosion : Category 1A

Serious eye damage : Category 1

Skin sensitisation : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

		Page: 2
SAFETY DATA SHEET		Revision Date: 08/17/2022
		Print Date: 08/17/2022
		SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492		Version: 1.7

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H271 May cause fire or explosion; strong oxidizer.
May form combustible dust concentrations in air.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.


Precautionary statements :

Prevention:

P210 Keep away from heat.
P220 Keep/ Store away from clothing/ combustible materials.
P221 Take any precaution to avoid mixing with combustibles.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P283 Wear fire/ flame resistant/ retardant clothing.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P306 + P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

 Strong bonds. Trusted solutions.		Page: 3
SAFETY DATA SHEET		Revision Date: 08/17/2022
		Print Date: 08/17/2022
		SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492		Version: 1.7

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture


Components

Chemical name	CAS-No.	Classification	Concentration (%)
DICHLORO-1,3 5,5-DIMETHYLHYDANTOIN	118-52-5	Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Irrit. 2A; H319 Skin Sens. 1; H317 STOT SE 3; H335	>= 80 - < 90
DICHLORO-1,3 5-ETHYL-5-METHYLHYDANTOIN	89415-87-2	Ox. Sol. 1; H271 Acute Tox. 4; H302 Skin Corr. 1; H314 Eye Irrit. 2A; H319 Skin Sens. 1; H317 STOT SE 3; H335	>= 15 - < 20

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
If on clothes, remove clothes.


	Page: 4
SAFETY DATA SHEET	Revision Date: 08/17/2022
	Print Date: 08/17/2022
	SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492	Version: 1.7

- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
Harmful if swallowed.
May cause an allergic skin reaction.
Causes serious eye damage.
May cause respiratory irritation.
Causes severe burns.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.
If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.
Do not allow run-off from fire fighting to enter drains or water courses.

Organic dusts at sufficient concentration can form explosive mixtures in air.
- Hazardous combustion products : Chlorine
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Fight fire remotely due to the risk of explosion.
In the event of fire, wear self-contained breathing apparatus.


	Page: 5
SAFETY DATA SHEET	Revision Date: 08/17/2022
	Print Date: 08/17/2022
	SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492	Version: 1.7

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
Ensure adequate ventilation.
Avoid dust formation.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Keep away from combustible material.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid dust formation.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapours/dust.
Do not smoke.
Container hazardous when empty.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
No smoking.
Prevent unauthorized access.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on : No decomposition if stored and applied as directed.

		Page: 6
SAFETY DATA SHEET		Revision Date: 08/17/2022
		Print Date: 08/17/2022
		SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492		Version: 1.7

storage stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
DICHLORO-1,3 5,5-DIMETHYLHYDANTOIN	118-52-5	TWA	0.2 mg/m3	ACGIH
		STEL	0.4 mg/m3	ACGIH
		TWA	0.2 mg/m3	NIOSH REL
		ST	0.4 mg/m3	NIOSH REL
		TWA	0.2 mg/m3	OSHA Z-1
		TWA	0.2 mg/m3	OSHA P0
		STEL	0.4 mg/m3	OSHA P0

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Dust safety masks are recommended when the dust concentration is more than 10 mg/m3.


Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles and face shield to protect eyes and skin from airborne dust.
Maintain eye wash station in immediate work area.

Skin and body protection : Wear as appropriate:
Chemical resistant apron
Safety shoes
Dust impervious protective suit
Flame-resistant clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear resistant gloves (consult your safety equipment supplier).
Discard gloves that show tears, pinholes, or signs of wear.


Hygiene measures : Avoid breathing dust.
Wash hands before breaks and at the end of workday.
When using do not eat or drink.
Ensure that eyewash stations and safety showers are close

	Page: 7
SAFETY DATA SHEET	Revision Date: 08/17/2022
	Print Date: 08/17/2022
	SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492	Version: 1.7

to the workstation location.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granular
Colour	: white
Odour	: mild, pungent
Odour Threshold	: No data available
pH	: 3.6
Melting point/freezing point	: 223 - 266 °F / 106 - 130 °C
Boiling point/boiling range	: No data available
Flash point	: 358 °F / 181 °C
Evaporation rate	: < 1 n-Butyl Acetate
Flammability (solid, gas)	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: slightly soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Decomposition temperature	: 358 °F / 181 °C
Viscosity	

 Strong bonds. Trusted solutions.		Page: 8
SAFETY DATA SHEET		Revision Date: 08/17/2022
		Print Date: 08/17/2022
		SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492		Version: 1.7

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

Incompatible materials : oxidizable substances
Strong acids
water

Hazardous decomposition products : nitrogen oxides
hydrogen chloride
Chlorine
Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat): 800 mg/kg

Components:

DICHLORO-1,3 5,5-DIMETHYLHYDANTOIN:

Acute oral toxicity : LD50 (Rat): 542 mg/kg
LD50 (Rabbit): 1,520 mg/kg


Acute dermal toxicity : LD50 (Rabbit): > 20 g/kg

DICHLORO-1,3 5-ETHYL-5-METHYLHYDANTOIN:

Acute oral toxicity : LD50 (Rat, male and female): 579 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 20,000 mg/kg
Remarks: Information given is based on data obtained from similar substances.

LD50 (Rat): > 2,000 mg/kg
Assessment: Not classified as acutely toxic by dermal

	Page: 9
SAFETY DATA SHEET	Revision Date: 08/17/2022
	Print Date: 08/17/2022
	SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492	Version: 1.7

absorption under GHS.
Remarks: Information given is based on data obtained from similar substances.

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : May cause skin irritation in susceptible persons.
Causes severe skin burns and eye damage.

Components:

DICHLORO-1,3 5,5-DIMETHYLHYDANTOIN:

Species : Rabbit
Result : Corrosive

DICHLORO-1,3 5-ETHYL-5-METHYLHYDANTOIN:

Species : Rabbit
Result : Corrosive to skin
Remarks : Information given is based on data obtained from similar substances.

Species : Rabbit
Result : Severe skin irritation
Remarks : Information given is based on data obtained from similar substances.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.


Components:

DICHLORO-1,3 5,5-DIMETHYLHYDANTOIN:

Species : Rabbit
Result : Severely irritating to eyes

DICHLORO-1,3 5-ETHYL-5-METHYLHYDANTOIN:

Result : Severely irritating to eyes
Remarks : Information given is based on data obtained from similar substances.

	Page: 10
SAFETY DATA SHEET	Revision Date: 08/17/2022
	Print Date: 08/17/2022
	SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492	Version: 1.7

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : May cause allergic skin reaction.

Components:

DICHLORO-1,3 5,5-DIMETHYLHYDANTOIN:

Species : Guinea pig
Remarks : Information given is based on data obtained from similar substances.

DICHLORO-1,3 5-ETHYL-5-METHYLHYDANTOIN:

Germ cell mutagenicity

Not classified based on available information.

Components:

DICHLORO-1,3 5,5-DIMETHYLHYDANTOIN:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Carcinogenicity

Not classified based on available information.


IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

	Page: 11
SAFETY DATA SHEET	Revision Date: 08/17/2022
	Print Date: 08/17/2022
	SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492	Version: 1.7

STOT - single exposure

May cause respiratory irritation.

Components:

DICHLORO-1,3 5,5-DIMETHYLHYDANTOIN:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

DICHLORO-1,3 5-ETHYL-5-METHYLHYDANTOIN:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:


Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): ca. 0.72 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: The value is calculated

LC50 (Lepomis macrochirus (Bluegill sunfish)): ca. 0.93 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): ca. 0.58 mg/l
Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 1; Very toxic to aquatic life.

 SOLENIS Strong bonds. Trusted solutions.		Page: 12
SAFETY DATA SHEET		Revision Date: 08/17/2022
		Print Date: 08/17/2022
		SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDAL AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492		Version: 1.7

Chronic aquatic toxicity : Chronic aquatic toxicity Category 1; Very toxic to aquatic life with long lasting effects.

Components:

DICHLORO-1,3 5,5-DIMETHYLHYDANTOIN:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.58 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.75 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.47 mg/l
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

DICHLORO-1,3 5-ETHYL-5-METHYLHYDANTOIN:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 972 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,070 mg/l
Exposure time: 48 h
Test Type: static test
Remarks: Information given is based on data obtained from similar substances.

Persistence and degradability

No data available

Bioaccumulative potential

Components:

DICHLORO-1,3 5,5-DIMETHYLHYDANTOIN:

Partition coefficient: n-octanol/water : log Pow: ca. -0.94


Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

 Strong bonds. Trusted solutions.		Page: 13
SAFETY DATA SHEET		Revision Date: 08/17/2022
		Print Date: 08/17/2022
		SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492		Version: 1.7

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Dispose of in accordance with all applicable local, state and federal regulations.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

- UN number : UN 3085
Proper shipping name : Oxidizing solid, corrosive, n.o.s. (1,3-DICHLORO-5,5-DIMETHYLIMIDAZOLIDINE-2,4-DIONE)
Class : 5.1
Subsidiary risk : 8
Packing group : III
Packing instruction (cargo aircraft) : 563
Packing instruction (passenger aircraft) : 559
Marine pollutant : yes

IMDG-Code

- UN number : UN 3085
Proper shipping name : OXIDIZING SOLID, CORROSIVE, N.O.S. (1,3-DICHLORO-5,5-DIMETHYLIMIDAZOLIDINE-2,4-DIONE)
Class : 5.1
Subsidiary risk : 8
Packing group : III
EmS Code : F-A, S-Q
Marine pollutant : yes


Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

- UN number : UN 3085

 Strong bonds. Trusted solutions.		Page: 14
SAFETY DATA SHEET		Revision Date: 08/17/2022
		Print Date: 08/17/2022
		SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492		Version: 1.7

Proper shipping name : Oxidizing solid, corrosive, n.o.s. (1,3-DICHLORO-5,5-DIMETHYLIMIDAZOLIDINE-2,4-DIONE)
 Class : 5.1
 Subsidiary risk : 8
 Packing group : III
 ERG Code : 140
 Marine pollutant : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible Dust
 Oxidiser (liquid, solid or gas)
 Acute toxicity (any route of exposure)
 Respiratory or skin sensitization
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Specific target organ toxicity (single or repeated exposure)


SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory
 TSCA : Exempt
 AIIC : On the inventory, or in compliance with the inventory
 DSL : Exempt
 ENCS : On the inventory, or in compliance with the inventory

 Strong bonds. Trusted solutions.		Page: 15
SAFETY DATA SHEET		Revision Date: 08/17/2022
		Print Date: 08/17/2022
		SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492		Version: 1.7

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TSCA list

Exempt- This product is exempt from Significant New Use Rule requirements. See information under Biocides for product registration information.”

Exempt-This product is exempt from TSCA 12(b) requirements. See information under Biocides for product registration information.”

Biocides

EPA Reg. # 6836-280-74655

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger, Highly Corrosive., Causes irreversible eye damage and skin burns., May be fatal if swallowed., Do not take internally., Irritating to nose and throat, Avoid breathing dust., Do not get in eyes, on skin or on clothing.

SECTION 16. OTHER INFORMATION

Further information


Revision Date : 08/17/2022

Full text of H-Statements

H271 : May cause fire or explosion; strong oxidizer.
H302 : Harmful if swallowed.
H314 : Causes severe skin burns and eye damage.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.

Full text of other abbreviations


Acute Tox. : Acute toxicity
Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids
Skin Corr. : Skin corrosion
Skin Sens. : Skin sensitisation
STOT SE : Specific target organ toxicity - single exposure

 SOLENIS Strong bonds. Trusted solutions.		Page: 16
SAFETY DATA SHEET		Revision Date: 08/17/2022
		Print Date: 08/17/2022
		SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492		Version: 1.7

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / STEL	:	Short-term exposure limit
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet
Key literature references and sources of data
SOLENIS Internal data

 <p>Strong bonds. Trusted solutions.</p>	Page: 17
SAFETY DATA SHEET	Revision Date: 08/17/2022
	Print Date: 08/17/2022
	SDS Number: R0700700
Spectrum™ XD8904 MICROBIOCIDE AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 425492	Version: 1.7

SOLENIS internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN