

GE Water & Process Technologies

Material Safety Data Sheet

Issue Date: 17-JUN-2009 Supercedes: 23-JAN-2008

SPECTRUS OX1200

1 Identification

Identification of substance or preparation SPECTRUS OX1200

Product Application Area

Solid microbial control agent.

Company/Undertaking Identification GE Betz, Inc. 4636 Somerton Road Trevose, PA 19053 T 215 355-3300, F 215 953 5524

Emergency Telephone

(800) 877-1940

Prepared by Product Stewardship Group: T 215-355-3300 Prepared on: 17-JUN-2009

2 Hazard(s) identification

EMERGENCY OVERVIEW

DANGER

Moderately irritating. May be corrosive in contact with moist skin. Severe irritant to the eyes. Dusts cause irritation to the upper respiratory tract.

DOT hazard: Oxidizer Odor: Slight; Appearance: White, Granules

Fire fighters should wear positive pressure self-contained breathing apparatus(full face-piece type). Proper fire-extinguishing media:
Flood with water. Use of CO2 or foam may not be effective.

POTENTIAL HEALTH EFFECTS

ACUTE SKIN EFFECTS:

Primary route of exposure; Moderately irritating. May be corrosive in contact with moist skin.

ACUTE EYE EFFECTS:

Severe irritant to the eyes.

ACUTE RESPIRATORY EFFECTS:

Dusts cause irritation to the upper respiratory tract.

INGESTION EFFECTS:

May cause severe irritation or burning of the gastrointestinal tract.

TARGET ORGANS:

Repeated skin contact may cause sensitization.

MEDICAL CONDITIONS AGGRAVATED:

Not known.

SYMPTOMS OF EXPOSURE:

May cause redness or itching of skin, irritation, and/or tearing of eyes (direct contact).

3 Composition / information on ingredients

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this MSDS for our assessment of the potential hazards of this formulation.

HAZARDOUS INGREDIENTS:

Cas# Chemical Name Range(w/w%)

16079-88-2 1-BROMO-3-CHLORO-5,5-DIMETHYLHYDANTOIN 60-100 Oxidizer; irritant (eyes and skin)

4 First-aid measures

SKIN CONTACT:

Wash thoroughly with soap and water. Remove contaminated clothing. Thoroughly wash clothing before reuse. Immediately contact a physician.

EYE CONTACT:

Remove contact lenses. Hold eyelids apart. Immediately flush eyes with plenty of low-pressure water for at least 15 minutes. Get immediate medical attention.

INHALATION:

Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get immediate medical attention.

INGESTION:

Do not feed anything by mouth to an unconscious or convulsive victim. Do not induce vomiting. Immediately contact physician. Dilute contents of stomach using 2-8 fluid ounces $(60-240\ mL)$ of milk or water.

NOTES TO PHYSICIANS:

Material is corrosive. It may not be advisable to induce vomiting. Possible mucosal damage may contraindicate the use of gastric lavage.

5 Fire-fighting measures

FIRE FIGHTING INSTRUCTIONS:

Fire fighters should wear positive pressure self-contained breathing apparatus (full face-piece type).

EXTINGUISHING MEDIA:

Flood with water. Use of CO2 or foam may not be effective.

HAZARDOUS DECOMPOSITION PRODUCTS:

oxides of carbon and nitrogen, hydrogen chloride, and hydrogen bromide

FLASH POINT:

> 200F > 93C P-M(CC)

MISCELLANEOUS:

Oxidizer

UN 1479; Emergency Response Guide #140

6 Accidental release measures

PROTECTION AND SPILL CONTAINMENT:

Ventilate area. Use specified protective equipment. Contain and absorb on absorbent material. Place in waste disposal container. Product releases chlorine when wet. Spill residue may be neutralized with 3% hydrogen peroxide solution.

DISPOSAL INSTRUCTIONS:

Water contaminated with this product may be sent to a sanitary sewer treatment facility, in accordance with any local agreement, a permitted waste treatment facility or discharged under a permit. Product as is - Dispose of in approved pesticide facility or according to label instructions.

7 Handling and storage

HANDLING

Oxidizer. Avoid all contact with reducing agents, oils, greases, organics and acids.

STORAGE:

Keep containers closed when not in use. Keep dry. Do not store at high temperature or near oxidizables or combustibles. Shelf life 270 days.

8 Exposure controls / personal protection

EXPOSURE LIMITS

CHEMICAL NAME

1-BROMO-3-CHLORO-5, 5-DIMETHYLHYDANTOIN

PEL (OSHA): NOT DETERMINED TLV (ACGIH): NOT DETERMINED

ENGINEERING CONTROLS:

Adequate ventilation to maintain air contaminants below exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

Use protective equipment in accordance with 29CFR 1910 Subpart I RESPIRATORY PROTECTION:

A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.

USE AIR PURIFYING RESPIRATORS WITHIN USE LIMITATIONS ASSOCIATED WITH THE EQUIPMENT OR ELSE USE SUPPLIED AIR-RESPIRATORS. If air-purifying respirator use is appropriate, use a respirator with acid gas cartridges and dust/mist prefilters.

SKIN PROTECTION:

gauntlet-type butyl or rubber gloves, chemical resistant apron-- Wash off after each use. Replace as necessary.

EYE PROTECTION:

airtight chemical goggles

9 Physical and chemical properties

Density	NO DATA	Vapor Pressure (mmHG)	< 1.0
Freeze Point (F)	NA	Vapor Density (air=1)	< 1.00
Freeze Point (C)	NA		
Viscosity(cps 70F,21C)	NA	% Solubility (water)	0.2

Odor Slight
Appearance White
Physical State Granules
Flash Point P-M(CC) > 200F > 93C
pH 5% Disp. (approx.) 4.7
Evaporation Rate (Ether=1) < 1.00
Percent VOC: 0.0

NA = not applicable ND = not determined

10 Stability and reactivity

CHEMICAL STABILITY:

Stable under normal storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS:

No known hazardous reactions.

INCOMPATIBILITIES:

Slowly releases halogen gases when contaminated with moisture. May react with alkalies, acids, organics or reducing agents.

DECOMPOSITION PRODUCTS:

oxides of carbon and nitrogen, hydrogen chloride, and hydrogen bromide $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

11 Toxicological information

Oral LD50 RAT: 578 mg/kg

NOTE - 600 mg/kg per alt. source; dehalogenated byproduct rat oral LD50: >4,000 mg/kg

Teratology RAT:

 $\ensuremath{\mathsf{NOTE}}$ - Dehalogenated byproduct study had terata (secondary) at maternal toxic doses

Reproductive Toxicity RAT: 4,500 mg/kg/day

NOTE - Dehalogenated byproduct study had no adverse reproductive toxicity

Dermal LD50 RABBIT: >2,000 mg/kg

NOTE - Alternate source concurs

Inhalation LC50 RAT: 1.88 mg/L/4hr

NOTE - > 3.2 mg/L/4hr at 100 ppm (no deaths) per alternate source

Skin Irritation Score RABBIT:

NOTE - 6.98 per alternate source; reversible; dehalogenated

byproduct score: 0.8

Eye Irritation Score RABBIT:

103 NOTE - 14 day-irreversible-max.at day 3; dehalogenated byproduct

score: 12.8-reversible

90 Day Feed Study RAT:

NOTE - Dehalogenated byproduct 90-day oral LD50: >2,000 mg/kg/day

Skin Sensitization G.PIG:

POSITIVE

NOTE - Buehler Test; Dehalogenated byproduct was negative in

Buehler Test

Ames Assay BACTERIA:

NEGATIVE

NOTE - +/- metabolic activation; Dehalogenated byproduct: negative

Non-Ames Mutagenicity YEAST: NEGATIVE

NOTE - Dehalogenated byproduct negative for: Mouse Lymphoma, SCE,

Cell Transformation

12 Ecological information

AQUATIC TOXICOLOGY

Daphnia magna 48 Hour Static Acute Bioassay LC50= .47; No Effect Level= .31 mg/L Fathead Minnow 96 Hour Static Acute Bioassay LC50= 2.34; No Effect Level= 1.8 mg/L Rainbow Trout 96 Hour Static Acute Bioassay LC50= .9; No Effect Level= .52 mg/L Sheepshead Minnow 96 Hour Static Acute Bioassay LC50= 20.8; No Effect Level= 11.6 mg/L

BIODEGRADATION

 $BOD-28 \ (mg/g): 11$ BOD-5 (mg/g): 6COD (mg/g): 938 TOC (mg/g): 255

13 Disposal considerations

If this undiluted product is discarded as a waste, the US RCRA hazardous waste identification number is : D001=Ignitable.

Please be advised; however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

14 Transport information

DOT HAZARD:

Oxidizer

PROPER SHIPPING NAME:

OXIDIZING SOLID

N.O.S. (Bromo-3-Chloro-5, 5-Dimethylhydantoin)

5.1, UN 1479, PG II

DOT EMERGENCY RESPONSE GUIDE #: 140

Note: Some containers may be DOT exempt, please check BOL for

exact container classification

15 Regulatory information

TSCA:

This is an EPA registered biocide and is exempt from TSCA inventory requirements.

CERCLA AND/OR SARA REPORTABLE QUANTITY (RQ):

No regulated constituent present at OSHA thresholds

FIFRA REGISTRATION NUMBER:

3876- 150

FOOD AND DRUG ADMINISTRATION:

21 CFR 176.300 (slimicides for wet end use) When used in this specified application, all ingredients comprising this product are authorized by FDA for the manufacture of paper and paperboard that may contact aqueous and fatty foods as per 21 CFR 176.170(a)(4).

NSF Registered and/or meets USDA (according to 1998 Guidelines):

Registration number: 140723

Category Code(s):

- G5 Cooling and retort water treatment products all food processing areas
- G7 Boiler treatment products all food processing areas/nonfood contact

SARA SECTION 312 HAZARD CLASS:

Immediate(acute); Delayed(Chronic); Fire; Reactive

SARA SECTION 302 CHEMICALS:

No regulated constituent present at OSHA thresholds

SARA SECTION 313 CHEMICALS:

No regulated constituent present at OSHA thresholds

CALIFORNIA REGULATORY INFORMATION

CALIFORNIA SAFE DRINKING WATER AND TOXIC

ENFORCEMENT ACT (PROPOSITION 65):

No regulated constituents present

MICHIGAN REGULATORY INFORMATION

No regulated constituent present at OSHA thresholds

16 Other information

HMIS vII

CODE TRANSLATION

Health	3	Serious Hazard
Fire	1	Slight Hazard
Reactivity	1	Slight Hazard
Special	OXY	DOT or NFPA Oxidizer
(1) Protective Equipment	C	Goggles, Gloves, Apron

(1) refer to section 8 of MSDS for additional protective equipment recommendations.

CHANGE LOG

	EFFECTIVE		
	DATE	REVISIONS TO SECTION:	SUPERCEDES
SDS status:	24-SEP-1997		** NEW **
	03-OCT-1997	8	24-SEP-1997
	02-DEC-1997	15	03-OCT-1997
*	23-DEC-1997	15	02-DEC-1997
	SDS status:	DATE SDS status: 24-SEP-1997 03-OCT-1997 02-DEC-1997	DATE REVISIONS TO SECTION:

15-JAN-1998	15	23-DEC-1997
01-JUL-1998	15	15-JAN-1998
14-SEP-1999	;EDIT:9	01-JUL-1998
11-MAY-2000	4;EDIT:9	14-SEP-1999
22-SEP-2000	8	11-MAY-2000
22-MAR-2001	15	22-SEP-2000
01-JUN-2001	15	22-MAR-2001
18-FEB-2002	3,4	01-JUN-2001
19-FEB-2002	3,4	18-FEB-2002
20-FEB-2002	3,4	19-FEB-2002
23-JAN-2008	4,5,7,8,10	20-FEB-2002
17-JUN-2009	10,15	23-JAN-2008