GE
Water & Process Technologies

Material Safety Data Sheet

Issue Date: 03-AUG-2012
Supercedes: 03-OCT-2011

FLOGARD MS6209

1 Identification

Identification of substance or preparation
FLOGARD MS6209

Product Application Area
Water-based corrosion inhibitor.

Company/Undertaking Identification
GE Betz, Inc.
4636 Somerton Road
Trevose, PA 19053
T 215 355-3300, F 215 953 5524

Emergency Telephone
(800) 877-1940

Prepared by Product Stewardship Group: T 215-355-3300 Prepared on: 03-AUG-2012

2 Hazard(s) identification

****
EMERGENCY OVERVIEW

DANGER

Corrosive to skin. Corrosive to the eyes. Mists/aerosols cause irritation to the upper respiratory tract.

DOT hazard: Corrosive to skin/steel
Odor: Slight; Appearance: Colorless To Yellow, Liquid

Fire fighters should wear positive pressure self-contained breathing apparatus(full face-piece type). Proper fire-extinguishing media: dry chemical/CO2/foam or water--slippery condition; use sand/grit.
****

POTENTIAL HEALTH EFFECTS

ACUTE SKIN EFFECTS:
Primary route of exposure; Corrosive to skin.

ACUTE EYE EFFECTS:
Corrosive to the eyes.

ACUTE RESPIRATORY EFFECTS:
Mists/aerosols cause irritation to the upper respiratory tract.

INGESTION EFFECTS:

May cause severe irritation or burning of mouth, throat, and gastrointestinal tract with severe chest and abdominal pain, nausea, vomiting, diarrhea, lethargy and collapse. Possible death when ingested in very large doses.

TARGET ORGANS:
Prolonged or repeated exposures may cause tissue necrosis.

MEDICAL CONDITIONS AGGRAVATED:
Not known.

SYMPTOMS OF EXPOSURE:
Causes severe irritation, burns or tissue ulceration with subsequent scarring.

3 Composition / information on ingredients

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this MSDS for our assessment of the potential hazards of this formulation. This product is subject to the Pennsylvania and New Jersey Worker and Community Right to Know Law.

HAZARDOUS INGREDIENTS:

Cas#	Chemical Name	Range(w/w%)
13598-37-3	PHOSPHORIC ACID, ZINC SALT (2:1) Irritant	40-70
7664-38-2	PHOSPHORIC ACID Corrosive	15-40

NON-HAZARDOUS INGREDIENTS:

CAS#	CHEMICAL NAME
7732-18-5	WATER

4 First-aid measures

SKIN CONTACT:
URGENT! Wash thoroughly with soap and water. Remove contaminated clothing. Get immediate medical attention. Thoroughly wash clothing before reuse.

EYE CONTACT:
URGENT! Immediately flush eyes with plenty of low-pressure water for at least 20 minutes while removing contact lenses. Hold eyelids apart. Get immediate medical attention.

INHALATION:
Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get immediate medical attention.

INGESTION:
Do not feed anything by mouth to an unconscious or convulsive victim. Do not induce vomiting. Immediately contact physician. Rinse mouth with plenty of water. Dilute contents of stomach using 4-10 fluid ounces (120-300 mL) of milk or water.

NOTES TO PHYSICIANS:
Material is corrosive. It may not be advisable to induce vomiting. Possible mucosal damage may contraindicate the use of gastric lavage.

5 Fire-fighting measures

FIRE FIGHTING INSTRUCTIONS:
Fire fighters should wear positive pressure self-contained breathing apparatus (full face-piece type).
EXTINGUISHING MEDIA:
dry chemical/CO2/foam or water--slippery condition; use sand/grit.
HAZARDOUS DECOMPOSITION PRODUCTS:
oxides of phosphorus
FLASH POINT:
> 200F > 93C P-M(CC)
MISCELLANEOUS:
Corrosive to skin/steel
UN 1805;Emergency Response Guide #154

6 Accidental release measures

PROTECTION AND SPILL CONTAINMENT:
Ventilate area. Use specified protective equipment. Contain and absorb on absorbent material. Place in waste disposal container. Flush area with water. Wet area may be slippery. Spread sand/grit.
DISPOSAL INSTRUCTIONS:
Water contaminated with this product may be sent to a sanitary sewer treatment facility,in accordance with any local agreement,a permitted waste treatment facility or discharged under a permit. Product as is - Incinerate or land dispose in an approved landfill.

7 Handling and storage

HANDLING:
Acidic. Corrosive(Skin/eyes). Do not mix with alkaline material.
STORAGE:
Keep containers closed when not in use. Preferably stored between 40-100F (5-38C).

8 Exposure controls / personal protection

EXPOSURE LIMITS

CHEMICAL NAME

PHOSPHORIC ACID, ZINC SALT (2:1)
PEL (OSHA): LIMITS HAVE NOT BEEN ESTABLISHED BY US OSHA.
TLV (ACGIH): LIMITS HAVE NOT BEEN ESTABLISHED BY ACGIH.

PHOSPHORIC ACID
PEL (OSHA): 1 MG/M3
TLV (ACGIH): TWA = 1 MG/M3; STEL = 3 MG/M3
MISC: NIOSH REL = 1 MG/M3; NIOSH STEL = 3 MG/M3; NIOSH IDLH = 1000 MG/M3

ENGINEERING CONTROLS:
Adequate ventilation to maintain air contaminants below exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:
Use protective equipment in accordance with 29CFR 1910 Subpart I

RESPIRATORY PROTECTION:
A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.
USE AIR PURIFYING RESPIRATORS WITHIN USE LIMITATIONS ASSOCIATED WITH THE EQUIPMENT OR ELSE USE SUPPLIED AIR-RESPIRATORS.
If air-purifying respirator use is appropriate, use any of the following particulate respirators: N95, N99, N100, R95, R99, R100, P95, P99 or P100.

SKIN PROTECTION:
gauntlet-type rubber, butyl or neoprene gloves, chemical resistant apron -- Wash off after each use. Replace as necessary.

EYE PROTECTION:
splash proof chemical goggles, face shield

9 Physical and chemical properties

Spec. Grav.(70F,21C)	1.711	Vapor Pressure (mmHG)	~ 15.0
Freeze Point (F)	< -30	Vapor Density (air=1)	< 1.00
Freeze Point (C)	< -34		
Viscosity(cps 70F,21C)	70	% Solubility (water)	100.0

Odor		Slight
Appearance		Colorless To Yellow
Physical State		Liquid
Flash Point	P-M(CC)	> 200F > 93C
pH As Is (approx.)		< 1.0
Evaporation Rate (Ether=1)		< 1.00
Percent VOC:		0.0

NA = not applicable ND = not determined

10 Stability and reactivity

CHEMICAL STABILITY:
Stable under normal storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS:
Contact with strong bases may cause a violent reaction releasing heat.

INCOMPATIBILITIES:
May react with bases or strong oxidizers.

DECOMPOSITION PRODUCTS:
oxides of phosphorus

11 Toxicological information

```
Oral LD50 RAT:                          2830 mg/kg
      NOTE - Calculated value according to GHS additivity formula
Dermal LD50 RABBIT:                     3890 mg/kg
      NOTE - Calculated value according to GHS additivity formula
Skin Irritation Score RABBIT:           CORROSIVE
      NOTE - EPA Category I
Eye Irritation Score RABBIT:            CORROSIVE
      NOTE - Estimated value
```

12 Ecological information

AQUATIC TOXICOLOGY

```
Ceriodaphnia 48 Hour Static Renewal Bioassay
   LC50= 1.5; No Effect Level= .63 mg/L
Ceriodaphnia 7 Day Static Renewal Bioassay
   IC25 = 1.9  mg/L
Daphnia magna 48 Hour Static Renewal Bioassay
   LC50= 12; No Effect Level= 1.5 mg/L
Fathead Minnow 7 Day Static Renewal Bioassay
   IC25 = 5  mg/L
Fathead Minnow 96 Hour Static Renewal Bioassay
   LC50= 14; No Effect Level= 2.5 mg/L
Rainbow Trout 96 Hour Static Renewal Bioassay
   LC50= 4.9; No Effect Level= 1.6 mg/L
```

BIODEGRADATION

Product contains only inorganics that are not subject to typical biological degradation. Assimilation by microbes may occur in waste treatment or the environment.

13 Disposal considerations

If this undiluted product is discarded as a waste, the US RCRA hazardous waste identification number is :
D002=Corrosive (pH,steel); D006=Cadmium; D008=Lead.

Please be advised; however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

14 Transport information

```
Transportation Hazard: Corrosive to skin/steel
DOT:   PHOSPHORIC ACID SOLUTION
       8, UN1805, PG III, RQ
DOT EMERGENCY RESPONSE GUIDE #: 154
Note: Some containers may be DOT exempt, please check BOL for
exact container classification
IATA:  PHOSPHORIC ACID SOLUTION
       8, UN1805, PG III
IMDG:  PHOSPHORIC ACID SOLUTION
       8, UN1805, PG III
```

15 Regulatory information

TSCA:
All components of this product are included on or are in compliance with the U.S. TSCA regulations.

CERCLA AND/OR SARA REPORTABLE QUANTITY (RQ):
1,962 gallons due to PHOSPHORIC ACID;

FOOD AND DRUG ADMINISTRATION:
21 CFR 176.170 (components of paper and paperboard in contact with aqueous and fatty foods)

NSF Registered and/or meets USDA (according to 1998 Guidelines):
Registration number: 140901
Category Code(s):

G5	Cooling and retort water treatment products - all food processing areas
G7	Boiler treatment products - all food processing areas/nonfood contact

SARA SECTION 312 HAZARD CLASS:
Immediate(acute);Delayed(Chronic)

SARA SECTION 302 CHEMICALS:
No regulated constituent present at OSHA thresholds

SARA SECTION 313 CHEMICALS:

CAS#	CHEMICAL NAME	RANGE
13598-37-3	PHOSPHORIC ACID, ZINC SALT (2:1)	41.0-50.0%

CALIFORNIA REGULATORY INFORMATION

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):
This product contains one or more ingredients at trace levels known to the state of California to cause cancer and reproductive toxicity.

MICHIGAN REGULATORY INFORMATION

No regulated constituent present at OSHA thresholds

16 Other information

HMIS vII		**CODE TRANSLATION**
Health	3	Serious Hazard
Fire	0	Minimal Hazard
Reactivity	0	Minimal Hazard
Special	CORR	DOT corrosive
(1) Protective Equipment	D	Goggles,Face Shield,Gloves,Apron

(1) refer to section 8 of MSDS for additional protective equipment recommendations.

CHANGE LOG

	EFFECTIVE DATE	REVISIONS TO SECTION:	SUPERCEDES
MSDS status:	11-NOV-1997		** NEW **
	05-JAN-1999	10	11-NOV-1997
	25-JUN-1999	11	05-JAN-1999
	23-AUG-1999	12	25-JUN-1999
	13-JUL-2000	15	23-AUG-1999
	03-JAN-2001	15	13-JUL-2000

01-MAY-2001	12	03-JAN-2001
01-MAY-2007	4,5,8,10,15	01-MAY-2001
29-JAN-2008	4,8,13	01-MAY-2007
29-JAN-2009	3,4,8,10,15	29-JAN-2008
24-JUN-2009	15	29-JAN-2009
03-OCT-2011	11	24-JUN-2009
03-AUG-2012	15	03-OCT-2011