

MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/19/2012

DATE PRINTED: 04/19/2012

REVISION NUMBER:

PREPARED BY:

EH&S DEPARTMENT

CHEMICAL PRODUCT

PRODUCT NAME:

BSC-30

PRODUCT CODE:

100560

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:

3/3

Fire:

0/0

Reactivity:

2/2

Special/Protective Equipment:

ALK/C

NAME OF THE

Rochester Midland Corporation

Emergency Phone:

MANUFACTURER:

155 Paragon Drive

INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

Rochester, New York 14624

USA

HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION:

Severe burns to mucous membranes of mouth, throat and digestive tract. May be fatal if

swallowed.

SKIN CONTACT:

Corrosive; Prolonged contact causes severe burns which may not be immediately painful or

visible.

INHALATION:

Inhalation of dust or mist may cause nose and respiratory irritation. Can cause damage to mucous membranes of nose, throat, respiratory tract and lung tissue depending on severity of

Causes severe eye burns. May cause permanent eye damage. May cause blindness.

EYE CONTACT:

CHRONIC EFFECTS:

Irritant dermatitis; possible respiratory damage from inhalation of dust or mist.

EFFECTS/CARCINOGENICITY:

ROUTES OF ENTRY:

None listed under OSHA, IARC, or NTP. Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
SODIUM HYDROXIDE 1310-73-2	20-30	Not applicable	2 mg/m³

FIRST AID MEASURES

INGESTION:

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person. If vomiting occurs, give

additional water.

SKIN:

EYES:

Flush with water for at least 15 minutes while removing all contaminated clothing and shoes. Continue rinsing until "slippery" feeling is gone. Get medical attention if irritation or burns

None.

INHALATION:

If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-

mouth. If breathing is difficult give oxygen. Get medical attention.

Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate

medical attention.

NOTES TO PHYSICIAN:

Page 1 of 4

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:

(F): None (C): Not determined

METHOD:

None

FLAMMABLE LIMITS IN AIR

LOWER (%): UPPER (%):

NA NA

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE: SUITABLE EXTINGUISHING MEDIA: FIRE FIGHTING PROCEDURES:

NO

Sensitivity to static discharge is not expected.

Product will not burn.

Corrosive material. Avoid exposure to dusts, mists, and splashes. Fire-fighters should wear self-contained breathing apparatus and

full protective clothing when fighting chemical fires.

ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: LARGE SPILLS: Reclaim as much as possible. Pick up with absorbant material. Flush residue with water. Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush

remainder with water.

PERSONAL PRECAUTIONS:

ENVIRONMENTAL PRECAUTIONS:

Not applicable Not applicable

METHODS FOR CLEANING UP:

Not applicable

HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Store in a cool, dry

Store in a well ventilated area. Keep container closed when not in use. Mix only with water.

DANGER: Concentrated, caustic material.

OTHER PRECAUTIONS:

Do not reuse container. Empty containers may retain product residue, follow MSDS/label

precautions even after container is emptied. Read and follow label instructions.

SPECIFIC USE(S):

Not applicable.

EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

Use in a well ventilated area.

RESPIRATORY PROTECTION:

Not normally required. If product is used in a manner which creates dust or mist above recommended exposure limits, a NIOSH/MSHA approved respirator with dust/mist filter may be

needed in the absence of proper environmental controls.

PROTECTIVE GLOVES:

Neoprene. Nitrile gloves. Rubber gloves.

EYE PROTECTION:

Goggles. Face shield.

OTHER PERSONAL PROTECTION

EQUIPMENT:

Rubber boots. PVC boots. Plastic hard hat. Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. Eyewash

fountains and safety showers must be easily accessible.

VENTILATION:

General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

Corrosion resistant equipment recommended.

PHYSICAL AND CHEMICAL PROPERTIES

BSC-30

(C) Not determined

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Clear, colorless liquid. Odorless.

BOILING POINT (F):

212° F

VAPOR PRESSURE:

As water

VAPOR DENSITY (AIR=1):

As water

SOLUBILITY IN WATER.

Not determined

SPECIFIC GRAVITY: VOC Content (%):

1.28

EVAPORATION RATE:

Λ

14+

PH:

As water

10. STABILITY AND REACTIVITY

STABILITY DATA:

STABLE

POLYMERIZATION:

Will Not Occur. Hydrogen halides

HAZARDOUS DECOMPOSITION: INCOMPATIBILITY (MATERIALS TO

Avoid contact with concentrated acids; may cause violent reactions. Avoid contact with

AVOID):

aluminum, zinc, other soft metals or galvanized metals.

CONDITIONS/HAZARDS TO AVOID:

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Not Established

EFFECTS OF CHRONIC EXPOSURE: Not established.

OTHER TOXIC EFFECTS:

Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL

No data at this time

INFORMATION:

No data at this time.

CHEMICAL FATE INFORMATION: MOBILITY:

Not applicable.

PERSISTENCE/DEGRADABILITY:

Not applicable

BIOACCUMULATIVE POTENTIAL:

Not applicable

OTHER ADVERSE EFFECTS:

Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS:

Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
SODIUM HYDROXIDE 1310-73-2	20-30	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
SODIUM HYDROXIDE 1310-73-2	20-30	1000 lb 454 kg	Not Listed	Not Listed

BSC-30

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
SODIUM HYDROXIDE 1310-73-2	20-30	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable

icvelo.		
PRODUCT COMPOSITION	%	MARTK:
CAS#		
SODIUM HYDROXIDE	20-30	Listed
1310-73-2		

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION	%	NJRTK:
CAS#		
SODIUM HYDROXIDE	20-30	Listed
1310-73-2		

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION	%	PARTK:
CAS# SODIUM HYDROXIDE	20-30	Listed
1310-73-2	20-30	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***