

# GE Water & Process Technologies

# Material Safety Data Sheet

Issue Date: 22-JUN-2011 Supercedes: 10-FEB-2010

**FOAMTROL AF3561** 

# 1 Identification

Identification of substance or preparation FOAMTROL AF3561

**Product Application Area** Antifoam

Company/Undertaking Identification GE Betz, Inc. 4636 Somerton Road Trevose, PA 19053 T 215 355-3300, F 215 953 5524

Emergency Telephone (800) 877-1940

Prepared by Product Stewardship Group: T 215-355-3300 Prepared on: 22-JUN-2011

# 2 Hazard(s) identification

### EMERGENCY OVERVIEW

# CAUTION

May cause slight irritation to the skin. May cause slight irritation to the eyes. Mists/aerosols cause irritation to the upper respiratory tract.

DOT hazard is not applicable Odor: Slight; Appearance: White, Dispersion

Fire fighters should wear positive pressure self-contained breathing apparatus(full face-piece type). Proper fire-extinguishing media: dry chemical, carbon dioxide, foam or water

### POTENTIAL HEALTH EFFECTS

## ACUTE SKIN EFFECTS:

Primary route of exposure; May cause slight irritation to the skin.

### ACUTE EYE EFFECTS:

May cause slight irritation to the eyes.

## ACUTE RESPIRATORY EFFECTS:

Primary route of exposure; Mists/aerosols cause irritation to the upper respiratory tract.

#### INGESTION EFFECTS:

No evidence of adverse effects from available information.

#### TARGET ORGANS:

No evidence of potential chronic effects.

#### MEDICAL CONDITIONS AGGRAVATED:

Not known.

### SYMPTOMS OF EXPOSURE:

May cause redness or itching of skin.

# 3 Composition / Information on ingredients

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this MSDS for our assessment of the potential hazards of this formulation.

### HAZARDOUS INGREDIENTS:

This product is not hazardous as defined by OSHA regulations.

No component is considered to be a carcinogen by the National Toxicology Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration at OSHA thresholds for carcinogens.

# 4 First-aid measures

### SKIN CONTACT:

Wash thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists.

### EYE CONTACT:

Remove contact lenses. Hold eyelids apart. Immediately flush eyes with plenty of low-pressure water for at least 15 minutes. Get medical attention if irritation persists after flushing.

### INHALATION:

If nasal, throat or lung irritation develops - remove to fresh air and get medical attention.

## INGESTION:

Do not feed anything by mouth to an unconscious or convulsive victim. Do not induce vomiting. Immediately contact physician. Dilute contents of stomach using 2-8 fluid ounces  $(60-240\ \text{mL})$  of milk or water.

## NOTES TO PHYSICIANS:

No special instructions

# 5 Fire-fighting measures

### FIRE FIGHTING INSTRUCTIONS:

Fire fighters should wear positive pressure self-contained breathing apparatus (full face-piece type).

# EXTINGUISHING MEDIA:

dry chemical, carbon dioxide, foam or water

## HAZARDOUS DECOMPOSITION PRODUCTS:

oxides of carbon

### FLASH POINT:

> 213F > 101C P-M(CC)

# 6 Accidental release measures

## PROTECTION AND SPILL CONTAINMENT:

Ventilate area. Use specified protective equipment. Contain and absorb on absorbent material. Place in waste disposal container. Flush area with water. Wet area may be slippery. Spread sand/grit.

# DISPOSAL INSTRUCTIONS:

Water contaminated with this product may be sent to a sanitary sewer treatment facility, in accordance with any local agreement, a permitted waste treatment facility or discharged under a permit. Product as is - Incinerate or land dispose in an approved landfill.

# 7 Handling and storage

#### HANDLING:

Normal chemical handling.

#### STORAGE:

Keep containers closed when not in use. Protect from freezing. Preferably stored between 40-100F (5-38C). Shelf life 270 days.

# 8 Exposure controls / personal protection

### EXPOSURE LIMITS

This product is not hazardous as defined by OSHA regulations.

## ENGINEERING CONTROLS:

adequate ventilation

# PERSONAL PROTECTIVE EQUIPMENT:

Use protective equipment in accordance with 29CFR 1910 Subpart I RESPIRATORY PROTECTION:

A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.
USE AIR PURIFYING RESPIRATORS WITHIN USE LIMITATIONS ASSOCIATED WITH THE EQUIPMENT OR ELSE USE SUPPLIED AIR-RESPIRATORS.
If air-purifying respirator use is appropriate, use a respirator with organic vapor cartridges.

## SKIN PROTECTION:

rubber, butyl, viton or neoprene gloves -- Wash off after each use. Replace as necessary.

## EYE PROTECTION:

splash proof chemical goggles

# 9 Physical and chemical properties

```
Vapor Pressure (mmHG)
                                                              ~ 18.0
                      0.957
Spec. Grav. (70F, 21C)
                                       Vapor Density (air=1)
Freeze Point (F)
                       -7
Freeze Point (C)
                                       % Solubility (water)
Viscosity(cps 70F, 21C) 636
                                   Slight
Odor
                                   White
Appearance
                                   Dispersion
Physical State
                    P-M(CC)
                                   > 213F -> 101C
Flash Point
pH As Is (approx.)
                                   9.0
                                   < 1.00
Evaporation Rate (Ether=1)
Percent VOC:
```

NA = not applicable

ND = not determined

# 10 Stability and reactivity

## CHEMICAL STABILITY:

Stable under normal storage conditions.

### POSSIBILITY OF HAZARDOUS REACTIONS:

Contact with water reactive compounds may cause fire or explosion.

### INCOMPATIBILITIES:

May react with strong oxidizers.

#### DECOMPOSITION PRODUCTS:

oxides of carbon

# 11 Toxicological information

No Data Available.

# 12 Ecological information

### AQUATIC TOXICOLOGY

Daphnia magna 48 Hour Static Acute Bioassay LC50= 3608; No Effect Level= 2500 mg/L Fathead Minnow 96 Hour Static Acute Bioassay LC50= 2939; No Effect Level= 1250 mg/L

# BIODEGRADATION

BOD-5 (mg/g): 27 COD (mg/g): 279 TOC (mg/g): 7

# 13 Disposal considerations

If this undiluted product is discarded as a waste, the US RCRA hazardous waste identification number is: Not applicable.

Please be advised; however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

# 14 Transport information

Transportation Hazard: Not Applicable DOT: Not Regulated

DOT EMERGENCY RESPONSE GUIDE #: Not applicable

Note: Some containers may be DOT exempt, please check BOL for

exact container classification

IATA: Not Regulated

IMDG: Not Regulated

# 15 Regulatory information

#### TSCA:

All components of this product are included on or are in compliance with the U.S. TSCA regulations.

CERCLA AND/OR SARA REPORTABLE QUANTITY (RQ):

No regulated constituent present at OSHA thresholds

FOOD AND DRUG ADMINISTRATION:

This product is FDA acceptable for use under 21 CFR: 176.170, 176.180 and 176.210.

NSF Registered and/or meets USDA (according to 1998 Guidelines):

Registration number: Not Registered

SARA SECTION 312 HAZARD CLASS:

Product is non-hazardous under Section 311/312

SARA SECTION 302 CHEMICALS:

No regulated constituent present at OSHA thresholds

SARA SECTION 313 CHEMICALS:

No regulated constituent present at OSHA thresholds

CALIFORNIA REGULATORY INFORMATION

CALIFORNIA SAFE DRINKING WATER AND TOXIC

ENFORCEMENT ACT (PROPOSITION 65):

No regulated constituents present

MICHIGAN REGULATORY INFORMATION

No regulated constituent present at OSHA thresholds

# 16 Other information

### HMIS VII

### CODE TRANSLATION

Health	1	Slight Hazard	
Fire	1	Slight Hazard	
Reactivity	0	Minimal Hazard	
Special	NONE	No special Hazard	
(1) Protective Equipment	В	Goggles, Gloves	

(1) refer to section 8 of MSDS for additional protective equipment recommendations.

CHANGE LOG

EFFECTIVE

DATE	REVISIONS TO SECTION:	SUPERCEDES
and the same was transfer and the pass was	المراقب معمر موجود منته المحمد	
MSDS status: 03-SEP-2007		** NEW **
25-SEP-2007	15	03-SEP-2007
13-NOV-2007	12	25-SEP-2007
18-DEC-2007	9	13-NOV-2007
21-JUL-2008	12	18-DEC-2007
10-FEB-2010	14	21-JUL-2008
22-JUN-2011	10	10-FEB-2010