	Page: 1
SAFETY DATA SHEET	Revision Date: 08/03/2015
	Print Date: 10/29/2015
	SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858251	Version: 1.0

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Performax™ CC6200
COOLING WATER TREATMENT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use



Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America RegulatoryRequestsNA@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) / 606-329-5705 Product Information 1-844-SOLENIS (844-765-3647)
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
Skin corrosion : Category 1
Serious eye damage : Category 1


GHS Label element

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : Harmful if swallowed.
Causes severe skin burns and eye damage.
Causes serious eye damage.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.

	Page: 2
	Revision Date: 08/03/2015
SAFETY DATA SHEET	Print Date: 10/29/2015
	SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858251	Version: 1.0

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture


Hazardous components

Chemical Name	CAS-No.	Classification	Concentration (%)
TRIAZOLE DERIVATIVE	254504001-5183	Acute Tox. 4; H302 Skin Corr. 1; H314 Eye Dam. 1; H318	>= 50.00 - < 60.00

Trade Secret Composition - conceal identity + concentration

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.


		Page: 3
SAFETY DATA SHEET		Revision Date: 08/03/2015
		Print Date: 10/29/2015
		SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858251		Version: 1.0

Do not leave the victim unattended.

- If inhaled : Move to fresh air.
If breathed in, move person into fresh air.
Keep patient warm and at rest.
If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Harmful if swallowed.
Causes serious eye damage.
Causes severe burns.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO2)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

		Page: 4
SAFETY DATA SHEET		Revision Date: 08/03/2015
		Print Date: 10/29/2015
		SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858251		Version: 1.0

- Hazardous combustion products : hydrogen cyanide in reducing atmospheres
nitrogen oxides (NOx)
carbon dioxide and carbon monoxide
- Specific extinguishing methods :


Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours/dust.
Do not smoke.
Container hazardous when empty.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

		Page: 5
SAFETY DATA SHEET		Revision Date: 08/03/2015
		Print Date: 10/29/2015
		SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858251		Version: 1.0

Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.
Maintain eye wash station in immediate work area.

Skin and body protection

: Wear resistant gloves (consult your safety equipment supplier).
Wear as appropriate:
impervious clothing
Chemical resistant apron
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures

: Wash hands before breaks and at the end of workday.
When using do not eat or drink.
Ensure that eyewash stations and safety showers are close to the workstation location.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid
Colour : yellow, amber, dark brown
Odour : No data available
Odour Threshold : No data available

**SAFETY DATA SHEET**

Revision Date: 08/03/2015

Print Date: 10/29/2015

SDS Number: 000000256087

Performax™ CC6200 COOLING WATER
TREATMENT


Version: 1.0

™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
858251

pH	: 11.5 - 12, 10 %(as aqueous solution)
Melting point/freezing point	: No data available
Boiling point/boiling range	: ca. 212 °F / 100 °C
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 0.04 hPa (20 °C)
Relative vapour density	: > 1AIR=1
Relative density	: 1.165 - 1.210
Density	: 1.165 - 1.210 g/cm ³
Solubility(ies)	
Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous	: Product will not undergo hazardous polymerization.

	Page: 7
	Revision Date: 08/03/2015
SAFETY DATA SHEET	Print Date: 10/29/2015
	SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858251	Version: 1.0

reactions

Incompatible materials : strong mineral acids
Strong oxidizing agents

Hazardous decomposition products : carbon dioxide and carbon monoxide
hydrogen cyanide in reducing atmospheres
Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Acute toxicity

Components:

TRIAZOLE DERIVATIVE:

Acute oral toxicity : LD 50 (Rat, Female): 735 mg/kg

Acute dermal toxicity : LD 50 (Rabbit): > 2,000 mg/kg
Assessment: Not classified as acutely toxic by dermal absorption under GHS.

Skin corrosion/irritation

Product:

Result: Corrosive to skin

Remarks: Causes severe skin burns and eye damage.

Components:

TRIAZOLE DERIVATIVE:

Result: Corrosive to skin

Serious eye damage/eye irritation

Product:


Result: Corrosive to eyes

Remarks: May cause irreversible eye damage.

Components:

TRIAZOLE DERIVATIVE:

Result: Corrosive to eyes

		Page: 8
SAFETY DATA SHEET		Revision Date: 08/03/2015
		Print Date: 10/29/2015
		SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858251		Version: 1.0

Respiratory or skin sensitisation

Product:

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Aspiration toxicity

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC 50 (Oncorhynchus mykiss (rainbow trout)): 25 mg/l
Exposure time: 96 h
Test Type: static test

LC 50 (Lepomis macrochirus (Bluegill sunfish)): > 173 mg/l
Exposure time: 96 h
Test Type: static test

LC 50 (Danio rerio (zebra fish)): 122 mg/l
Exposure time: 96 h
Test Type: static test

LC 50 (Pimephales promelas (fathead minnow)): 159.3 mg/l
Exposure time: 98 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): 280 mg/l
Exposure time: 48 h
Test Type: static test

**SAFETY DATA SHEET**

Revision Date: 08/03/2015

Print Date: 10/29/2015


SDS Number: 000000256087

Version: 1.0

Performax™ CC6200 COOLING WATER
TREATMENT™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
858251EC 50 (Water flea (*Ceriodaphnia dubia*)): 164.9 mg/l
Exposure time: 48 h
Test Type: static testToxicity to algae : (*Pseudokirchneriella subcapitata* (green algae)): 26.2 mg/l
End point: EC 50
Exposure time: 72 h
Test Type: static test**Components:****TRIAZOLE DERIVATIVE:**Toxicity to fish : LC 50 (*Lepomis macrochirus* (Bluegill sunfish)): > 173 mg/l
Exposure time: 96 hLC 50 (*Oncorhynchus mykiss* (rainbow trout)): ca. 25 mg/l
Exposure time: 96 hToxicity to daphnia and other : EC 50 (Water flea (*Daphnia magna*)): 280 mg/l
aquatic invertebrates Exposure time: 48 hToxicity to algae : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 26.2
mg/l
Exposure time: 72 h
Test Type: Growth inhibitionEbC50 (*Pseudokirchneriella subcapitata* (green algae)): 32
mg/l
Exposure time: 96 h
Test Type: Growth inhibitionToxicity to daphnia and other : EC10 (Water flea (*Daphnia magna*)): 0.4 mg/l
aquatic invertebrates Exposure time: 21 d
(Chronic toxicity) Test Type: semi-static test
Method: OECD Test Guideline 211
Remarks: Information given is based on data obtained from
similar substances.**Persistence and degradability****Product:**

Biodegradability : Remarks: Not readily biodegradable.

Components:**TRIAZOLE DERIVATIVE:**Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301F

	Page: 10
	Revision Date: 08/03/2015
SAFETY DATA SHEET	Print Date: 10/29/2015
	SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT <small>™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries</small> 858251	Version: 1.0

Bioaccumulative potential

Components:

TRIAZOLE DERIVATIVE:
 Partition coefficient: n-octanol/water : log Pow: 0.658

Mobility in soil

Components:

No data available

Other adverse effects

No data available

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life., Toxic to aquatic life with long lasting effects.

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : The product should not be allowed to enter drains, water courses or the soil.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.

 Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.
 Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

U.S. DOT - ROAD

**SAFETY DATA SHEET**

Revision Date: 08/03/2015

Print Date: 10/29/2015

SDS Number: 000000256087

Version: 1.0

Performax™ CC6200 COOLING WATER
TREATMENT™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
858251

UN	3267	Corrosive liquid, basic, organic, n.o.s. (TRIAZOLE DERIVATIVE)	8	II
----	------	--	---	----

U.S. DOT - RAIL

UN	3267	Corrosive liquid, basic, organic, n.o.s. (TRIAZOLE DERIVATIVE)	8	II
----	------	--	---	----

U.S. DOT - INLAND WATERWAYS

UN	3267	Corrosive liquid, basic, organic, n.o.s. (TRIAZOLE DERIVATIVE)	8	II
----	------	--	---	----

TRANSPORT CANADA - ROAD

UN	3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (TRIAZOLE DERIVATIVE)	8	II
----	------	--	---	----

TRANSPORT CANADA - RAIL

UN	3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (TRIAZOLE DERIVATIVE)	8	II
----	------	--	---	----

TRANSPORT CANADA - INLAND WATERWAYS

UN	3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (TRIAZOLE DERIVATIVE)	8	II
----	------	--	---	----

INTERNATIONAL MARITIME DANGEROUS GOODS

UN	3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (TRIAZOLE DERIVATIVE)	8	II	MARINE POLLUTANT:(TRIAZOLE DERIVATIVE)
----	------	--	---	----	--

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

UN	3267	Corrosive liquid, basic, organic, n.o.s. (TRIAZOLE DERIVATIVE)	8	II
----	------	--	---	----

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

**SAFETY DATA SHEET**

Revision Date: 08/03/2015

Print Date: 10/29/2015

SDS Number: 000000256087

Version: 1.0

Performax™ CC6200 COOLING WATER TREATMENT
 ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries
 858251

UN	3267	Corrosive liquid, basic, organic, n.o.s. (TRIAZOLE DERIVATIVE)	8	II
----	------	--	---	----

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

UN	3267	LIQUIDO CORROSIVO, BASICO, ORGANICO, N.E.P. (TRIAZOLE DERIVATIVE)	8	II
----	------	---	---	----

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	yes
------------------	-----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
SODIUM HYDROXIDE	1310-73-2	1000	204081.632653


SARA 311/312 Hazards : Acute Health Hazard**SARA 313 Component(s)****SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.**California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.**The components of this product are reported in the following inventories:**

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL.

AUSTR : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

	Page: 13
SAFETY DATA SHEET	Revision Date: 08/03/2015
	Print Date: 10/29/2015
	SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858251	Version: 1.0

KECL : On the inventory, or in compliance with the inventory
 PHIL : On the inventory, or in compliance with the inventory
 IECSC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)


Registration: Trade Secret

Chemical Name	Identification number
TRIAZOLE DERIVATIVE	254504001-5183

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 08/03/2015


NFPA:	HMIS III:						
<p>Flammability</p>  <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tr> <td>HEALTH</td> <td>3</td> </tr> <tr> <td>FLAMMABILITY</td> <td>0</td> </tr> <tr> <td>PHYSICAL HAZARD</td> <td>0</td> </tr> </table> <p>0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH	3	FLAMMABILITY	0	PHYSICAL HAZARD	0
HEALTH	3						
FLAMMABILITY	0						
PHYSICAL HAZARD	0						

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.

Further information

Sources of key data used to compile the Safety Data Sheet
 Key literature references and sources of data
 SOLENIS Internal data
 SOLENIS internal data including own and sponsored test reports

 SAFETY DATA SHEET	Page: 14
	Revision Date: 08/03/2015
	Print Date: 10/29/2015
	SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858251	Version: 1.0

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.


The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
 BEI : Biological Exposure Index
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
 FG : Food grade
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
 H-statement : Hazard Statement
 IATA : International Air Transport Association.
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
 IMDG : International Maritime Code for Dangerous Goods
 ISO : International Organization for Standardization
 logPow : octanol-water partition coefficient
 LCxx : Lethal Concentration, for xx percent of test population
 LDxx : Lethal Dose, for xx percent of test population.
 ICxx : Inhibitory Concentration for xx of a substance
 Ecxx : Effective Concentration of xx
 N.O.S.: Not Otherwise Specified
 OECD : Organization for Economic Co-operation and Development
 OEL : Occupational Exposure Limit
 P-Statement : Precautionary Statement
 PBT : Persistent , Bioaccumulative and Toxic
 PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
 DOT : Department of Transportation
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
 HMIRC : Hazardous Materials Information Review Commission
 HMIS : Hazardous Materials Identification System
 NFPA : National Fire Protection Association
 NIOSH : National Institute for Occupational Safety and Health
 OSHA : Occupational Safety and Health Administration
 PMRA : Health Canada Pest Management Regulatory Agency

	Page: 15
SAFETY DATA SHEET	Revision Date: 08/03/2015
	Print Date: 10/29/2015
	SDS Number: 000000256087
Performax™ CC6200 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858251	Version: 1.0

RTK : Right to Know
 WHMIS : Workplace Hazardous Materials Information System