#### 3850-PM-BCW0015d 3/2016 Permit



### COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

<b>PERMIT NO.</b> <u>0223403</u>	
AMENDMENT NO.	

APS ID. 1094050

**AUTH. ID.** <u>1449525</u>

## WATER QUALITY MANAGEMENT PERMIT

Gilliland Jonathan 175 Audubon Road Sewickley, PA 15143-9013 C. LOCATION (Municipality, County): Sewickley Hights Borough, Allegheny County  D. This permit approves the construction of sewage facilities consisting of: One Norweco Singulair Bic-Kinetic Model 960-1000 Three-Chamber Extended Aeration treatment system. This package plant is rated to treat 1000 gd of domestic wastewater. One Norweco Hydro-Kinetic Bic-Flim Reactor for further treatment, with dosing chamber. This package plant is rated to treat 800 gpd of domestic wastewater. One Norweco Model AT 1500 UV Disinfection system within the dosing chamber. Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow. Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: One Norwer Manual Creek Outfall Sewer	A.	PERMITTEE (Name and Add	dress):	CLIENT ID#: 378998	B.	PROJECT/FACILITY (Name):
Sewickley, PA 15143-9013  C. LICATION (Municipality, County): Sewickley Heights Borough, Allegheny County  D. This permit approves the construction of sewage facilities consisting of:  • One Norweco Singulair Bio-Kinetic Model 960-1000 Three-Chamber Extended Aeration treatment system. This package plant is rated to treat 1000 got of domestic wastewater.  • One Norweco Hydro-Kinetic Bio-Film Reactor for further treatment, with dosing chamber. This package plant is rated to treat 800 gpd of domestic wastewater.  • One Norweco Model AT 1500 UV Disinfection system within the dosing chamber. This package plant is rated to treat 800 gpd of domestic wastewater.  • One Norweco Model AT 1500 UV Disinfection system within the dosing chamber.  Small Flow Sewage Treatment Facility (SFTF):  Annual Average Flow:  • Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF):  Annual Average Flow:  • Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF):  Annual Average Flow:  • Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF):  Annual Average Flow:  • One Norweco Model AT 1500 UV Disinfection system within the dosing chamber.  **One Norweco Model AT 1500 UV Disinfection system within the dosing chamber.  **One Norweco Model AT 1500 UV Disinfection system within the dosing chamber.  **Design Organic Capacity:  • Outfall sewer to Little Sewickley Creek  **Sewickley Provided Aeration treatment system. This package plant is rated to treat 800 gpd of domestic wasteward.  **Example of the Sewickley Creek  **Sewickley Provided Aeration treatment system. This package plant is rated to treat 800 gpd of domestic wasteward.  **Example of the Sewickley Creek  **Sewickley Provided Aeration treatment system. This package plant is rated to treat 800 gpd of domestic wasteward.  **Example of the Sewickley Creek  **Example of the Sewickley Creek  **Example of the Sewickley Creek  **Example of the Wasteward Capacity Creek  **Example of the Wasteward Cap		Gilliland Jonathan				Gilliland Properties SRSTP
C. LOCATION (Municipality, County):  Sewickley Heights Borough, Allegheny County  Sewickley Heights Borough, Allegheny County  One Norweck Office of Sewage facilities consisting of:  **One Norweck Office of Singulair Bio-Kinetic Model 960-1000 Three-Chamber Extended Aeration treatment system. This package plant is rated to treat 1000 god of domestic wastewater.  **One Norweck Office of Sewage Treatment Facility (SFTF):  **One Norweck Office of Sewage Treatment Facility (SFTF):  **One Norweck Office of Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual Average Flow:  **Outfall sewer to Little Sewickley Creek  **Small Flow Sewage Treatment Facility (SFTF):  **Annual		175 Audubon Road				
D. This permit approves the construction of sewage facilities consisting of:  One Nonveco Singulair Biol-Kinetic Model 960-1000 Three-Chamber Extended Aeration treatment system. This package plant is rated to treat 1000 gpd of domestic wastewater.  One Nonveco Hydro-Kinetic Bio-Film Reactor for further treatment, with dosing chamber. This package plant is rated to treat 800 gpd of domestic wastewater.  One Nonveco Hydro-Kinetic Bio-Film Reactor for further treatment, with dosing chamber. This package plant is rated to treat 800 gpd of domestic wastewater.  One Nonveco Model AT 1500 UV Disinfection system within the dosing chamber.  Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF):  Annual Average Flow:  Quo007 MGD  Design Hydraulic Capacity: Quo007 MGD  Design Organic Capacity: Quo007 MGD  Design Organic Capacity: Quo007 MGD  E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING:  New Permits: All Construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated Q80/10/202 which are hereby made a part of this permit.  Permit Conditions for SFTFs are attached and made part of this permit.  F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS:  If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.  Permit to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager		Sewickley, PA_15143-9013				
D. This permit approves the construction of sewage facilities consisting of:  One Norweco Singulair Bio-Kinetic Model 960-1000 Three-Chamber Extended Aeration treatment system. This package plant is rated to treat 1000 gpd of domestic wastewater.  One Norweco Mydro-Kinetic Bio-Film Reactor for further treatment, with dosing chamber. This package plant is rated to treat 800 gpd of domestic wastewater.  One Norweco Model AT 1500 UV Disinfection system within the dosing chamber. This package plant is rated to treat 800 gpd of domestic wastewater.  One Norweco Model AT 1500 UV Disinfection system within the dosing chamber.  Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF):  Annual Average Flow:  0.0007 MGD  Design Hydraulic Capacity: 0.0007 MGD  Design Organic Capacity: 0.009 Ibs/day  E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: 1. New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 08/01/2023 which are hereby made a part of this permit.  Permit Conditions for SFTFs are attached and made part of this permit.  F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS:  If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.  Permit to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager	C.				SIT	E ID#: 866297
One Norweco Singulair Bio-Kinetic Model 960-1000 Three-Chamber Extended Aeration treatment system. This package plant is rated to treat 1000 gpd of domestic wastewater. One Norweco Hydro-Kinetic Bio-Film Reactor for further treatment, with dosing chamber. This package plant is rated to treat 800 gpd of domestic wastewater. One Norweco Model AT 1500 UV Disinfection system within the dosing chamber. Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF):  Annual Average Flow:  0.0007		Sewickley Heights Borough	h, Alleghe	eny County		
One Norweco Singular Bic-Kinetic Model 960-1000 Three-Chamber Extended Aeration treatment system. This package plant is rated to treat 1000 gpd of domestic wastewater. One Norweco Hydro-Kinetic Bio-Film Reactor for further treatment, with dosing chamber. This package plant is rated to treat 800 gpd of domestic wastewater. One Norweco Model AT 1500 UV Disinfection system within the dosing chamber. Outfall sewer to Little Sewickley Creek  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow:  0_0007	D.	This permit approves the con	struction o	of sewage facilities consisting of:		
Tract 1000 gpd of domestic wastewater.  One Norweco Hydro-Kindeits Bio-Film Reactor for further treatment, with dosing chamber. This package plant is rated to treat 800 gpd of domestic wastewater.  One Norweco Model AT 1500 UV Disinfection system within the dosing chamber.  Small Flow Sewage Treatment Facility (SFTF):  Annual Average Flow:  0.0007 MGD  Design Organic Capacity: 0.0007 MGD  Design Organic Capacity: 0.0007 MGD  Design Organic Capacity: 0.001 MGD  Sign Organic Capacity: 0.002 MGD  Sign Organic Capacity: 0.002 MGD  Sign Organic Capacity: 0.002 MGD  Sign Organic Capacity: 0.003 MGD  Sign Organic Capacity: 0.000 MGD  Sign Organic Capa				· ·	mber Exten	ded Aeration treatment system. This package plant is rated to
comestic wastewater. One Norweco Model AT 1500 UV Disinfection system within the dosing chamber.  Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: 0.0007 MGD Design Hydraulic Capacity: 0.0007 MGD Design Organic Capacity: 0.000 bis/day E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING:  New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 000/1/2023 which are hereby made a part of this permit.  Permit Conditions for SFTFs are attached and made part of this permit.  THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: It there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.  Find the comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager		treat 1000 gpd of d	Iomestic w	astewater.		, , , , , , , , , , , , , , , , , , , ,
One Norweco Model AT 1500 UV Disinfection system within the dosing chamber.  Small Flow Sewage Treatment Facility (SFTF):  Annual Average Flow:      0.0007				Bio-Film Reactor for further treatme	ent, with do	sing chamber. This package plant is rated to treat 800 gpd of
Small Flow Sewage Treatment Facility (SFTF):  Annual Average Flow:  0.0007 MGD  Design Organic Capacity:  0.009 MGD  Design Organic Capacity:  0.009 Ibs/day  E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING:  1. New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 08/01/2023 which are hereby made a part of this permit.  Permit Conditions for SFTFs are attached and made part of this permit.  F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS:  If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.  Pallure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.  This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this permit shall not relieve the permittee of any responsibility under any other law.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager				0 UV Disinfection system within the	dosing cha	amber.
Annual Average Flow:  Design Hydraulic Capacity:  Design Organic Capac		<ul> <li>Outfall sewer to Lit</li> </ul>	tle Sewick	ley Creek	•	
Annual Average Flow:  Design Hydraulic Capacity:  Design Organic Capac						
Annual Average Flow:  Design Hydraulic Capacity:  Design Organic Capac						
Annual Average Flow:  Design Hydraulic Capacity:  Design Organic Capac						
Annual Average Flow:  Design Hydraulic Capacity:  Design Organic Capac						
Annual Average Flow:  Design Hydraulic Capacity:  Design Organic Capac						
Design Hydraulic Capacity:  Design Organic All Permit application of the Water Quality Management Permit a	Sma	all Flow Sewage Treatment Fa	cility (SFT	F):		
Design Organic Capacity:  Design Organic Analoge Org	Ann	ual Average Flow:	0.0007	MGD		
E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING:  New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 08/01/2023 which are hereby made a part of this permit.  Permit Conditions for SFTFs are attached and made part of this permit.  F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS:  If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.  Permit to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.  This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this permit shall not relieve the permittee of any responsibility under any other law.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E.  Clean Water Program Manager	Des	ign Hydraulic Capacity:	0.0007	MGD		
1. New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 08/01/2023 which are hereby made a part of this permit.  2. Permit Conditions for SFTFs are attached and made part of this permit.  F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS:  1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.  2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.  3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this permit shall not relieve the permittee of any responsibility under any other law.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager	Des	ign Organic Capacity:	<u>0.09</u>	lbs/day		
OB/01/2023 which are hereby made a part of this permit.  2. Permit Conditions for SFTFs are attached and made part of this permit.  F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS:  1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.  2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.  3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this permit shall not relieve the permittee of any responsibility under any other law.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager	E.	APPROVAL GRANTED BY 1	THIS PERI	MIT IS SUBJECT TO THE FOLLO	NING:	
2. Permit Conditions for SFTFs are attached and made part of this permit.  F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS:  1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.  2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.  3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this permit shall not relieve the permittee of any responsibility under any other law.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager	1.					with the Water Quality Management Permit application dated
F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS:  1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.  2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.  3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this permit shall not relieve the permittee of any responsibility under any other law.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager		08/01/2023 which are hereby	made a p	part of this permit.		
<ol> <li>If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.</li> <li>Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.</li> <li>This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this permit shall not relieve the permittee of any responsibility under any other law.</li> </ol> PERMIT ISSUED: BY: Christopher Kriley, P.E. Clean Water Program Manager	2.	Permit Conditions for SFTFs	are attach	ned and made part of this permit.		
<ol> <li>If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.</li> <li>Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.</li> <li>This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this permit shall not relieve the permittee of any responsibility under any other law.</li> </ol> PERMIT ISSUED: BY: Christopher Kriley, P.E. Clean Water Program Manager						
shall apply.  2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.  3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this permit shall not relieve the permittee of any responsibility under any other law.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager	F.	THE AUTHORITY GRANTE	D BY THIS	PERMIT IS SUBJECT TO THE FO	OLLOWING	FURTHER QUALIFICATIONS:
<ol> <li>Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.</li> <li>This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this permit shall not relieve the permittee of any responsibility under any other law.</li> </ol> PERMIT ISSUED: BY: Christopher Kriley, P.E. Clean Water Program Manager	1.					
by the issuance of this permit.  3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this permit shall not relieve the permittee of any responsibility under any other law.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager						
3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this permit shall not relieve the permittee of any responsibility under any other law.  PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager	2.					
PERMIT ISSUED:  BY:  Christopher Kriley, P.E. Clean Water Program Manager	3.	,		ean Streams Law Act of June 22, 19	937, P.L. 19	987, as amended 35 P.S. §691.1 et seg. Issuance of this permit
May 15, 2024  Christopher Kriley, P.E. Clean Water Program Manager						
May 15, 2024  Christopher Kriley, P.E. Clean Water Program Manager						
May 15, 2024  Christopher Kriley, P.E. Clean Water Program Manager						
May 15, 2024 TITLE: Clean Water Program Manager		PERMIT ISSUED:		E	BY:	00
May 15, 2024 TITLE: Clean Water Program Manager						(30.70)
May 15, 2024 TITLE: Clean Water Program Manager						( )L
May 15, 2024 TITLE: Clean Water Program Manager						THANK
					_	Christopher Kriley, P.E.
Southwest Regional Office	_	May 15, 2024			TTLE:	
						Southwest Regional Office



### COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

#### **PERMIT CONDITIONS FOR SFTFs**

#### General

- 1. The Department of Environmental Protection (DEP) considers the licensed Professional Engineer whose seal is affixed to the design documents to be fully responsible for the adequacy of all aspects of the facility design.
- 2. The outfall sewer or drain shall be extended to the low water mark of the receiving body of water. Where necessary to ensure proper mixing and waste assimilation, an outfall sewer or drain may be extended with appurtenances below the low water mark and into the bed of a navigable stream provided that the permittee has secured an easement, right-of-way, license or lease from DEP in accordance with Section 15 of the Dam Safety and Encroachments Act, the Act of November 26, 1978, P.L. 1375, as amended.
- 3. The approval is specifically made contingent on the permittee acquiring all necessary property rights, by easement or otherwise, providing for the satisfactory construction, operation, maintenance and replacement of all sewers or sewerage structures in, along, or across private property with full rights of ingress, egress and regress.
- 4. If, at any time, the SFTF covered by this permit creates a public nuisance, including but not limited to, causing malodors or causing environmental harm to waters of the Commonwealth, DEP may require the permittee to adopt appropriate remedial measures to abate the nuisance or harm.
- 5. If, after the issuance of this permit, DEP approves a municipal sewage facilities official plan or an amendment to an official plan under Act 537 (Pennsylvania Sewage Facilities Act, the Act of January 24, 1966, P.L. 1535 as amended) in which sewage from the herein approved facilities will be treated and disposed of at other planned facilities, the permittee shall, upon notification from the municipality or DEP, provide for the conveyance of its sewage to the planned facilities, abandon use and decommission the herein approved facilities including the proper disposal of solids, and notify DEP accordingly. The permittee shall adhere to schedules in the approved official plan, amendments to the plan, or other agreements between the permittee and municipality. This permit shall then, upon notice from DEP, terminate and become null and void and shall be relinquished to DEP.
- 6. The approval of the plans, and the authority granted in this permit, if not specifically extended, shall cease and be null and void 5 years from the issuance date of this permit unless construction or modification of the facilities covered by this permit has begun on or before the fifth anniversary of the permit date.
- 7. This permit does not relieve the permittee of any obligations to comply with all federal, interstate, state or local laws, ordinances and regulations applicable to the sewerage facilities.
- 8. This permit does not give any real or personal property rights or grant any exclusive privileges, nor shall it be construed to grant or confer any right, easement or interest in, on, to, or over any lands which belong to the Commonwealth.
- The authority granted by this permit is subject to all effluent requirements, monitoring requirements, and other conditions as set forth in the NPDES Permit and all subsequent amendments and renewals. No discharge is authorized from these facilities unless approved by an NPDES Permit.

#### Construction

- 10. The SFTF shall be constructed under the supervision of a Pennsylvania licensed Professional Engineer in accordance with the approved reports, plans and specifications. Any deviations from approved plans or specifications so revised should, therefore, be submitted well in advance of any construction work, which will be affected by such changes to the permit to allow sufficient time for review and approval. Structural revisions or other minor changes not affecting capacities, flows or operations will be permitted during construction without approval. Upon request, "as-built drawings" clearly showing such alterations shall be filed with DEP at the completion of the work.
- 11. When construction of the approved SFTF is completed and before it is placed in operation, the permittee shall notify DEP in writing so that a DEP representative <a href="may">may</a> inspect the facilities. A Pennsylvania licensed Professional Engineer shall certify that construction of the permitted facilities was completed in accordance with the WQM application and design plans submitted to DEP, using the Post Construction Certification form (3800-PM-WSFR0179a). It is the permittee's responsibility to ensure that a Professional Engineer is on-site to provide the necessary oversight and/or inspections to certify the SFTF. The certification must be submitted to DEP within 30 days following completion of the SFTF, along with as-built drawings, photographs (if available), and a description of any DEP approved deviations from the NOI and design plans. The SFTF may not be placed into operation until DEP receives the completed Professional Engineer's certification.

12. The local Waterways Conservation Officer of the Pennsylvania Fish and Boat Commission (PFBC) shall be notified when the construction of any stream crossing and/or outfall is started and completed. A written permit must be secured from the PFBC if the use of explosives in any waterways is required and the permittee shall notify the local Waterways Conservation Officer when explosives are to be used.

#### **Operation and Maintenance**

- 13. The permittee shall maintain SFTF operation and maintenance (O&M) manuals at the facility and ensure proper O&M of the permitted facility. The permittee shall file the O&M manuals with DEP upon request.
- 14. Stormwater from roofs, foundation drains, basement drains or other sources shall not be admitted directly to the SFTF.
- 15. The SFTF shall be properly maintained so that the facility will perform as designed.
- 16. There shall be no physical connection between a public water supply system and a sewer or appurtenance to it which would permit the passage of any sewage or polluted water into the potable water supply. No water pipe shall pass through or come in contact with any part of the SFTF.
- 17. Collected screenings, slurries, sludge and other solids shall be handled and disposed of in compliance with Title 25 Pa. Code, Chapters 271, 273, 275, 283 and 285 (related to permits and requirements for land filling, land application, incineration and storage of sewage sludge), Federal Regulations (40 CFR Part 257) and the Federal Clean Water Act and its amendments.

- 2 -



### COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

# WATER QUALITY MANAGEMENT POST CONSTRUCTION CERTIFICATION

POST CONSTRUCTION CERTIFICATION						
PERMITTEE IDENTIFIER						
Permittee	Gilliland Jonathan					
Municipality	Sewickley Heights Borough					
County	Allegheny					
WQM Permit No.	<u>0223403</u>					
Facility Type	Sewage					
All of the above information should be taken directly from the Water Quality Management Permit.						
CERTIFICATION						
This certification must be completed and returned to the permits section of the DEP's regional office issuing the WQM permit within 30 days of completion of the project and received by DEP prior to operation, and if requested, as-built drawings, photographs (if available) and a discussion of any DEP-approved deviations from the design plans during construction.						

I, being a Registered Professional Engineer in Pennsylvania, do hereby certify to the best of my knowledge and belief, based upon personal observation and interviews, that the above facility approved under the Water Quality Management Permit has been constructed in accordance with the plans, specifications and modifications approved by DEP.

Construction Completion Date (MM/DD/YYYY):					
	Professional Engineer				
	Name(Please Print or Type)				
	Signature				
	Date				
	License Expiration Date				
	Firm or Agency				
	Telephone				
	Permittee or Authorized Representative				
	Name				
	(Please Print or Type)				
Engin	Signature				
eer's	Title				
Seal	Telephone				