3850-PM-BCW0015d 3/2016 **Permit**



COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION **BUREAU OF CLEAN WATER**

PERMIT NO. <u>0619407</u>	
AMENDMENT NO.	

WATER QUALITY MANAGEMENT PERMIT

APS ID. 1007539					
AUTH. ID. <u>1298587</u>					
me):					
on with 2 submersible pumps; blowers; 2 aeration tanks of automated controls; a clarifier mps, automated valve and s and globe valves. The p zones.					
<u>0.0025</u> MGD					
MGD					
20.9 lb/day					
nagement Permit application dated and April 1, 2020 which are hereby					
DNS:					
litions, the attached conditions					
e authority given to the permittee					
91 1 at sage less ance of this narmit					

A.	A. PERMITTEE (Name and Address): CLIENT ID#: 353868		B. PROJECT/FACILITY (Name):				
	HRES Hereford, LLC			Wawa Hereford			
	5601 Mariner Street Suite 1	00					
	Tampa, FL 33609						
C.	LOCATION (Municipality, County): Hereford Township, Berks County	,	S	ITE ID#: 836043			
D.	D. This permit approves the construction and operation of sewage facilities consisting of:						
	Two settling tanks (2000 gallons each) including a grease trap; gravity conveyance lines to a lift station with 2 submersible pumps; an aerated 4900 gallon EQ tank with 2 submersible pumps; chemical feeds with peristaltic pumps; 3 blowers; 2 aeration tanks of 4900 gallons each with fine air diffusers and PVC media; Dissolved Oxygen sensors, analyzer, and automated controls; a clarifier with RAS to aeration tank and effluent overflow to a dosing tank; an effluent flow meter; 2 dosing pumps, automated valve and pressurized piping to a 3000 square feet absorption area composed of 10 trenches with PVC laterals and globe valves. The absorption area is divided into two zones of 5 trenches each, with dosing alternating between the two zones.						
	Sewage Planning Approval: A3-0	06935-112-2, dated November 8, 2	2019.				
Pur	np Station, Raw wastewater:	Manure Storage: N/A	S	ewage Treatment Facility:			
Des	ign Capacity: <u>50</u> GPM @ 25' TDH		D	esign Annual Average Flow:	0.0025	MGD	
			D	esign Hydraulic Capacity:		MGD	
			D	esign Organic Capacity:	20.9	lb/day	
E.	APPROVAL GRANTED BY THIS PE	RMIT IS SUBJECT TO THE FOLLOW	ING:				
1.	 New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated November 14, 2019, its supporting documentation and addendums dated <u>December 27, 2019, March 6, 2020, and April 1, 2020</u> which are hereby made a part of this permit. 						
2.	Permit Conditions Relating to Sewer	age are attached and made part of this	s permit.				
3.	Special Conditions A-K are attache	d and made part of this permit.					
F.	THE AUTHORITY GRANTED BY TH	HIS PERMIT IS SUBJECT TO THE FO	LLOWIN	IG FURTHER QUALIFICATION	S:		
1.	 If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply. 						
2.	2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.						
3.	3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq</i> . Issuance of this permit shall not relieve the permittee of any responsibility under any other law.						
4. This permit shall expire on <u>April 30, 2025</u> . The permittee shall submit an application to renew the permit no later than 180 days prior to the permit expiration date.							
	PERMIT ISSUED:	ВУ	/ ·	lsl			
				Maria D. Bebenek, P.E.		_	
_	04/27/20		TLE:	Clean Water Program Mana	ıger		
				Southcentral Regional Office	:e		



COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

PERMIT CONDITIONS RELATING TO SEWERAGE

For use in Water Quality Management Permits

(Check boxes that apply)

Gen	eral					
	1.	The Department of Environmental Protection (DEP) considers the licensed Professional Engineer whose seal is affixed to the design documents to be fully responsible for the adequacy of all aspects of the facility design.				
	2.	The permittee shall adopt and enforce an ordinance requiring the abandonment of privies, cesspools or similar receptacles for human waste and onlot sewage disposal systems on the premises of occupied structures accessible to public sewers. All such structures must be connected to the public sewers.				
	3.	The outfall sewer or drain shall be extended to the low water mark of the receiving body of water. Where necessary to ensure proper mixing and waste assimilation, an outfall sewer or drain may be extended with appurtenances below the low water mark and into the bed of a navigable stream provided that the permittee has secured an easement, right-of-way, license or lease from DEP in accordance with Section 15 of the Dam Safety and Encroachments Act, the Act of November 26, 1978, P.L. 1375, as amended.				
	4.	The approval is specifically made contingent on the permittee acquiring all necessary property rights, by easement or otherwise, providing for the satisfactory construction, operation, maintenance and replacement of all sewers or sewerage structures in, along or across private property with full rights of ingress, egress and regress.				
\boxtimes	5.	When construction of the approved sewerage facilities is completed and before they are placed in operation, the permittee shall notify DEP in writing so that a DEP representative may inspect the facilities.				
	6.	The approval of the plans, and the authority granted in this permit, if not specifically extended, shall cease and be null and void 2 years from the issuance date of this permit unless construction or modification of the facilities covered by this permit has begun on or before the second anniversary of the permit date.				
	7.	If, at any time, the sewerage facilities covered by this permit create a public nuisance, including but not limited to, causing malodors or causing environmental harm to waters of the Commonwealth, DEP may require the permittee to adopt appropriate remedial measures to abate the nuisance or harm.				
	8.	If, after the issuance of this permit, DEP approves a municipal sewage facilities official plan or an amendment to an official plan under Act 537 (Pennsylvania Sewage Facilities Act, the Act of January 24, 1966, P.L. 1535 as amended) in which sewage from the herein approved facilities will be treated and disposed of at other planned facilities, the permittee shall, upon notification from the municipality or DEP, provide for the conveyance of its sewage to the planned facilities, abandon use and decommission the herein approved facilities including the proper disposal of solids, and notify DEP accordingly. The permittee shall adhere to schedules in the approved official plan, amendments to the plan, or other agreements between the permittee and municipality. This permit shall then, upon notice from DEP, terminate and become null and void and shall be relinquished to DEP.				
	9.	This permit does not relieve the permittee of its obligations to comply with all federal, interstate, state or local laws, ordinances and regulations applicable to the sewerage facilities.				
	10.	This permit does not give any real or personal property rights or grant any exclusive privileges, nor shall it be construed to grant or confirm any right, easement or interest in, on, to or over any lands which belong to the Commonwealth.				
	11.	The authority granted by this permit is subject to all effluent requirements, monitoring requirements and other conditions as set forth in the NPDES Permit and all subsequent amendments and renewals. No discharge is authorized from these facilities unless approved by an NPDES Permit.				
Con	Construction					
\boxtimes	12.	This permit is issued under the authorization of The Clean Streams Law and 25 Pa. Code Chapter 91. The				

12. This permit is issued under the authorization of The Clean Streams Law and 25 Pa. Code Chapter 91. The permittee shall obtain all necessary permits, approvals and/or registrations under 25 Pa. Code Chapters 102, 105 and 106 prior to commencing construction of the facilities authorized by this permit, as applicable. The permittee should contact the DEP office that issued this permit if there are any questions concerning the applicability of additional permits.

- 13. The facilities shall be constructed under the supervision of a Pennsylvania licensed Professional Engineer in accordance with the approved reports, plans and specifications.
- 14. A Pennsylvania licensed Professional Engineer shall certify that construction of the permitted facilities was completed in accordance with the application and design plans submitted to DEP, using the "Post Construction Certification" form (3800-PM-WSFR0179a). It is the permittee's responsibility to ensure that a Professional Engineer is on-site to provide the necessary oversight and/or inspections to certify the facilities. The certification must be submitted to DEP before the facility is placed in operation. As-built drawings, photographs (if available) and a description of all deviations from the application and design plans must be submitted to DEP within 30 days of certification.
- Manhole inverts shall be formed to facilitate the flow of the sewage and to prevent the stranding of sewage solids. The manhole structure shall be built to prevent undue infiltration, entrance of street wash or grit and provide safe access to facilitate manhole maintenance activities.
- 16. The local Waterways Conservation Officer of the Pennsylvania Fish and Boat Commission (PFBC) shall be notified when the construction of any stream crossing and/or outfall is started and completed. A written permit must be secured from the PFBC if the use of explosives in any waterways is required and the permittee shall notify the local Waterways Conservation Officer when explosives are to be used.

Operation and Maintenance

- 18. The sewers shall have adequate foundation support as soil conditions require. Trenches shall be back-filled to ensure that sewers will have proper structural stability, with minimum settling and adequate protection against breakage. Concrete used in connection with these sewers shall be protected from damage by water, freezing, drying or other harmful conditions until cured.
- 19. Stormwater from roofs, foundation drains, basement drains or other sources shall not be admitted directly to the sanitary sewers.
- 20. The approved sewers shall be maintained in good condition, kept free of deposits by flushing or other cleaning methods and repaired when necessary.
- 21. The sewerage facilities shall be properly operated and maintained to perform as designed.
- 22. The attention of the permittee is called to the highly explosive nature of certain gases generated by the digestion of sewage solids when these gases are mixed in proper proportions with air and to the highly toxic character of certain gases arising from such digestion or from sewage in poorly ventilated compartments or sewers. Therefore, at all places throughout the sewerage facilities where hazard of fire, explosion or danger from toxic gases may occur, the permittee shall post conspicuous permanent and legible warnings. The permittee shall instruct all employees concerning the aforesaid hazards, first aid and emergency methods of meeting such hazards and shall make all necessary equipment and material accessible.
- 23. An operator certified in accordance with the Water and Wastewater Systems Operator Certification Act of February 21, 2002, 63 P.S. §§1001, *et seq.* shall operate the sewage treatment plant.
- 24. The permittee shall properly control any industrial waste discharged into its sewerage system by regulating the rate and quality of such discharge, requiring necessary pretreatment and excluding industrial waste, if necessary, to protect the integrity or operation of the permittee's sewerage system.
- 25. There shall be no physical connection between a public water supply system and a sewer or appurtenance to it which would permit the passage of any sewage or polluted water into the potable water supply. No water pipe shall pass through or come in contact with any part of a sewer manhole.
- 26. All connections to the approved sanitary sewers must be in accordance with the official Act 537 Plan and, if applicable, a corrective action plan as contained in the approved Title 25 Pa. Code Chapter 94 Municipal Wasteload Management Annual Report.
- 27. Collected screenings, slurries, sludge and other solids shall be handled and disposed of in compliance with Title 25 Pa. Code Chapters 271, 273, 275, 283 and 285 (related to permits and requirements for land filling, land application, incineration and storage of sewage sludge), Federal Regulations 40 CFR 257 and the Federal Clean Water Act and its amendments.



COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

WATER QUALITY MANAGEMENT POST CONSTRUCTION CERTIFICATION

	PERIVIT	TEE IDENTIFIER				
Permittee	HRES Hereford LLC					
Municipality	Hereford Township					
County	Berks					
WQM Permit No.	0619407					
Facility Type	Sewage					
All of the above i	nformation should be taken di	rectly from the Water Quality Management Permit.				
CERTIFICATION						
WQM permit withir	n 30 days of completion of the prophotographs (if available) and a	to the permits section of the DEP's regional office issuing the bject and received by DEP prior to operation, and if requested, discussion of any DEP-approved deviations from the design				
belief, based upon	personal observation and intervinit has been constructed in ac	insylvania, do hereby certify to the best of my knowledge and lews, that the above facility approved under the Water Quality coordance with the plans, specifications and modifications				
Construction Com	pletion Date (MM/DD/YYYY):					
		Professional Engineer				
		Name				
		(Please Print or Type)				
		Signature				
		Date				
		License Expiration Date				
		Firm or Agency				
		Telephone				
		Permittee or Authorized Representative				
		Name				
		(Please Print or Type)				
	Engineer'	Signature				

Title

Telephone

s Seal