



JOINT PERMIT FOR USE OF AN ALGICIDE, HERBICIDE OR FISH CONTROL CHEMICAL IN WATERS OF THE COMMONWEALTH

PERMIT NO.: 1413801 A-1

In compliance with the provisions of Pennsylvania's Clean Streams Law, as amended, 35 P.S. §§ 691.1 *et seq.*, the regulations at 25 Pa. Code § 91.38, and the Fish and Boat Code, 30 Pa. C.S. § 2504(a)(1),

**Mountain View Country Club
310 Elks Club Road
Boalsburg, PA 16827-1609**

is authorized to use the algicide(s), herbicide(s) or fish control chemical(s) specified below, in accordance with the conditions and requirements set forth herein.

THIS PERMIT SHALL BECOME EFFECTIVE ON MARCH 31, 2023

THIS PERMIT SHALL EXPIRE ON MARCH 31, 2028

Municipality:	<u>Harris Township</u>	County:	<u>Centre</u>
Water Body:	<u>Pond #15</u>	Total Area:	<u>2.0</u> acres
Receiving Stream:	<u>UNT to Spring Creek</u>	Avg Depth:	<u>5.0</u> feet

TREATMENT INFORMATION					
Chemical	Maximum Dose	Treatment Area (acres)	Treatment Depth (ft)	Amount Each Treatment	No. Annual Treatments
Aquatho-K	0.8 gal/AF	2.0	5.0	8.0 gal	2
Reward	2.0 gal/SA	2.0	5.0	4.0 gal	2
Clipper	1.1 lbs/AF	2.0	5.0	11.0 lbs	2
SeClear	6.0 gal/AF	1.0	5.0	30.0 gal	10
Glyphosate 5.4	0.75 gal/SA	0.7	5.0	0.5 gal	2
Sonar A.S.	0.06 gal/AF	2.0	5.0	0.6 gal	1
Triclopyr 3A	2.0 gal/AF	2.0	5.0	20.0 gal	1
Weedar 64	2.0 gal/AF	2.0	5.0	20.0 gal	1
Captain XTR (Copper-based)	3.0 gal/AF	1.0 acres	5.0 feet	15 gal	6

Municipality: Harris Township
Water Body: Pond #5
Receiving Stream: UNT to Spring Creek

County: Centre
Total Area: 0.5 acres
Avg Depth: 4.0 feet

TREATMENT INFORMATION					
Chemical	Maximum Dose	Treatment Area (acres)	Treatment Depth (ft)	Amount Each Treatment	No. Annual Treatments
Aquatho-K	0.8 gal/AF	0.5	4.0	1.6 gal	2
Reward	2.0 gal/SA	0.5	4.0	1.0 gal	2
Clipper	1.1 lbs/AF	0.5	4.0	2.2 lbs	2
SeClear	6.0 gal/AF	0.25	4.0	6.0 gal	10
Glyphosate 5.4	0.75 gal/SA	0.2	4.0	0.15 gal	2
Sonar A.S.	0.06 gal/AF	0.5	4.0	0.1 gal	1
Triclopyr 3A	2.0 gal/AF	0.5	4.0	4.0 gal	1
Weedar 64	2.0 gal/AF	0.5	4.0	4.0 gal	1
Captain XTR (Copper-based)	3.0 gal/AF	0.25	4.0	3.0 gal	6

Municipality: Harris Township
Water Body: Pond #3
Receiving Stream: UNT to Spring Creek

County: Centre
Total Area: 0.5 acres
Avg Depth: 4 feet

TREATMENT INFORMATION					
Chemical	Maximum Dose	Treatment Area (acres)	Treatment Depth (ft)	Amount Each Treatment	No. Annual Treatments
Aquatho-K	0.8 gal/AF	0.5	4.0	1.6 gal	2
Reward	2.0 gal/SA	0.5	4.0	1.0	2
Clipper	1.1 lbs/AF	0.5	4.0	2.2 lbs	2
SeClear	6.0 gal/AF	0.25	4.0	6.0 gal	10
Glyphosate 5.4	0.75 gal/SA	0.2	4.0	0.15 gal	2
Sonar A.S.	0.06 gal/AF	0.5	4.0	0.1 gal	1
Triclopyr 3A	2.0 gal/AF	0.5	4.0	4.0 gal	1
Weedar 64	2.0 gal/AF	0.5	4.0	4.0 gal	1
Captain XTR (Copper-based)	3.0 gal/AF	0.25	4.0	3.0 gal	1

Municipality: Harris Township
Water Body: Pond #12
Receiving Stream: UNT to Spring Creek

County: Centre
Total Area: 0.04 acres
Avg Depth: 4.0 feet

TREATMENT INFORMATION					
Chemical	Maximum Dose	Treatment Area (acres)	Treatment Depth (ft)	Amount Each Treatment	No. Annual Treatments
Aquatho-K	0.8 gal/AF	0.04	4.0	0.13 gal	2
Reward	2.0 gal/SA	0.04	4.0	0.8 ga	2
Clipper	1.1 lbs/AF	0.04	4.0	0.18 lbs	2
SeClear	6.0 gal/AF	0.2	4.0	0.5 gal	10
Glyphosate 5.4	0.75 gal/SA	0.04	4.0	0.03 gal	2
Sonar A.S.	0.06 gal/AF	0.04	4.0	0.01 gal	1
Triclopyr 3A	2.0 gal/AF	0.04	4.0	0.3 gal	1
Weedar 64	2.0 gal/AF	0.04	4.0	0.3 gal	1
Captain XTR (Copper-based)	3.0 gal/AF	0.2	4.0	0.24 gal	6

Municipality: Harris Township
Water Body: Pond #13
Receiving Stream: UNT to Spring Creek

County: Centre
Total Area: 0.55 acres acres
Avg Depth: 5.0 feet

TREATMENT INFORMATION					
Chemical	Maximum Dose	Treatment Area (acres)	Treatment Depth (ft)	Amount Each Treatment	No. Annual Treatments
Aquatho-K	0.8 gal/AF	0.55	5.0	2.2 gal	2
Reward	2.0 gal/SA	0.55	5.0	1.1 gal	2
Clipper	1.1 lbs/AF	0.55	5.0	3.0 lbs	2
SeClear	6.0 gal/AF	0.27	5.0	8.1 gal	10
Glyphosate 5.4	0.75 gal/SA	0.2	5.0	0.15 gal	2
Sonar A.S.	0.06 gal/AF	0.55	5.0	0.17 gal	1
Triclopyr 3A	2.0 gal/AF	0.55	5.0	5.5 gal	1
Weedar 64	2.0 gal/AF	0.55	5.0	5.5 gal	1
Captain XTR (Copper-based)	3.0 gal/AF	0.27	5.0	4.0 gal	6

Municipality: Harris Township **County:** Centre
Water Body: Walt's Pond **Total Area:** 0.2 acres
Receiving Stream: UNT Spring Creek **Avg Depth:** 4.0 feet

TREATMENT INFORMATION					
Chemical	Maximum Dose	Treatment Area (acres)	Treatment Depth (ft)	Amount Each Treatment	No. Annual Treatments
Aquatho-K	0.8 gal/AF	0.2	4.0	0.6 gal	2
Reward	2.0 gal/SA	0.2	4.0	0.4 gal	2
Clipper	1.1 lbs/AF	0.2	4.0	0.9 lbs	2
SeClear	6.0 gal/AF	0.1	4.0	2.4 gal	10
Glyphosate 5.4	0.75 gal/SA	0.1	4.0	0.08 gal	2
Sonar A.S.	0.06 gal/AF	0.1	4.0	0.02 gal	1
Triclopyr 3A	2.0 gal/AF	0.2	4.0	1.6 gal	1
Weedar 64	2.0 gal/AF	0.2	4.0	1.6 gal	1
Captain XTR (Copper-based)	3.0 gal/AF	0.1	4.0	1.2 gal	1

THIS PERMIT IS ISSUED UNDER THE FOLLOWING CONDITIONS:

1. The permittee shall use pesticides strictly as described by the product label. Chemical applications shall be performed in accordance with the manufacturer's label directions, existing pesticide use laws, and any conditions imposed by local or state agencies.
2. The permittee may treat a standing body of water (i.e., pond, lake, reservoir, etc.) only when there is minimal or no outflow occurring or expected.
3. The permittee shall not treat Fish and Boat Commission approved stocked trout waters between March 1 and June 15.
4. The permittee shall not treat bass waters during the first week of the Commonwealth inland waters harvest season for bass (the first Saturday after June 11 through the following Saturday).
5. If copper sulfate will be used, the permittee shall not apply copper sulfate at a dose exceeding 0.5 mg/L Cu²⁺ or 1.36 lbs CuSO₄/acre-foot where the total hardness of the water body is less than 50 mg/L CaCO₃. Where total hardness exceeds 50 mg/L CaCO₃, the permittee shall not exceed a dose of 1.0 mg/L Cu²⁺ or 2.27 lbs CuSO₄/acre-foot.
6. The permittee shall not treat water bodies containing stocked or wild trout with copper in excess of 0.1 mg/L Cu²⁺.
7. The permittee shall treat water bodies containing very high plant densities separately, in sections, to prevent suffocation of fish. Monitoring of dissolved oxygen is recommended under these conditions.
8. The permittee is responsible for all damages to aquatic life and human health resulting from treatment.
9. Failure of the permittee or agents acting on behalf of the permittee to follow the approved specifications, conditions and requirements immediately renders this permit null and void.
10. If applicable, treatments must also comply with the terms and conditions of NPDES permit coverage.
11. The permittee shall comply with pesticide licensing requirements established by the Pennsylvania Department of Agriculture for the applications approved under this permit.

12. This permit is valid for the treatment information identified above. The permittee shall submit a new application to amend this permit if any of the following changes are proposed:
- a. Changes to the water bodies being treated.
 - b. Increases in the maximum dose or to the number of annual treatments for any water body.
 - c. Changes in the pesticide(s) used for treatment, unless the new pesticide(s) contain the same active ingredient(s) and the same or lower percent composition of the ingredient in comparison to the pesticide(s) previously approved by DEP/PFBC.

APPROVALS		
For the Pennsylvania Fish and Boat Commission:		
<i>Heather Smiles</i>	Division Chief	03/31/2023
Heather Smiles	Title	Date
Additional Requirements: None		
For the Department of Environmental Protection:		
<i>Thomas M. Randis</i>	Environmental Program Manager	3/31/2023
Thomas M. Randis	Title	Date
Additional Requirements:	<ol style="list-style-type: none"> 1. There are no public water supply intakes within 5 miles downstream of this application. 2. The Treatment Areas cited herein represent maximum allowable treatment areas per application. Applicators shall reduce maximum treatment areas consistent with manufacturer's literature to prevent oxygen depletion conditions harmful to aquatic organisms. Where appropriate, application shall occur in a lane pattern with buffer strips. 3. Any evidence of a fish kill shall be immediately reported to the DEP Regional Office issuing this authorization. 	