Pennsylvania DEPARTMENT OF ENVIRONMENTAL PROTECTION

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

PERMIT NO. 6718408

AMENDMENT NO.

APS ID. <u>5535</u>

AUTH. ID. <u>1246856</u>

WATER QUALITY MANAGEMENT PERMIT

6085 Delta Read Delta, PA (73149209 C. LOCATION (Municipaity, County): SITE ID#: 270325 Peach Bottom Township, York County SITE ID#: 270325 D. This permit approves the modification of sewage facilities consisting of: S 1. Re-rating of the design annual average flow from 0.013 mgd to 0.0074 mgd and the organic design capacity from 31.9 lbs BOD5/dby 1 bs BOD5/dby . The application also establishes 0.0101 mgd as the STP's peak numum monthly average flow. 0.0144 mgd as the STP's maximum delt JNov. 0.0245 mgd as the STP's peak numum monthly average flow. 0.0144 mgd as the STP's maximum delt JNov. 0.0245 mgd as the STP's peak numum monthly average flow. 0.0144 mgd as the STP's maximum delt JNov. 0.0245 mgd as the STP's peak numum monthly average flow. 0.0144 mgd as the STP's maximum delt JNov. 0.0245 mgd as the STP's peak numum monthly average flow. 0.0144 mgd as the STP's maximum monthly average flow. 0.0074 mgd and the organic design capacity. 0.0074 maximum monthly average flow. 0.0074 maximum monthly average Flow. 0.0074 maximum and flow design flow flow with two (2) EBARA Fluid Handling Optima submersible pumps rated for 23.8 gpm at 15.1 Pump Stations: MA Manure Storage: Volume: MA MG Freeboard: MA _ inches Sewage Treatment Facility: Annual Average Flow: 0.0074 MGD Design Mydraulic Capacity: 0.0101 MGD MGD E	A. PERMITTEE (Name and Address): CLIENT ID#: 94571			B. PROJECT/FACILITY (Name):						
Deta, PA 17314-9203 C. LOCATION (Municipality, County): Peach Bottom Township, York County D. This permit approves the modification of sewage facilities consisting of: S. Re-rating of the design annual average flow from 0.013 mgd to 0.0074 mgd and the organic design capacity from 31.9 lbs BODS/day 1 lbs BODS/day. The application also establishes 0.0101 mgd as the STP's maximum monthly average flow, 0.0184 mgd as the STP's maximum daily flow, 0.0245 mgd as the STP's peak houry flow, and 0.0310 mgd as the STP's peak instantaneous flow. 2. Modification to the existing biltwers with STP's peak houry flow, and 0.0310 mgd as the STP's peak instantaneous flow. 3. Replacement of the existing biltwers with two (2) Dresser Roots Model Jo LPR at rotary bilowers rated for 277 cfm at 2950 RPM (each). 4. Introduction of DelPAC XG to facilitate phosphorus precipitation. 5. Installation of a antifer effluent trugg and flume. 6. Replacement of the existing dilimeter dumps with two (2) new Hallett Model 30 UV disinfection units rated for 23.8 gpm at 15 its 7. Installation of an effluent electromagnetic flow meter on the downstream side of the UV units. Pump Stations: M/A Manure Storage: Volume: M/A MG Design Capacity: M/A GPM Volume: M/A MG Freeboard: M/A inches 6. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING. 1. Amendments: All construction, operations and procoddrues shall be in accordance with the Water		SK Part II Ltd			Peach Bottom Inn Motel					
C. LOCATION (Municipality, County): SITE ID#: 270325 Peach Bottom Township, York County Difference Site ID#: 270325 D. This permit approves the modification of sewage facilities consisting of: S 1. Re-rating of the design annual average flow from 0.013 mgd to 0.0074 mgd and the organic design capacity from 31.9 lbs BOD5/day. The application also establishes 0.0101 mgd as the STP's maximum monthly average flow, 0.0184 mgd as the STP's maximum daily flow, 0.0245 mgd as the STP's peak hourly flow, and 0.0310 mgd as the STP's peak instantaneous flow. 2. Modification to the existing distifuction Dox. 3. Replacement of the existing distifuction physical physical physical distibution Dox. 4. Installation of a clarifier effluent trough and flume. 6. Replacement of the existing distifuction system with two (2) EBARA Fluid Handing Optima submersible pumps rated for 23.8 gpm at 15. 7. Installation of a neffluent electromagnetic flow meter on the downstream side of the UV units. Pump Stations: MA Manure Storage: Sewage Treatment Facility: Annual Average Flow: 0.00774 MGD Design Organic Capacity: 0.1011 MGD Pump Stations: MA Manure Storage: Volume: NA Design Organic Capacity: 0.00774 MGD Design C										
Peach Bottom Township, York County D. This permit approves the modification of sewage facilities consisting of: S 1. Re-rating of the design annual average flow from 0.013 mgd to 0.0374 mgd and the organic design capacity from 31.9 lbs BODS/day t lbs BODS/day. The application also establishes 0.0101 mgd as the STP's maximum montity average flow, 0.0144 mgd as the STP's maximum daily flow, 0.0245 mgd as the STP's peak instantaneous flow. 2. Modification to the existing different bits but how, and 0.0310 mgd as the STP's peak instantaneous flow. 3. Replacement of the existing disinfection system with two (2) Dresser Roots Model 45 URAI rotary blowers rated for 277 dm at 2950 RPM (each). 4. Introduction of DeIPAC XG to facilitate phosphorus precipitation. 5. Installation of a clifter effluent trough and flume: 6. Replacement of the existing Uidered pumps with two (2) EBARA Fluid Handing Optima submersible pumps rated for 23.8 gpm at 15. 7. Installation of an effluent electromagnetic flow meter on the downstream side of the UV units. Pump Stations: M/A Manure Storage: Volume: M/A MG Pesign Capacity: M/A GPM Manure Storage: Volume: M/A MG Freeboard: M/A Inches Design Phydraulic Capacity: 35.2 Ib/day E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: 1. Amendments: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit Am application dated Segnember 14, 2019 and its supporting documentation and a										
D. This permit approves the modification of sewage facilities consisting of: S 1. Re-rating of the design annual average flow from 0.013 mgd to 0.0074 mgd and the organic design capacity from 31.9 lbs BOD5/day 11 the BOD5/day. The application also establishes 0.0101 mgd as the STP's maximum monthly average flow, 0.0184 mgd as the STP's maximum daily flow, 0.0245 mgd as the STP's peak hourly flow, and 0.0310 mgd as the STP's peak instantaneous flow. 2. Modification to the existing blowers with two (2) breaser Roots Model 45 URAI rotary blowers rated for 277 cfm at 2950 RPM (each). 4. Introduction of a faitleting hosphorus precipitation. 5. Installacement of the existing U/D quints with two (2) peak Haltet Model 30 UV disinfection units rated for 23.8 gpm of flow (each). 7. Replacement of the existing U/D repumps with two (2) peak Haltet Model 30 UV disinfection units rated for 23.8 gpm of flow (each). 7. Installation of an effluent electromagnetic flow meter on the downstream side of the UV units. Pump Stations: M/A Manure Storage: Volume: WA MG Sewage Treatment Facility: Annual Average Flow: 0.00714 MGD Design Hydrautic Capacity: 0.101 MGD 2019 Wich are hereby made a part of this amendment. 2019 which are hereby made a part of this amendment. Except for any herein approved modifications, all terms, conditions, supporting documentation and addendums apaproved under Wate Management Permit No. 6785412 dated	C.				SITE ID#: 270325					
S Re-rating of the design annual average flow from 0.013 mgd to 0.0074 mgd and the organic design capacity from 31.9 lbs BOD5/day to bs BOD5/day. The application also establishes 0.0101 mgd as the STP's maximum monthly average flow. 0.0184 mgd as the STP's peak not 0.0130 mgd as the STP's peak instantaneous flow. 2. Modification to the existing influent distribution box. 3. Replacement of the existing distribution box. 4. Introduction of DelPAC KG to facilitate phosphorus precipitation. 5. Installation of a clarifier effluent trough and flume. 6. Replacement of the existing distribution box. 7. Replacement of the existing distribution box. 8. Installation of a clarifier effluent trough and flume. 8. Replacement of the existing distribution box. 9. Manure Storage: Volume: NAM 9. Volume: NAM Sewage Treatment Facility: 10. Annual Average Flow: 0.0074 MGD 9. Design Capacity: NA Design Organic Capacity: 0.011 MGD 10. Amendments: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit Am application dated September 14, 2018 and its supporting documentation and addendums dated January 9, 2019; March 11, 2019; and 2019, which are herefory made a part of this amendm		Peach Bottom Township, York County								
 Replacement of the existing blowers with two (2) Dresser Roots Model 45 URAI rotary blowers rated for 277 cfm at 2950 RPM (each). Installation of a clarifier effluent trough and flume. Installation of a clarifier effluent trough and flume. Replacement of the existing disinfection system with two (2) rew Hallett Model 30 UV disinfection units rated for 23.8 gpm of flow (each). Replacement of the existing disinfection system with two (2) EBARA Fluid Handling Optima submersible pumps rated for 23.8 gpm at 15.3 Installation of an effluent electromagnetic flow meter on the downstream side of the UV units. Pump Stations: M/A Manure Storage: Volume: MA MG Freeboard: MA Inches Design Capacity: M/A GPM Freeboard: MA inches Design Organic Capacity: 0.0101 MGD Design Capacity: 0.0101 MGD Manus Duporting documentation and	D.	 S Re-rating of the design annual average flow from 0.013 mgd to 0.0074 mgd and the organic design capacity from 31.9 lbs BOD5/day to 35.2 lbs BOD5/day. The application also establishes 0.0101 mgd as the STP's maximum monthly average flow, 0.0184 mgd as the STP's maximum daily flow, 0.0245 mgd as the STP's peak hourly flow, and 0.0310 mgd as the STP's peak instantaneous flow. 								
Design Capacity: N/A GPM Volume: N/A MG Annual Average Flow: 0.0074 MGD Design Capacity: N/A GPM Freeboard: N/A inches Design Hydraulic Capacity: 0.0011 MGD E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: Image: Capacity: 35.2 Ib/day E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: Image: Capacity: 35.2 Ib/day I. Amendments: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit Amapplication dated September 14, 2019 and its supporting documentation and addendums dated January 9, 2019; March 11, 2019; and 2019; which are hereby made a part of this amendment. Except for any herein approved modifications, all terms, conditions, supporting documentation and addendums approved under Wate Management Permit No. 6785412 dated June 14, 1985 shall remain in effect. 2. Permit Conditions Relating to Sewerage are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: 1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void	 Replacement of the existing blowers with two (2) Dresser Roots Model 45 URAI rotary blowers rated for 277 cfm at 2950 RPM (each). Introduction of DelPAC XG to facilitate phosphorus precipitation. Installation of a clarifier effluent trough and flume. Replacement of the existing disinfection system with two (2) new Hallett Model 30 UV disinfection units rated for 28 gpm of flow (each). Replacement of the existing UV feed pumps with two (2) EBARA Fluid Handling Optima submersible pumps rated for 23.8 gpm at 15.74' TDH. 									
Freeboard: M/A inches Design Hydraulic Capacity: 0.0101 MGD Design Organic Capacity: 35.2 lb/day E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: 1. Amendments: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit Am application dated September 14, 2018 and its supporting documentation and addendums dated January 9, 2019; March 11, 2019; and 2019; which are hereby made a part of this amendment. Except for any herein approved modifications, all terms, conditions, supporting documentation and addendums approved under Wate Management Permit No. 6785412 dated June 14, 1985 shall remain in effect. 2. Permit Conditions Relating to Sewerage are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: 1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditi shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the per by the issuance of this permit. 3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this shall not relieve the permittee of any responsibility under any other law. <td colspanding="" issuance="" of="" pere<="" permit="" td="" the="" this="" to=""><td>Pum</td><td>ip Stations: <u>N/A</u></td><td>Manure Storage:</td><td></td><td>Sewage Treatment Facility:</td><td></td><td></td></td>	<td>Pum</td> <td>ip Stations: <u>N/A</u></td> <td>Manure Storage:</td> <td></td> <td>Sewage Treatment Facility:</td> <td></td> <td></td>	Pum	ip Stations: <u>N/A</u>	Manure Storage:		Sewage Treatment Facility:				
Design Organic Capacity: 35.2 Ib/day E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: Amendments: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit Amapplication dated September 14, 2018 and its supporting documentation and addendums dated January 9, 2019; March 11, 2019; and 2019, which are hereby made a part of this amendment. Except for any herein approved modifications, all terms, conditions, supporting documentation and addendums approved under Wate Management Permit No. 6785412 dated June 14, 1985 shall remain in effect. 2. Permit Conditions Relating to Sewerage are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: 1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditi shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the per by the issuance of this permit. 3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of the shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: /s/ 6/11/20 TITLE: Clean Water Program Manager	Desi	ign Capacity: <u>N/A</u> GPM	Volume: <u>N/A</u> MG		Annual Average Flow:	<u>0.0074</u>	MGD			
 E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: 1. Amendments: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit Amapplication dated <u>September 14, 2018</u> and its supporting documentation and addendums dated <u>January 9, 2019; March 11, 2019; and 2019</u>, which are hereby made a part of this amendment. Except for any herein approved modifications, all terms, conditions, supporting documentation and addendums approved under Wate Management Permit No. <u>6785412</u> dated <u>June 14, 1985</u> shall remain in effect. 2. Permit Conditions Relating to Sewerage are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: 1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditi shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the per by the issuance of this permit. 3. This permit is used pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of the shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: /s/ 			Freeboard: <u>N/A</u> inches		Design Hydraulic Capacity:	<u>0.0101</u>	MGD			
 Amendments: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit Amapplication dated <u>September 14, 2018</u> and its supporting documentation and addendums dated <u>January 9, 2019; March 11, 2019; and 2019</u>, which are hereby made a part of this amendment. Except for any herein approved modifications, all terms, conditions, supporting documentation and addendums approved under Wate Management Permit No. <u>6785412</u> dated <u>June 14, 1985</u> shall remain in effect. Permit Conditions Relating to Sewerage are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the per by the issuance of this permit. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY:					Design Organic Capacity:	<u>35.2</u>	lb/day			
application dated September 14, 2018 and its supporting documentation and addendums dated January 9, 2019; March 11, 2019; and 2019, which are hereby made a part of this amendment. Except for any herein approved modifications, all terms, conditions, supporting documentation and addendums approved under Wate Management Permit No. 6785412 dated June 14, 1985 shall remain in effect. 2. Permit Conditions Relating to Sewerage are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: 1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the per by the issuance of this permit. 3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of the shall not relieve the permittee of any responsibility under any other law. Maria D. Bebenek, P.E. 6/11/20 TITLE: Clean Water Program Manager	E.	APPROVAL GRANTED BY THIS PE	RMIT IS SUBJECT TO THE FOLLO	WING:						
Management Permit No. 6785412 dated June 14, 1985 shall remain in effect. 2. Permit Conditions Relating to Sewerage are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: 1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the per by the issuance of this permit. 3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of the shall not relieve the permittee of any responsibility under any other law. Maria D. Bebenek, P.E. 6/11/20 TITLE: Clean Water Program Manager	1.	I. Amendments: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit Amendment application dated <u>September 14, 2018</u> and its supporting documentation and addendums dated <u>January 9, 2019; March 11, 2019; and May 27,</u>								
 F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the per by the issuance of this permit. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of the shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: /s/ <u>6/11/20</u> TITLE: Clean Water Program Manager 					g documentation and addendums	approved	under Water Quality			
 If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the per by the issuance of this permit. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of the shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Isl Maria D. Bebenek, P.E. Clean Water Program Manager 	2.	Permit Conditions Relating to Sewer	age are attached and made part of th	nis perm	it.					
 shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the per by the issuance of this permit. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of the shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: /s/ 6/11/20 TITLE:	F.	THE AUTHORITY GRANTED BY TH	IS PERMIT IS SUBJECT TO THE F	OLLOW	ING FURTHER QUALIFICATION	S:				
by the issuance of this permit. 3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of the shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: /s/ 6/11/20 TITLE: Maria D. Bebenek, P.E.	1.	If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions								
shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: /s/	2.	Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit.								
6/11/20 Maria D. Bebenek, P.E. TITLE: Clean Water Program Manager	3.									
6/11/20 TITLE: Clean Water Program Manager		PERMIT ISSUED:		BY:	lsl					
Southcentral Regional Office		6/11/20		TITLE:						



COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF POINT AND NON-POINT SOURCE MANAGEMENT

PERMIT CONDITIONS RELATING TO SEWERAGE

For use in Water Quality Management Permits

(Check boxes that apply)

Gei	neral	
	1.	The Department of Environmental Protection (DEP) considers the licensed Professional Engineer whose sea is affixed to the design documents to be fully responsible for the adequacy of all aspects of the facility design
\boxtimes	2.	The permittee shall adopt and enforce an ordinance requiring the abandonment of privies, cesspools or simila receptacles for human waste and onlot sewage disposal systems on the premises of occupied structure accessible to public sewers. All such structures must be connected to the public sewers.
	3.	The outfall sewer or drain shall be extended to the low water mark of the receiving body of water. When necessary to ensure proper mixing and waste assimilation, an outfall sewer or drain may be extended with appurtenances below the low water mark and into the bed of a navigable stream provided that the permitte has secured an easement, right-of-way, license or lease from DEP in accordance with Section 15 of the Dar Safety and Encroachments Act, the Act of November 26, 1978, P.L. 1375, as amended.
	4.	The approval is specifically made contingent on the permittee acquiring all necessary property rights, b easement or otherwise, providing for the satisfactory construction, operation, maintenance and replacemer of all sewers or sewerage structures in, along or across private property with full rights of ingress, egress an regress.
\boxtimes	5.	When construction of the approved sewerage facilities is completed and before they are placed in operation the permittee shall notify DEP in writing so that a DEP representative may inspect the facilities.
\boxtimes	6.	The approval of the plans, and the authority granted in this permit, if not specifically extended, shall cease and be null and void 5 years from the issuance date of this permit unless construction or modification of the facilities covered by this permit has begun on or before the fifth anniversary of the permit date.
	7.	If, at any time, the sewerage facilities covered by this permit create a public nuisance, including but not limiter to, causing malodors or causing environmental harm to waters of the Commonwealth, DEP may require the permittee to adopt appropriate remedial measures to abate the nuisance or harm.
	8.	If, after the issuance of this permit, DEP approves a municipal sewage facilities official plan or an amendmer to an official plan under Act 537 (Pennsylvania Sewage Facilities Act, the Act of January 24, 1966, P.L. 153 as amended) in which sewage from the herein approved facilities will be treated and disposed of at othe planned facilities, the permittee shall, upon notification from the municipality or DEP, provide for th conveyance of its sewage to the planned facilities, abandon use and decommission the herein approve facilities including the proper disposal of solids, and notify DEP accordingly. The permittee shall adhere t schedules in the approved official plan, amendments to the plan, or other agreements between the permitte and municipality. This permit shall then, upon notice from DEP, terminate and become null and void and sha be relinquished to DEP.
\boxtimes	9.	This permit does not relieve the permittee of its obligations to comply with all federal, interstate, state or local laws, ordinances and regulations applicable to the sewerage facilities.
	10.	This permit does not give any real or personal property rights or grant any exclusive privileges, nor shall it b construed to grant or confirm any right, easement or interest in, on, to or over any lands which belong to th Commonwealth.
\boxtimes	11.	The authority granted by this permit is subject to all effluent requirements, monitoring requirements and othe conditions as set forth in the NPDES Permit and all subsequent amendments and renewals. No discharge i authorized from these facilities unless approved by an NPDES Permit.

12. This permit is issued under the authorization of The Clean Streams Law and 25 Pa. Code Chapter 91. The permittee shall obtain all necessary permits, approvals and/or registrations under 25 Pa. Code Chapters 102, 105 and 106 prior to commencing construction of the facilities authorized by this permit, as applicable. The permittee should contact the DEP office that issued this permit if there are any questions concerning the applicability of additional permits.

- 13. The facilities shall be constructed under the supervision of a Pennsylvania licensed Professional Engineer in accordance with the approved reports, plans and specifications.
- 14. A Pennsylvania licensed Professional Engineer shall certify that construction of the permitted facilities was completed in accordance with the application and design plans submitted to DEP, using the "Post Construction Certification" form (3800-PM-WSFR0179a). It is the permittee's responsibility to ensure that a Professional Engineer is on-site to provide the necessary oversight and/or inspections to certify the facilities. The certification must be submitted to DEP before the facility is placed in operation. As-built drawings, photographs (if available) and a description of all deviations from the application and design plans must be submitted to DEP within 30 days of certification.
- 15. Manhole inverts shall be formed to facilitate the flow of the sewage and to prevent the stranding of sewage solids. The manhole structure shall be built to prevent undue infiltration, entrance of street wash or grit and provide safe access to facilitate manhole maintenance activities.
- 16. The local Waterways Conservation Officer of the Pennsylvania Fish and Boat Commission (PFBC) shall be notified when the construction of any stream crossing and/or outfall is started and completed. A written permit must be secured from the PFBC if the use of explosives in any waterways is required and the permittee shall notify the local Waterways Conservation Officer when explosives are to be used.

Operation and Maintenance

- 17. The permittee shall maintain records of "as-built" plans showing all the treatment facilities as actually constructed together with facility operation and maintenance (O&M) manuals and any other relevant information that may be required. Upon request, the "as-built" plans and O&M manuals shall be filed with DEP.
- 18. The sewers shall have adequate foundation support as soil conditions require. Trenches shall be back-filled to ensure that sewers will have proper structural stability, with minimum settling and adequate protection against breakage. Concrete used in connection with these sewers shall be protected from damage by water, freezing, drying or other harmful conditions until cured.
- 19. Stormwater from roofs, foundation drains, basement drains or other sources shall not be admitted directly to the sanitary sewers.
- 20. The approved sewers shall be maintained in good condition, kept free of deposits by flushing or other cleaning methods and repaired when necessary.
- 21. The sewerage facilities shall be properly operated and maintained to perform as designed.
- 22. The attention of the permittee is called to the highly explosive nature of certain gases generated by the digestion of sewage solids when these gases are mixed in proper proportions with air and to the highly toxic character of certain gases arising from such digestion or from sewage in poorly ventilated compartments or sewers. Therefore, at all places throughout the sewerage facilities where hazard of fire, explosion or danger from toxic gases may occur, the permittee shall post conspicuous permanent and legible warnings. The permittee shall instruct all employees concerning the aforesaid hazards, first aid and emergency methods of meeting such hazards and shall make all necessary equipment and material accessible.
- 23. An operator certified in accordance with the Water and Wastewater Systems Operator Certification Act of February 21, 2002, 63 P.S. §§1001, *et seq.* shall operate the sewage treatment plant.
- 24. The permittee shall properly control any industrial waste discharged into its sewerage system by regulating the rate and quality of such discharge, requiring necessary pretreatment and excluding industrial waste, if necessary, to protect the integrity or operation of the permittee's sewerage system.
- 25. There shall be no physical connection between a public water supply system and a sewer or appurtenance to it which would permit the passage of any sewage or polluted water into the potable water supply. No water pipe shall pass through or come in contact with any part of a sewer manhole.
- 26. All connections to the approved sanitary sewers must be in accordance with the official Act 537 Plan and, if applicable, a corrective action plan as contained in the approved Title 25 Pa. Code Chapter 94 Municipal Wasteload Management Annual Report.
- 27. Collected screenings, slurries, sludge and other solids shall be handled and disposed of in compliance with Title 25 Pa. Code Chapters 271, 273, 275, 283 and 285 (related to permits and requirements for land filling, land application, incineration and storage of sewage sludge), Federal Regulations 40 CFR 257 and the Federal Clean Water Act and its amendments.

3800-PM-WSFR0179a 9/2005 Post Construction Certification



DEPARTMENT OF ENVIRONMENTAL PROTECTION

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

WATER QUALITY MANAGEMENT

POST CONSTRUCTION CERTIFICATION

PERMITTEE IDENTIFIER						
Permittee	SK Part II Ltd					
Municipality	Peach Bottom Township					
County	York					
WQM Permit No.	<u>6718408</u>					
Facility Type	Sewage					
All of the above in	nformation should be taken di	rectly from the Water Quality Management Permit.				
	CEF	RTIFICATION				
WQM permit withir as-built drawings,	This certification must be completed and returned to the permits section of the DEP's regional office issuing the WQM permit within 30 days of completion of the project and received by DEP prior to operation, and if requested, as-built drawings, photographs (if available) and a discussion of any DEP-approved deviations from the design plans during construction.					
I, being a Registered Professional Engineer in Pennsylvania, do hereby certify to the best of my knowledge and belief, based upon personal observation and interviews, that the above facility approved under the Water Quality Management Permit has been constructed in accordance with the plans, specifications and modifications approved by DEP.						
Construction Com	Construction Completion Date (MM/DD/YYYY):					
		Professional Engineer				
		Name				
		(Please Print or Type)				
		Signature				
		Date				
		License Expiration Date				
		Firm or Agency				
		Telephone				
		Permittee or Authorized Representative				
		Name				
		(Please Print or Type)				
Engineer'		Signature				
	S	Title				
Seal		Telephone				