

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS****I. STORM WATER, STEAM CONDENSATE, AND MISCELLANEOUS OUTFALLS\***

- A. The permittee is authorized to discharge during the period from Effective Date through Expiration Date.
- B. The outfalls listed below are permitted to discharge uncontaminated water.
  - The following outfalls are permitted to discharge uncontaminated steam condensate. There are at this time no specific effluent limitations on these outfalls: Outfalls 020, 020A, 030, 030A, 031, 031A-D, 032, 033, 033A, 035A-C, 036, 037, 037A, 039, 040, 043, 045, 047, 047A, 048, 049, 050, 051, 054B, 054C, 055, 056, 058, 060, 061, 061A, 065, 066.
  - The following outfalls are permitted to discharge uncontaminated storm water runoff from areas in and around the facility. There are at this time no specific effluent limitations on these outfalls: Outfalls 002A, 073, 083.
  - The following outfalls are permitted to discharge uncontaminated miscellaneous wastewater. There are at this time no specific effluent limitations on these outfalls: Outfalls 030B, 035D, 045A, 053, 057, 062, 067.



**AUTHORIZATION TO DISCHARGE UNDER THE  
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE REQUIREMENTS FOR INDUSTRIAL WASTEWATER  
FACILITIES**

**NPDES PERMIT NO: PA0004472**

In compliance with the provisions of the Clean Water Act, 33 U.S.C. Section 1251 *et seq.* ("the Act") and Pennsylvania's Clean Streams Law, as amended, 35 P.S. Section 691.1 *et seq.*,

**United States Steel Corporation  
Mon Valley Works, Clairton Plant  
400 State Street  
Clairton, PA 15025-1855**

is authorized to discharge from a facility known as **Clairton Plant**, located in **Clairton City, Allegheny County**, to **Peters Creek (Outfalls 083, 085, 085A, 086 – 091) and the Monongahela River (all other outfalls)** in Watershed(s) **19-C** in accordance with effluent limitations, monitoring requirements and other conditions set forth in Parts A, B and C hereof.

**THIS PERMIT SHALL BECOME EFFECTIVE ON \_\_\_\_\_**

**THIS PERMIT SHALL EXPIRE AT MIDNIGHT ON \_\_\_\_\_**

The authority granted by this permit is subject to the following further qualifications:

1. If there is a conflict between the application, its supporting documents and/or amendments and the terms and conditions of this permit, the terms and conditions shall apply.
2. Failure to comply with the terms, conditions or effluent limitations of this permit is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application. (40 CFR 122.41(a))
3. A complete application for renewal of this permit, or notice of intent to cease discharging by the expiration date, must be submitted to DEP at least 180 days prior to the above expiration date (unless permission has been granted by DEP for submission at a later date), using the appropriate NPDES permit application form. (40 CFR 122.41(b), 122.21(d)(2))

In the event that a timely and complete application for renewal has been submitted and DEP is unable, through no fault of the permittee, to reissue the permit before the above expiration date, the terms and conditions of this permit, including submission of the Discharge Monitoring Reports (DMRs), will be automatically continued and will remain fully effective and enforceable against the discharger until DEP takes final action on the pending permit application. (25 Pa. Code 92a.7 (b), (c))

4. This NPDES permit does not constitute authorization to construct or make modifications to wastewater treatment facilities necessary to meet the terms and conditions of this permit.

**DATE PERMIT ISSUED \_\_\_\_\_**

**ISSUED BY \_\_\_\_\_**

**Samuel C. Harper  
Clean Water Program Manager  
Southwest Regional Office**

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. A. For Outfall 001A\* , Latitude 40° 18' 58.00" , Longitude 79° 53' 36.00" , River Mile Index 18.906 , Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Stormwater runoff from the coal yard

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 001A

\*Outfall 901 in eDMR

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. B. For Outfall 007, Latitude 40° 18' 36.00", Longitude 79° 52' 59.00", River Mile Index 19.507, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Noncontact cooling water from the air compressor

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	2/month	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/month	Grab
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110	Continuous	I-S
Hexavalent Chromium	XXX	XXX	XXX	Report	Report	XXX	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 007

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. C. For Outfall 009, Latitude 40° 18' 47.00", Longitude 79° 52' 25.00", River Mile Index 19.185, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Emergency overflow from the coal yard sedimentation basin

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	2/discharge	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/discharge	Grab
Total Suspended Solids	XXX	XXX	XXX	35	70	XXX	2/discharge	Grab
Total Iron	XXX	XXX	XXX	3.5	7.0	XXX	2/discharge	Grab
Total Manganese	XXX	XXX	XXX	2.0	4.0	XXX	2/discharge	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 009

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. D. For Outfall 010, Latitude 40° 18' 47.00", Longitude 79° 52' 24.00", River Mile Index 19.196, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Emergency overflow from the coal yard sedimentation basin

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	2/discharge	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/discharge	Grab
Total Suspended Solids	XXX	XXX	XXX	35	70	XXX	2/discharge	Grab
Total Iron	XXX	XXX	XXX	3.5	7.0	XXX	2/discharge	Grab
Total Manganese	XXX	XXX	XXX	2.0	4.0	XXX	2/discharge	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 010

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. E. For Outfall 011, Latitude 40° 18' 46.00", Longitude 79° 53' 24.00", River Mile Index 19.206, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Emergency overflow from the coal yard sedimentation basin

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	2/discharge	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/discharge	Grab
Total Suspended Solids	XXX	XXX	XXX	35	70	XXX	2/discharge	Grab
Total Iron	XXX	XXX	XXX	3.5	7.0	XXX	2/discharge	Grab
Total Manganese	XXX	XXX	XXX	2.0	4.0	XXX	2/discharge	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 011

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. F. For Outfall 018, Latitude 40° 18' 41.00", Longitude 79° 53' 19.00", River Mile Index 19.456, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Treated stormwater runoff from the coal storage yard and uncontaminated groundwater pumped during pond maintenance and cleanout operations.

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Total Suspended Solids	XXX	XXX	XXX	35	70	XXX	1/week	Grab
Total Iron	XXX	XXX	XXX	3.5	7.0	XXX	1/week	Grab
Total Manganese	XXX	XXX	XXX	2.0	4.0	XXX	1/week	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 018



**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. G. For Outfall 022, Latitude 40° 18' 35.00", Longitude 79° 52' 56.00", River Mile Index 19.642, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Stormwater from plant areas

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 022

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. H. For Outfall 022A\*, Latitude 40° 18' 35.00", Longitude 79° 52' 56.00", River Mile Index 19.626, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: BTX Trench (emergency only)

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly		Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	2/discharge	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/discharge	Grab
Total Suspended Solids	XXX	XXX	XXX	30	XXX	75	2/discharge	Grab
Oil and Grease	XXX	XXX	XXX	15	XXX	30	2/discharge	Grab
Benzene	XXX	XXX	XXX	0.001	XXX	0.0025	2/discharge	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 022A

\*Outfall 922 in eDMR

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. I. For Outfall 023, Latitude 40° 18' 35.00", Longitude 79° 52' 55.00", River Mile Index 19.630, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Noncontact cooling water, boiler blowdown, steam condensate, boiler feed water treatment plant wastes, storm water

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 023

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. J. For Outfall 023, Latitude 40° 18' 35.00", Longitude 79° 52' 55.00", River Mile Index 19.630, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Noncontact cooling water, boiler blowdown, steam condensate, boiler feed water treatment plant wastes, storm water

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Temperature (°F) Jan 1-31	XXX	XXX	XXX	XXX	78.9	XXX	Continuous	I-S
Temperature (°F) Feb 1-29	XXX	XXX	XXX	XXX	82.8	XXX	Continuous	I-S
Temperature (°F) Mar 1 - Aug 31	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 1-15	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 16-30	XXX	XXX	XXX	XXX	108.6	XXX	Continuous	I-S
Temperature (°F) Oct 1-15	XXX	XXX	XXX	XXX	103.3	XXX	Continuous	I-S
Temperature (°F) Oct 16-31	XXX	XXX	XXX	XXX	97.3	XXX	Continuous	I-S

**Outfall 023, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Temperature (°F) Nov 1-15	XXX	XXX	XXX	XXX	94.5	XXX	Continuous	I-S
Temperature (°F) Nov 16-30	XXX	XXX	XXX	XXX	79.2	XXX	Continuous	I-S
Temperature (°F) Dec 1-31	XXX	XXX	XXX	XXX	70.6	XXX	Continuous	I-S

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 023

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. K. For Outfall 028, Latitude 40° 18' 34.00", Longitude 79° 52' 54.00", River Mile Index 19.659, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Noncontact cooling water and boiler blowdown from the no. 2 boiler house

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 028

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. L. For Outfall 028, Latitude 40° 18' 34.00", Longitude 79° 52' 54.00", River Mile Index 19.659, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Noncontact cooling water and boiler blowdown from the no. 2 boiler house

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Temperature (°F) Jan 1-31	XXX	XXX	XXX	XXX	77.0	XXX	Continuous	I-S
Temperature (°F) Feb 1-29	XXX	XXX	XXX	XXX	80.7	XXX	Continuous	I-S
Temperature (°F) Mar 1 - Aug 31	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 1-15	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 16-30	XXX	XXX	XXX	XXX	107.0	XXX	Continuous	I-S
Temperature (°F) Oct 1-15	XXX	XXX	XXX	XXX	101.7	XXX	Continuous	I-S
Temperature (°F) Oct 16-31	XXX	XXX	XXX	XXX	95.7	XXX	Continuous	I-S

**Outfall 028, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Temperature (°F) Nov 1-15	XXX	XXX	XXX	XXX	92.6	XXX	Continuous	I-S
Temperature (°F) Nov 16-30	XXX	XXX	XXX	XXX	77.7	XXX	Continuous	I-S
Temperature (°F) Dec 1-31	XXX	XXX	XXX	XXX	69.1	XXX	Continuous	I-S

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 028

---



**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. M. For Outfall 029, Latitude 40° 18' 34.00", Longitude 79° 52' 54.00", River Mile Index 19.687, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Noncontact cooling water from the no. 2 power house

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 029

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. N. For Outfall 029, Latitude 40° 18' 34.00", Longitude 79° 52' 54.00", River Mile Index 19.687, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Noncontact cooling water from the no. 2 power house

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Temperature (°F) Jan 1-31	XXX	XXX	XXX	XXX	74.2	XXX	Continuous	I-S
Temperature (°F) Feb 1-29	XXX	XXX	XXX	XXX	77.7	XXX	Continuous	I-S
Temperature (°F) Mar 1 - Aug 31	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S

**Outfall 029, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Temperature (°F) Sep 1-15	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 16-30	XXX	XXX	XXX	XXX	104.9	XXX	Continuous	I-S
Temperature (°F) Oct 1-15	XXX	XXX	XXX	XXX	99.6	XXX	Continuous	I-S
Temperature (°F) Oct 16-31	XXX	XXX	XXX	XXX	93.6	XXX	Continuous	I-S
Temperature (°F) Nov 1-15	XXX	XXX	XXX	XXX	90.1	XXX	Continuous	I-S
Temperature (°F) Nov 16-30	XXX	XXX	XXX	XXX	75.7	XXX	Continuous	I-S
Temperature (°F) Dec 1-31	XXX	XXX	XXX	XXX	67.2	XXX	Continuous	I-S

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 029

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. O. For Outfall 038, Latitude 40° 18' 22.00", Longitude 79° 52' 30.00", River Mile Index 20.076, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Sources previously monitored at internal outfall 183, noncontact cooling water, cooling tower blowdown, barometric and steam condensate, and storm water.

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.25	1/week	Grab
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 038

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. P. For Outfall 038, Latitude 40° 18' 22.00", Longitude 79° 52' 30.00", River Mile Index 20.076, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Sources previously monitored at internal outfall 183, noncontact cooling water, cooling tower blowdown, barometric and steam condensate, and storm water.

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.25	1/week	Grab
Temperature (°F) Jan 1-31	XXX	XXX	XXX	XXX	79.1	XXX	Continuous	I-S
Temperature (°F) Feb 1-29	XXX	XXX	XXX	XXX	83.0	XXX	Continuous	I-S
Temperature (°F) Mar 1 - Aug 31	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 1-15	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 16-30	XXX	XXX	XXX	XXX	108.7	XXX	Continuous	I-S
Temperature (°F) Oct 1-15	XXX	XXX	XXX	XXX	103.4	XXX	Continuous	I-S

**Outfall 038, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Average Monthly	Average Monthly	Daily Maximum	Instant. Maximum		
Temperature (°F) Oct 16-31	XXX	XXX	XXX	XXX	97.4	XXX	Continuous	I-S
Temperature (°F) Nov 1-15	XXX	XXX	XXX	XXX	94.6	XXX	Continuous	I-S
Temperature (°F) Nov 16-30	XXX	XXX	XXX	XXX	79.3	XXX	Continuous	I-S
Temperature (°F) Dec 1-31	XXX	XXX	XXX	XXX	70.7	XXX	Continuous	I-S

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 038

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. Q. For Outfall 044, Latitude 40° 18' 20", Longitude 79° 52' 29", River Mile Index 20.118, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Water intake screen backwash

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
	The material (solids or other debris) physically or mechanically removed in the backwash operation shall not be returned to the surface waters.							

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. R. For Outfall 046, Latitude 40° 18' 19", Longitude 79° 52' 28", River Mile Index 20.141, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Standpipe overflow consisting solely of river water

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Minimum	Concentrations (mg/L)			Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	Instant. Maximum		
	There shall be no net addition of pollutants at this outfall.							

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 046



**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. S. For Outfall 046A\*, Latitude 40° 18' 25.00", Longitude 79° 52' 36.00", River Mile Index 20.163, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Compressor cooling water

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/quarter	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/quarter	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 046A

\*Outfall 946 in eDMR

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. T. For Outfall 046B\*, Latitude 40° 18' 25.00", Longitude 79° 52' 35.00", River Mile Index 20.165, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Compressor cooling water

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/quarter	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/quarter	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 046B

\*Outfall 846 in eDMR

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. U. For Outfall 046C\*, Latitude 40° 18' 25.00", Longitude 79° 52' 35.00", River Mile Index 20.167, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Compressor cooling water

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/quarter	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/quarter	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 046C

\*Outfall 746 in eDMR

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. V. For Outfall 046D, Latitude 40° 18' 25.00", Longitude 79° 52' 34.00", River Mile Index 20.169, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Compressor cooling water

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/quarter	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/quarter	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 046D

\*Outfall 646 in eDMR

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. W. For Outfall 049A\* , Latitude 40° 18' 16.00" , Longitude 79° 52' 22.00" , River Mile Index 20.249 , Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Stormwater from plant areas

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
BOD5	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Oil and Grease	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Dissolved Phosphorus	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Free Available Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

**Outfall 049A, Continued (from Permit Effective Date through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 049A

\*Outfall 949 in eDMR

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. X. For Outfall 054A\*, Latitude 40° 18' 13.00", Longitude 79° 52' 20.00", River Mile Index 20.305, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Stormwater from plant areas and downspouts

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
BOD5	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Free Available Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

**Outfall 054A, Continued (from Permit Effective Date through September 30, 2015)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Phenolics	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 054A

\*Outfall 954 in eDMR



**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. Y. For Outfall 054A , Latitude 40° 18' 13.00" , Longitude 79° 52' 20.00" , River Mile Index 20.305 , Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Stormwater from plant areas and downspouts

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	XXX	6.0	XXX	9.0	2/month	Grab
BOD5	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60	2/month	Grab
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Free Available Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	3.5	XXX	7.0	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

**Outfall 054A, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Phenolics	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 054A

\*Outfall 954 in eDMR

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. Z. For Outfall 068, Latitude 40° 18' 0.00", Longitude 79° 52' 11.00", River Mile Index 20.661, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Storm water from the quench sump dust pile

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
BOD5	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Oil and Grease	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 068

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
AA. For Outfall 081, Latitude 40° 18' 34.00", Longitude 79° 52' 54.00", River Mile Index 19.675, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Noncontact cooling water, steam condensate, emergency bypass for internal outfall 183, plant fire suppression water, and storm water runoff.

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Benzo(a)Pyrene	XXX	XXX	XXX	0.003	XXX	0.0075	1/week	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 081

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.

**BB. For Outfall** 081, **Latitude** 40° 18' 34.00", **Longitude** 79° 52' 54.00", **River Mile Index** 19.675, **Stream Code** 37185

**Receiving Waters:** Monongahela River

**Type of Effluent:** Noncontact cooling water, steam condensate, emergency bypass for internal outfall 183, plant fire suppression water, and storm water runoff.

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Temperature (°F) Jan 1-31	XXX	XXX	XXX	XXX	79.1	XXX	Continuous	I-S
Temperature (°F) Feb 1-29	XXX	XXX	XXX	XXX	83.0	XXX	Continuous	I-S
Temperature (°F) Mar 1 - Aug 31	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 1-15	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 16-30	XXX	XXX	XXX	XXX	108.6	XXX	Continuous	I-S
Temperature (°F) Oct 1-15	XXX	XXX	XXX	XXX	103.4	XXX	Continuous	I-S
Temperature (°F) Oct 16-31	XXX	XXX	XXX	XXX	97.4	XXX	Continuous	I-S

**Outfall 081, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Temperature (°F) Nov 1-15	XXX	XXX	XXX	XXX	94.6	XXX	Continuous	I-S
Temperature (°F) Nov 16-30	XXX	XXX	XXX	XXX	79.2	XXX	Continuous	I-S
Temperature (°F) Dec 1-31	XXX	XXX	XXX	XXX	70.7	XXX	Continuous	I-S
Benzo(a)Pyrene	XXX	XXX	XXX	0.003	XXX	0.0075	1/week	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 081

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
CC. For Outfall 084, Latitude 40° 18' 35.00", Longitude 79° 52' 55.00", River Mile Index 19.663, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Noncontact cooling water

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	1/week	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 084

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
DD. For Outfall 084, Latitude 40° 18' 35.00", Longitude 79° 52' 55.00", River Mile Index 19.663, Stream Code 37185

Receiving Waters: Monongahela River

Type of Effluent: Noncontact cooling water

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Grab
Temperature (°F) Jan 1-31	XXX	XXX	XXX	XXX	77.3	XXX	Continuous	I-S
Temperature (°F) Feb 1-29	XXX	XXX	XXX	XXX	81.0	XXX	Continuous	I-S
Temperature (°F) Mar 1 - Aug 31	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 1-15	XXX	XXX	XXX	XXX	110	XXX	Continuous	I-S
Temperature (°F) Sep 16-30	XXX	XXX	XXX	XXX	107.3	XXX	Continuous	I-S
Temperature (°F) Oct 1-15	XXX	XXX	XXX	XXX	102.0	XXX	Continuous	I-S
Temperature (°F) Oct 16-31	XXX	XXX	XXX	XXX	96.0	XXX	Continuous	I-S



**Outfall 084, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Temperature (°F) Nov 1-15	XXX	XXX	XXX	XXX	92.9	XXX	Continuous	I-S
Temperature (°F) Nov 16-30	XXX	XXX	XXX	XXX	77.9	XXX	Continuous	I-S
Temperature (°F) Dec 1-31	XXX	XXX	XXX	XXX	69.4	XXX	Continuous	I-S
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	1/week	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 084

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
EE. For Outfall 085, Latitude 40° 18' 22.00", Longitude 79° 52' 56.00", River Mile Index 0.198, Stream Code 39425

Receiving Waters: Peters Creek

Type of Effluent: Stormwater from catch basins west of abandoned Battery 22 pusher pads and plant fire protection water

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Chemical Oxygen Demand	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Lead	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

**Outfall 085, Continued (from Permit Effective Date through September 30, 2015)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 085

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. FF. For Outfall 085, Latitude 40° 18' 22.00", Longitude 79° 52' 56.00", River Mile Index 0.198, Stream Code 39425

Receiving Waters: Peters Creek

Type of Effluent: Stormwater from catch basins west of abandoned Battery 22 pusher pads and plant fire protection water

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/month	Grab
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Chemical Oxygen Demand	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60	2/month	Grab
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	3.5	XXX	7.0	2/month	Grab
Total Lead	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

**Outfall 085, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 085

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
GG. For Outfall 085A\*, Latitude 40° 18' 23.00", Longitude 79° 52' 56.00", River Mile Index 0.198, Stream Code 39425

Receiving Waters: Peters Creek

Type of Effluent: Mendelssohn sewer treatment facility

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	2/discharge	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/discharge	Grab
Total Suspended Solids	XXX	XXX	XXX	30	XXX	75	2/discharge	Grab
Oil and Grease	XXX	XXX	XXX	15	XXX	30	2/discharge	Grab
Benzene	XXX	XXX	XXX	0.001	XXX	0.0025	2/discharge	Grab
Naphthalene	XXX	XXX	XXX	0.3	XXX	0.75	2/discharge	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 085A

\*Outfall 985 in eDMR

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
HH. For Outfall 086, Latitude 40° 18' 20.00", Longitude 79° 52' 54.00", River Mile Index 0.260, Stream Code 39425

Receiving Waters: Peters Creek

Type of Effluent: Storm water from catch basins west of abandoned Battery 21 pusher pad and plant fire protection water.

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Free Available Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Lead	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

**Outfall 086, Continued (from Permit Effective Date through September 30, 2015)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Phenolics	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 086

---



**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. II. For Outfall 086, Latitude 40° 18' 20.00", Longitude 79° 52' 54.00", River Mile Index 0.260, Stream Code 39425

Receiving Waters: Peters Creek

Type of Effluent: Storm water from catch basins west of abandoned Battery 21 pusher pad and plant fire protection water.

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/month	Grab
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60	2/month	Grab
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Free Available Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	3.5	XXX	7.0	2/month	Grab
Total Lead	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	2.0	XXX	4.0	2/month	Grab

**Outfall 086, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Phenolics	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 086

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. JJ. For Outfall 087, Latitude 40° 18' 18.00", Longitude 79° 52' 53.00", River Mile Index 0.303, Stream Code 39425

Receiving Waters: Peters Creek

Type of Effluent: Storm water from plant office area

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Oil and Grease	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 087

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
**KK. For Outfall** 088, **Latitude** 40° 18' 18.00", **Longitude** 79° 52' 53.00", **River Mile Index** 0.308, **Stream Code** 39425

**Receiving Waters:** Peters Creek

**Type of Effluent:** Storm water from catch basins west of coke Battery 20 pusher pad and plant fire protection systems

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH	XXX	XXX	Report	XXX	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Oil and Grease	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Lead	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

**Outfall 088, Continued (from Permit Effective Date through September 30, 2015)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Phenolics	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 088

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I. LL. For Outfall 088, Latitude 40° 18' 18.00", Longitude 79° 52' 53.00", River Mile Index .038, Stream Code 39425

Receiving Waters: Peters Creek

Type of Effluent: Storm water from catch basins west of coke Battery 20 pusher pad and plant fire protections system

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60	2/month	Grab
Oil and Grease	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	3.5	XXX	7.0	2/month	Grab
Total Lead	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	2.0	XXX	4.0	2/month	Grab
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

**Outfall 088, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Phenolics	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 088

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
MM. For Outfall 089, Latitude 40° 18' 15.00", Longitude 79° 52' 54.00", River Mile Index 0.356, Stream Code 39425

Receiving Waters: Peters Creek

Type of Effluent: Steam condensate and storm water from no.19 pusher pad

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Oil and Grease	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab



**Outfall 089, Continued (from Permit Effective Date through September 30, 2015)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 089

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
**NN.** For Outfall 089, Latitude 40° 18' 15.00", Longitude 79° 52' 54.00", River Mile Index 0.356, Stream Code 39425

**Receiving Waters:** Peters Creek

**Type of Effluent:** Steam condensate and storm water from no.19 pusher pad

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60	2/month	Grab
Oil and Grease	XXX	XXX	XXX	15	XXX	30	2/month	Grab
Total Cyanide	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Iron	XXX	XXX	XXX	3.5	XXX	7.0	2/month	Grab
Total Manganese	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Total Zinc	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Phenol	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzo(a)Pyrene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

**Outfall 089, Continued (from October 1, 2015 through Permit Expiration Date)**

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Naphthalene	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 089

---

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
OO. For Outfall 090, Latitude 40° 18' 20.00", Longitude 79° 52' 55.00", River Mile Index 0.436, Stream Code 39425

Receiving Waters: Peters Creek

Type of Effluent: Ground water from the Peters Creek Lagoon area

1. The permittee is authorized to discharge during the period from Permit Effective Date through September 30, 2015.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	2/month	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	30	XXX	75	2/month	Grab
Oil and Grease	XXX	XXX	XXX	15	XXX	30	2/month	Grab
Hexavalent Chromium	XXX	XXX	XXX	Report	XXX	Report	2/month	Grab
Benzene	XXX	XXX	XXX	0.001	XXX	0.0025	2/month	Grab
Naphthalene	XXX	XXX	XXX	0.3	XXX	0.75	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 090

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
PP. For Outfall 090, Latitude 40° 18' 20.00", Longitude 79° 52' 55.00", River Mile Index 0.436, Stream Code 39425

Receiving Waters: Peters Creek

Type of Effluent: Ground water from the Peters Creek Lagoon area

1. The permittee is authorized to discharge during the period from October 1, 2015 through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	2/month	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	30	XXX	75	2/month	Grab
Oil and Grease	XXX	XXX	XXX	15	XXX	30	2/month	Grab
Hexavalent Chromium	XXX	XXX	XXX	0.047	XXX	0.074	2/month	Grab
Benzene	XXX	XXX	XXX	0.001	XXX	0.0025	2/month	Grab
Naphthalene	XXX	XXX	XXX	0.3	XXX	0.75	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 090

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
**QQ. For Outfall** 091, **Latitude** 40° 18' 20.00", **Longitude** 79° 52' 55.00", **River Mile Index** 0.436, **Stream Code** 39425

**Receiving Waters:** Peters Creek

**Type of Effluent:** Stormwater from the Peters Creek lagoon area

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. Based on the anticipated wastewater characteristics and flows described in the permit application and its supporting documents and/or amendments, the following effluent limitations and monitoring requirements apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	2/month	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	2/month	Grab
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	75	2/month	Grab
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30	2/month	Grab
Benzene	XXX	XXX	XXX	XXX	XXX	0.01	2/month	Grab
Naphthalene	XXX	XXX	XXX	XXX	XXX	0.75	2/month	Grab

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 091

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS**

I.  
RR. For Outfall 183, Latitude 40° 18' 38.00", Longitude 79° 53' 40.00", River Mile Index NA, Stream Code NA

Receiving Waters: NA

Type of Effluent: Treatment plant wastewaters

1. The permittee is authorized to discharge during the period from Permit Effective Date through Permit Expiration Date.
2. In the event US Steel applies for and is granted a variance under the provisions of section 301g of the Clean Water Act, the following effluent limitations and monitoring requirements may apply (see also Additional Requirements and Footnotes).

Parameter	Effluent Limitations						Monitoring Requirements	
	Mass Units (lbs/day) <sup>(1)</sup>		Concentrations (mg/L)				Minimum <sup>(2)</sup> Measurement Frequency	Required Sample Type
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	1/week	Measured
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	1/week	Composite
Total Suspended Solids	4585	8921	XXX	29.71	72.81	XXX	1/week	Composite
Oil and Grease	404.7	1174	XXX	7.76	14.34	XXX	1/week	Composite
Ammonia-Nitrogen	543	1841	XXX	25	85	XXX	1/week	Composite
Total Cyanide	90.50	129.0	XXX	4.41	6.30	XXX	1/week	Composite
Benzo(a)Pyrene	0.273	0.466	XXX	.01297	.02325	XXX	1/week	Composite
Naphthalene	0.273	0.482	XXX	.01307	0.02344	XXX	1/week	Composite
Total Phenolics	1.07	2.13	XXX	0.05	0.1	XXX	1/week	Composite

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

at Outfall 183

**PART A - EFFLUENT LIMITATIONS, MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS  
(Continued)**

Additional Requirements

The permittee may not discharge:

1. Floating solids, scum, sheen or substances that result in observed deposits in the receiving water. (25 Pa Code 92a.41(c))
2. Oil and grease in amounts that cause a film or sheen upon or discoloration of the waters of this Commonwealth or adjoining shoreline, or that exceed 15 mg/l as a daily average or 30 mg/l at any time (or lesser amounts if specified in this permit). (25 Pa. Code 92a.47(a)(7) and 95.2(2))
3. Substances in concentration or amounts sufficient to be inimical or harmful to the water uses to be protected or to human, animal, plant or aquatic life. (25 Pa Code 93.6(a))
4. Foam or substances that produce an observed change in the color, taste, odor or turbidity of the receiving water, unless those conditions are otherwise controlled through effluent limitations or other requirements in this permit. (25 Pa Code 92a.41(c))
5. Effluent limitations, monitoring requirements, and other standard and special conditions which relate to the discharge of pollutants authorized by this permit and which are contained in Water Quality Management Permit(s)
  - a.No. 464I4 issued on December 16, 1964
  - b.No. 464I21 issued on June 24, 1965
  - c.No. 465I26 issued on February 23, 1966
  - d.No. 0277211 issued on September 30 1977
  - e.No. 0277212 issued on October 13, 1977
  - f. No. 0278205 issued on May 18, 1978

Footnotes

- (1) When sampling to determine compliance with mass effluent limitations, the discharge flow at the time of sampling must be measured and recorded.
- (2) This is the minimum number of sampling events required. Permittees are encouraged, and it may be advantageous in demonstrating compliance, to perform more than the minimum number of sampling events.



## II. DEFINITIONS

**At Outfall (XXX)** means a sampling location in outfall line XXX below the last point at which wastes are added to outfall line (XXX), or where otherwise specified.

**Average** refers to the use of an arithmetic mean, unless otherwise specified in this permit. (40 CFR 122.41(l)(4)(iii))

**Best Management Practices (BMPs)** means schedules of activities, prohibitions of practices, maintenance procedures and other management practices to prevent or reduce the pollution to surface waters of the Commonwealth. BMPs also include treatment requirements, operating procedures and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage. (25 Pa. Code 92a.2)

**Bypass** means the intentional diversion of waste streams from any portion of a treatment facility. (40 CFR 122.41(m)(1)(i))

**Calendar Week** is defined as the seven consecutive days from Sunday through Saturday, unless the permittee has been given permission by DEP to provide weekly data as Monday through Friday based on showing excellent performance of the facility and a history of compliance. In cases when the week falls in two separate months, the month with the most days in that week shall be the month for reporting.

**Clean Water Act** means the Federal Water Pollution Control Act, as amended. (33 U.S.C.A. §§1251 to 1387).

**Chemical Additive** means the chemicals that are used to control corrosion, algae, slime, fouling, oxygen or other blow down discharges in systems within a facility that might be present in its wastewater discharge. Other chemicals that would be included in this category include by are not limited to polymers, water softeners, flocculants, coagulants, emulsion breakers, dispersants, other oxygen scavenger or possible known carcinogens.

**Composite Sample** (for all except GC/MS volatile organic analysis) means a combination of individual samples (at least eight for a 24-hour period or four for an 8-hour period) of at least 100 milliliters (mL) each obtained at spaced time intervals during the compositing period. The composite must be flow-proportional; either the volume of each individual sample is proportional to discharge flow rates, or the sampling interval is proportional to the flow rates over the time period used to produce the composite. (EPA Form 2C)

**Composite Sample** (for GC/MS volatile organic analysis) consists of at least four aliquots or grab samples collected during the sampling event (not necessarily flow proportioned). The samples must be combined in the laboratory immediately before analysis and then one analysis is performed. (EPA Form 2C)

**Daily Average Temperature** means the average of all temperature measurements made, or the mean value plot of the record of a continuous automated temperature recording instrument, either during a calendar day or during the operating day if flows are of a shorter duration.

**Daily Discharge** means the discharge of a pollutant measured during a calendar day or any 24-hour period that reasonably represents the calendar day for purposes of sampling. For pollutants with limitations expressed in units of mass, the "daily discharge" is calculated as the total mass of the pollutant discharged over the day. For pollutants with limitations expressed in other units of measurement, the "daily discharge" is calculated as the average measurement of the pollutant over the day. (25 Pa. Code 92a.2 and 40 CFR 122.2)

**Daily Maximum Discharge Limitation** means the highest allowable "daily discharge."

**Discharge Monitoring Report (DMR)** means the DEP or EPA supplied form(s) for the reporting of self-monitoring results by the permittee. (25 Pa. Code 92a.2 and 40 CFR 122.2)

**Estimated Flow** means any method of liquid volume measurement based on a technical evaluation of the sources contributing to the discharge including, but not limited to, pump capabilities, water meters and batch discharge volumes.

**Geometric Mean** means the average of a set of n sample results given by the nth root of their product.

**Grab Sample** means an individual sample of at least 100 mL collected at a randomly selected time over a period not to exceed 15 minutes. (EPA Form 2C)

**Hazardous Substance** means any substance designated under 40 CFR Part 116 pursuant to Section 311 of the Clean Water Act. (40 CFR 122.2)

**Hauled-In Wastes** means any waste that is introduced into a treatment facility through any method other than a direct connection to the sewage collection system. The term includes wastes transported to and disposed of within the treatment facility or other entry points within the collection system.

**Immersion Stabilization** (i-s) means a calibrated device is immersed in the wastewater until the reading is stabilized.

**Instantaneous Maximum Effluent Limitation** means the highest allowable discharge of a concentration or mass of a substance at any one time as measured by a grab sample. (25 Pa. Code 92a.2)

**Measured Flow** means any method of liquid volume measurement, the accuracy of which has been previously demonstrated in engineering practice, or for which a relationship to absolute volume has been obtained.

**Monthly Average Discharge Limitation** means the highest allowable average of "daily discharges" over a calendar month, calculated as the sum of all "daily discharges" measured during a calendar month divided by the number of "daily discharges" measured during that month. (25 Pa. Code 92a.2)

**Non-contact Cooling Water** means water used to reduce temperature which does not come in direct contact with any raw material, intermediate product, waste product (other than heat), or finished product.

**Severe Property Damage** means substantial physical damage to property, damage to the treatment facilities that causes them to become inoperable, or substantial and permanent loss of natural resources that can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production. (40 CFR 122.41(m)(1)(ii))

**Stormwater** means the runoff from precipitation, snow melt runoff, and surface runoff and drainage. (25 Pa. Code 92a.2)

**Stormwater Associated With Industrial Activity** means the discharge from any conveyance that is used for collecting and conveying stormwater and that is directly related to manufacturing, processing, or raw materials storage areas at an industrial plant, and as defined at 40 CFR 122.26(b)(14) (i) - (ix) & (xi) and 25 Pa. Code 92a.2.

**Total Dissolved Solids** means the total dissolved (filterable) solids as determined by use of the method specified in 40 CFR Part 136.

**Toxic Pollutant** means those pollutants, or combinations of pollutants, including disease-causing agents, which after discharge and upon exposure, ingestion, inhalation or assimilation into any organism, either directly from the environment or indirectly by ingestion through food chains may, on the basis of information available to DEP cause death, disease, behavioral abnormalities, cancer, genetic mutations, physiological malfunctions, including malfunctions in reproduction, or physical deformations in these organisms or their offspring. (25 Pa. Code 92a.2)

### III. SELF-MONITORING, REPORTING AND RECORDKEEPING

#### A. Representative Sampling

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity (40 CFR 122.41(j)(1)). Representative sampling includes the collection of samples during periods of adverse weather, changes in treatment plant performance and changes in treatment plant loading. If possible, effluent samples must be collected where the effluent is well mixed near the center of the discharge conveyance and at the approximate mid-depth point, where the turbulence is at a maximum and the settlement of solids is minimized.
  - a. When collecting samples that are to be analyzed for any of the priority pollutants, the permittee shall collect the sample type required by Part A of this permit, and the permittee shall use the methods and techniques in the attached instructions. "Department of Environmental Protection, Water Management Program – Sampling and Analytical Testing Instructions". For each priority pollutant, the permittee shall use a method that will quantifiably measure the priority pollutant at or below the effluent limitation in Part A of this permit.

2. Records Retention (40 CFR 122.41(j)(2))

Except for records of monitoring information required by this permit related to the permittee's sludge use and disposal activities which shall be retained for a period of at least 5 years, all records of monitoring activities and results (including all original strip chart recordings for continuous monitoring instrumentation and calibration and maintenance records), copies of all reports required by this permit, and records of all data used to complete the application for this permit shall be retained by the permittee for 3 years from the date of the sample measurement, report or application, unless a longer retention period is required by the permit. The 3-year period shall be extended as requested by DEP or the EPA Regional Administrator.

3. Recording of Results (40 CFR 122.41(j)(3))

For each measurement or sample taken pursuant to the requirements of this permit, the permittee shall record the following information:

- a. The exact place, date and time of sampling or measurements.
- b. The person(s) who performed the sampling or measurements.
- c. The date(s) the analyses were performed.
- d. The person(s) who performed the analyses.
- e. The analytical techniques or methods used; and the associated detection level.
- f. The results of such analyses.

4. Test Procedures (40 CFR 122.41(j)(4))

Facilities that test or analyze environmental samples used to demonstrate compliance with this permit shall be in compliance with laboratory accreditation requirements of Act 90 of 2002 (27 Pa. C.S. §§4101-4113) and 25 Pa. Code Chapter 252, relating to environmental laboratory accreditation. Unless otherwise specified in this permit, the test procedures for the analysis of pollutants shall be those approved under 40 CFR Part 136 (or in the case of sludge use or disposal, approved under 40 CFR Part 136, unless otherwise specified in 40 CFR Part 503 or Subpart J of 25 Pa. Code Chapter 271), or alternate test procedures approved pursuant to those parts, unless other test procedures have been specified in this permit.

5. Quality/Assurance/Control

In an effort to assure accurate self-monitoring analyses results:

- a. The permittee, or its designated laboratory, shall participate in the periodic scheduled quality assurance inspections conducted by DEP and EPA. (40 CFR 122.41(e), 122.41(i)(3))

- b. The permittee, or its designated laboratory, shall develop and implement a program to assure the quality and accurateness of the analyses performed to satisfy the requirements of this permit, in accordance with 40 CFR Part 136. (40 CFR 122.41(j)(4))

B. Reporting of Monitoring Results

1. The permittee shall effectively monitor the operation and efficiency of all wastewater treatment and control facilities, and the quantity and quality of the discharge(s) as specified in this permit. (40 CFR 122.41(e), 122.44(i)(1))
2. Discharge Monitoring Reports (DMRs) must be completed in accordance with DEP's published DMR Instructions (3800-BPNPSM-0463). DMRs are based on calendar reporting periods. DMR(s) must be received by the agency(ies) specified in paragraph 3 below in accordance with the following schedule:
  - Monthly DMRs must be received within 28 days following the end of each calendar month.
  - Quarterly DMRs must be received within 28 days following the end of each calendar quarter, i.e., January 28, April 28, July 28, and October 28.
  - Semiannual DMRs must be received within 28 days following the end of each calendar semiannual period, i.e., January 28 and July 28.
  - Annual DMRs must be received by January 28, unless Part C of this permit requires otherwise.
3. The permittee shall complete all Supplemental Reporting forms (Supplemental DMRs) provided by DEP in this permit (or an approved equivalent), and submit the signed, completed forms as an attachment to the DMR(s). If the permittee elects to use DEP's electronic DMR (eDMR) system, one electronic submission may be made for DMRs and Supplemental DMRs. If paper forms are used, the completed forms shall be mailed to:

Department of Environmental Protection  
 Clean Water Program  
 400 Waterfront Drive  
 Pittsburgh, PA 15222-4745

NPDES Enforcement Branch (3WP42)  
 Office of Permits & Enforcement  
 Water Protection Division  
 U.S. EPA - Region III  
 1650 Arch Street  
 Philadelphia, PA 19103-2029  
 Allegheny County Health Department  
 Frank B. Clack Health Center  
 Water Pollution Control Program  
 Building #5  
 40th Street & Penn Avenue  
 Pittsburgh, PA 15224-1347

4. If the permittee elects to begin using DEP's eDMR system to submit DMRs required by the permit, the permittee shall, to assure continuity of business operations, continue using the eDMR system to submit all DMRs and Supplemental Reports required by the permit, unless the following steps are completed to discontinue use of eDMR:
  - a. The permittee shall submit written notification to the regional office that issued the permit that it intends to discontinue use of eDMR. The notification shall be signed by a principal executive officer or authorized agent of the permittee.

- b. The permittee shall continue using eDMR until the permittee receives written notification from DEP's Central Office that the facility has been removed from the eDMR system, and electronic report submissions are no longer expected.
5. The completed DMR Form shall be signed and certified by either of the following applicable persons, as defined in 25 Pa. Code 92a.22:
    - For a corporation - by a principal executive officer of at least the level of vice president, or an authorized representative, if the representative is responsible for the overall operation of the facility from which the discharge described in the NPDES form originates.
    - For a partnership or sole proprietorship - by a general partner or the proprietor, respectively.
    - For a municipality, state, federal or other public agency - by a principal executive officer or ranking elected official.

If signed by a person other than the above, written notification of delegation of DMR signatory authority must be submitted to DEP in advance of or along with the relevant DMR form. (40 CFR 122.22(b))

6. If the permittee monitors any pollutant at monitoring points as designated by this permit, using analytical methods described in Part A III.A.4. herein, more frequently than the permit requires, the results of this monitoring shall be incorporated, as appropriate, into the calculations used to report self-monitoring data on the DMR. (40 CFR 122.41(l)(4)(ii))

### C. Reporting Requirements

1. **Planned Changes to Physical Facilities** – The permittee shall give notice to DEP as soon as possible but no later than 30 days prior to planned physical alterations or additions to the permitted facility. A permit under 25 Pa. Code Chapter 91 may be required for these situations prior to implementing the planned changes. A permit application, or other written submission to DEP, can be used to satisfy the notification requirements of this section.

Notice is required when:

- a. The alteration or addition to a permitted facility may meet one of the criteria for determining whether a facility is a new source in 40 CFR §122.29(b). (40 CFR 122.41(l)(1)(i))
  - b. The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are not subject to effluent limitations in this permit. (40 CFR 122.41(l)(1)(ii))
  - c. The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan. (40 CFR 122.41(l)(1)(iii))
  - d. The planned change may result in noncompliance with permit requirements. (40 CFR 122.41(l)(2))
  - e. The facility is proposing an expansion or modifications to its treatment processes.
2. **Planned Changes to Waste Stream** – Under the authority of 25 Pa. Code 92a.24(a), the permittee shall provide notice to DEP as soon as possible but no later than 45 days prior to any changes in the volume or pollutant concentration of its influent waste stream as a result of indirect discharges or hauled-in wastes, as specified in paragraphs 2.a. and 2.b., below. Notice shall be provided on the "Planned Changes to Waste Stream" Supplemental Report (3800-FM-BPNPSM0482), available on DEP's web site. The permittee shall provide information on the quality and quantity of waste introduced into the facility, and any anticipated impact of the change on the quantity or quality of effluent to be discharged from the facility. The Report shall be sent via Certified Mail or other means to

confirm DEP's receipt of the notification. DEP will determine if the submission of a new application and receipt of a new or amended permit is required.

a. Introduction of New Pollutants (25 Pa. Code 92a.24(a))

New pollutants are defined as parameters that meet one or more of the following criteria:

- (i) Were not detected in the facilities' influent waste stream as reported in the permit application, or were otherwise not analyzed in the influent and reported to DEP prior to permit issuance;
- (ii) Have not been previously approved to be included in the permittee's influent waste stream by DEP in writing.

The permittee shall provide notification of the introduction of new pollutants in accordance with paragraph 2 above. The permittee may not authorize the introduction of new pollutants until the permittee receives DEP's written approval.

b. Increased Loading of Approved Pollutants (25 Pa. Code 92a.24(a))

Approved pollutants are defined as parameters that meet one or more of the following criteria:

- (i) Were detected in the facilities' influent waste stream as reported in the permittee's permit application or were otherwise analyzed and reported to DEP prior to permit issuance;
- (ii) Have an effluent limitation or monitoring requirement in this permit;
- (iii) Have been previously approved for the permittee's influent waste stream by DEP in writing.

The permittee shall provide notification of the introduction of increased influent loading (lbs/day) of approved pollutants in accordance with paragraph 2 above when (1) the cumulative increase in influent loading (lbs/day) exceeds 10% of the maximum loading reported in the permit application, or a loading previously approved by DEP, or (2) may cause an exceedance in the effluent of Effluent Limitation Guidelines (ELGs) or limitations in Part A of this permit, or (3) may cause interference or pass through at the facility, or (4) may cause exceedances of the applicable water quality standards in the receiving stream. Unless specified otherwise in this permit, if DEP does not respond to the notification within 30 days of its receipt, the permittee may proceed with the increase in loading. The acceptance of increased loading of approved pollutants may not result in an exceedance of ELGs or effluent limitations and may not cause exceedances of the applicable water quality standards in the receiving stream.

3. Reporting Requirements for Hauled-In Wastes

a. Receipt of Residual Waste

- (i) The permittee shall document the receipt of all hauled-in residual wastes (including but not limited to wastewater from oil and gas wells, food processing waste, and landfill leachate) received for processing at the treatment facility. The permittee shall report hauled-in residual wastes on a monthly basis to DEP on the "Hauled In Residual Wastes" Supplemental Report (3800-FM-BPNPSM0450) as an attachment to the DMR. If no residual wastes were received during a month, submission of the Supplemental Report is not required.

The following information is required by the Supplemental Report. The information used to develop the Report shall be retained by the permittee for five years from the date of receipt and must be made available to DEP or EPA upon request.

- (1) The dates that residual wastes were received.
- (2) The volume (gallons) of wastes received.

- (3) The license plate number of the vehicle transporting the waste to the treatment facility.
- (4) The permit number(s) of the well(s) where residual wastes were generated, if applicable.
- (5) The name and address of the generator of the residual wastes.
- (6) The type of wastewater.
- (7) Documentation of whether or not a chemical analysis of the residual wastes were reported on a Residual Waste Form 26R, or a separate waste characterization using the parameters from Form 26R.

The transporter of residual waste must maintain these and other records as part of the daily operational record (25 Pa. Code 299.219). If the transporter is unable to provide this information, the residual wastes shall not be accepted by the permittee until such time as the transporter is able to provide the required information.

- (ii) The following conditions apply to the characterization of residual wastes received by the permitted treatment facility:
  - (1) The permitted facility must receive and maintain on file a characterization of the residual wastes it receives from the generator, as required by 25 Pa. Code 287.54. The characterization shall conform to the Bureau of Waste Management's Form 26R except as noted in paragraph (2), below. Each load of residual waste received must be characterized accordingly.
  - (2) For wastewater generated from hydraulic fracturing operations ("frac wastewater") within the first 30 production days of a well site, the characterization may be a general frac wastewater characterization approved by DEP. Thereafter, the characterization must be waste-specific and reported on the Form 26R.

b. Receipt of Municipal Waste

- (i) The permittee shall document the receipt of all hauled-in municipal wastes (including but not limited to septage and liquid sewage sludge) received for processing at the treatment facility. The permittee shall report hauled-in municipal wastes on a monthly basis to DEP on the "Hauled In Municipal Wastes" Supplemental Report (3800-FM-BPNPSM0437) as an attachment to the DMR. If no municipal wastes were received during a month, submission of the Supplemental Report is not required.

The following information is required by the Supplemental Report:

- (1) The dates that municipal wastes were received.
  - (2) The volume (gallons) of wastes received.
  - (3) The BOD<sub>5</sub> concentration (mg/l) and load (lbs) for the wastes received.
  - (4) The location(s) where wastes were disposed of within the treatment facility.
- (ii) Sampling and analysis of hauled-in municipal wastes must be completed to characterize the organic strength of the wastes, unless composite sampling of influent wastewater is performed at a location downstream of the point of entry for the wastes.

4. Unanticipated Noncompliance or Potential Pollution Reporting

- a. Immediate Reporting - The permittee shall immediately report any incident causing or threatening pollution in accordance with the requirements of 25 Pa. Code Sections 91.33 and 92a.41(b).
- (i) If, because of an accident, other activity or incident a toxic substance or another substance which would endanger users downstream from the discharge, or would otherwise result in pollution or create a danger of pollution or would damage property, the permittee shall immediately notify DEP by telephone of the location and nature of the danger. Oral notification to the Department is required as soon as possible, but no later than 4 hours after the permittee becomes aware of the incident causing or threatening pollution.
  - (ii) If reasonably possible to do so, the permittee shall immediately notify downstream users of the waters of the Commonwealth to which the substance was discharged. Such notice shall include the location and nature of the danger.
  - (iii) The permittee shall immediately take or cause to be taken steps necessary to prevent injury to property and downstream users of the waters from pollution or a danger of pollution and, in addition, within 15 days from the incident, shall remove the residual substances contained thereon or therein from the ground and from the affected waters of this Commonwealth to the extent required by applicable law.
- b. The permittee shall report any noncompliance which may endanger health or the environment in accordance with the requirements of 40 CFR 122.41(l)(6). These requirements include the following obligations:
- (i) 24 Hour Reporting - The permittee shall orally report any noncompliance with this permit which may endanger health or the environment within 24 hours from the time the permittee becomes aware of the circumstances. The following shall be included as information which must be reported within 24 hours under this paragraph:
    - (1) Any unanticipated bypass which exceeds any effluent limitation in the permit;
    - (2) Any upset which exceeds any effluent limitation in the permit; and
    - (3) Violation of the maximum daily discharge limitation for any of the pollutants listed in the permit as being subject to the 24-hour reporting requirement. (40 CFR 122.44(g))
  - (ii) Written Report - A written submission shall also be provided within 5 days of the time the permittee becomes aware of any noncompliance which may endanger health or the environment. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.
  - (iii) Waiver of Written Report - DEP may waive the written report on a case-by-case basis if the associated oral report has been received within 24 hours from the time the permittee becomes aware of the circumstances which may endanger health or the environment. Unless such a waiver is expressly granted by DEP, the permittee shall submit a written report in accordance with this paragraph. (40 CFR 122.41(l)(6)(iii))

#### 5. Other Noncompliance

The permittee shall report all instances of noncompliance not reported under paragraph C.4 of this section or specific requirements of compliance schedules, at the time DMRs are submitted, on the Non-Compliance Reporting Form (3800-FM-BPNPSM0440). The reports shall contain the information listed in paragraph C.4.b.(ii) of this section. (40 CFR 122.41(l)(7))



- D. Specific Toxic Pollutant Notification Levels (for Manufacturing, Commercial, Mining, and Silvicultural Direct Dischargers) - The permittee shall notify DEP as soon as it knows or has reason to believe the following: (40 CFR 122.42(a))
1. That any activity has occurred, or will occur, which would result in the discharge of any toxic pollutant which is not limited in this permit, if that discharge on a routine or frequent basis will exceed the highest of the following "notification levels": (40 CFR 122.42(a)(1))
    - a. One hundred micrograms per liter.
    - b. Two hundred micrograms per liter for acrolein and acrylonitrile.
    - c. Five hundred micrograms per liter for 2,4-dinitrophenol and 2-methyl-4,6-dinitrophenol.
    - d. One milligram per liter for antimony.
    - e. Five times the maximum concentration value reported for that pollutant in this permit application.
    - f. Any other notification level established by DEP.
  2. That any activity has occurred or will occur which would result in any discharge, on a nonroutine or infrequent basis, of a toxic pollutant which is not limited in this permit, if that discharge will exceed the highest of the following "notification levels": (40 CFR 122.42(a)(2))
    - a. Five hundred micrograms per liter.
    - b. One milligram per liter for antimony.
    - c. Ten times the maximum concentration value reported for that pollutant in the permit application.
    - d. Any other notification level established by DEP.

**PART B**

**I. MANAGEMENT REQUIREMENTS**

A. Compliance Schedules (25 Pa. Code 92a.51 and 40 CFR 122.47(a))

1. The permittee shall achieve compliance with the terms and conditions of this permit within the time frames specified in this permit.
2. The permittee shall submit reports of compliance or noncompliance, or progress reports as applicable, for any interim and final requirements contained in this permit. Such reports shall be submitted no later than 14 days following the applicable schedule date or compliance deadline. (40 CFR 122.47(a)(4))

B. Permit Modification, Termination, or Revocation and Reissuance

1. This permit may be modified, terminated, or revoked and reissued during its term in accordance with 25 Pa. Code 92a.72 and 40 CFR 122.41(f).
2. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition. (40 CFR 122.41(f))
3. In the absence of DEP action to modify or revoke and reissue this permit, the permittee shall comply with effluent standards or prohibitions established under Section 307(a) of the Clean Water Act for toxic pollutants within the time specified in the regulations that establish those standards or prohibitions. (40 CFR 122.41(a)(1))

C. Duty to Provide Information

1. The permittee shall furnish to DEP, within a reasonable time, any information which DEP may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. (40 CFR 122.41(h))
2. The permittee shall furnish to DEP, upon request, copies of records required to be kept by this permit. (40 CFR 122.41(h))
3. Other Information - Where the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to DEP, it shall promptly submit the correct and complete facts or information. (40 CFR 122.41(l)(8))

D. Proper Operation and Maintenance

The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the terms and conditions of this permit. Proper operation and maintenance includes, but is not limited to, adequate laboratory controls including appropriate quality assurance procedures. This provision also includes the operation of backup or auxiliary facilities or similar systems that are installed by the permittee, only when necessary to achieve compliance with the terms and conditions of this permit. (40 CFR 122.41(e))

E. Duty to Mitigate

The permittee shall take all reasonable steps to minimize or prevent any discharge, sludge use or disposal in violation of this permit that has a reasonable likelihood of adversely affecting human health or the environment. (40 CFR 122.41(d))

F. Bypassing

1. Bypassing Not Exceeding Permit Limitations - The permittee may allow a bypass to occur which does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions in paragraphs two, three and four of this section. (40 CFR 122.41(m)(2))
2. Other Bypassing - In all other situations, bypassing is prohibited and DEP may take enforcement action against the permittee for bypass unless:
  - a. A bypass is unavoidable to prevent loss of life, personal injury or "severe property damage." (40 CFR 122.41(m)(4)(i)(A))
  - b. There are no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate backup equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance. (40 CFR 122.41(m)(4)(i)(B))
  - c. The permittee submitted the necessary notice required in F.4.a. and b. below. (40 CFR 122.41(m)(4)(i)(C))
3. DEP may approve an anticipated bypass, after considering its adverse effects, if DEP determines that it will meet the conditions listed in F.2. above. (40 CFR 122.41(m)(4)(ii))
4. Notice
  - a. Anticipated Bypass – If the permittee knows in advance of the need for a bypass, it shall submit prior notice, if possible, at least 10 days before the bypass. (40 CFR 122.41(m)(3)(i))
  - b. Unanticipated Bypass
    - (i) The permittee shall submit immediate notice of an unanticipated bypass causing or threatening pollution. The notice shall be in accordance with Part A III.C.4.a.
    - (ii) The permittee shall submit oral notice of any other unanticipated bypass within 24 hours, regardless of whether the bypass may endanger health or the environment or whether the bypass exceeds effluent limitations. The notice shall be in accordance with Part A III.C.4.b.

**II. PENALTIES AND LIABILITY**

A. Violations of Permit Conditions

Any person violating Sections 301, 302, 306, 307, 308, 318 or 405 of the Clean Water Act or any permit condition or limitation implementing such sections in a permit issued under Section 402 of the Act is subject to civil, administrative and/or criminal penalties as set forth in 40 CFR §122.41(a)(2).

Any person or municipality, who violates any provision of this permit; any rule, regulation or order of DEP; or any condition or limitation of any permit issued pursuant to the Clean Streams Law, is subject to criminal and/or civil penalties as set forth in Sections 602, 603 and 605 of the Clean Streams Law.

B. Falsifying Information

Any person who does any of the following:

- Falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained under this permit, or

- Knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit (including monitoring reports or reports of compliance or noncompliance)

Shall, upon conviction, be punished by a fine and/or imprisonment as set forth in *18 Pa.C.S.A § 4904* and *40 CFR §122.41(j)(5)* and *(k)(2)*.

#### C. Liability

Nothing in this permit shall be construed to relieve the permittee from civil or criminal penalties for noncompliance pursuant to Section 309 of the Clean Water Act or Sections 602, 603 or 605 of the Clean Streams Law.

Nothing in this permit shall be construed to preclude the institution of any legal action or to relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject to under the Clean Water Act and the Clean Streams Law.

#### D. Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. (40 CFR 122.41(c))

### III. OTHER RESPONSIBILITIES

#### A. Right of Entry

Pursuant to Sections 5(b) and 305 of Pennsylvania's Clean Streams Law, and Title 25 Pa. Code Chapter 92 and 40 CFR §122.41(i), the permittee shall allow authorized representatives of DEP and EPA, upon the presentation of credentials and other documents as may be required by law:

1. To enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit; (40 CFR 122.41(i)(1))
2. To have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit; (40 CFR 122.41(i)(2))
3. To inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices or operations regulated or required under this permit; and (40 CFR 122.41(i)(3))
4. To sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Clean Water Act or the Clean Streams Law, any substances or parameters at any location. (40 CFR 122.41(i)(4))

#### B. Transfer of Permits

1. Transfers by modification. Except as provided in paragraph 2 of this section, a permit may be transferred by the permittee to a new owner or operator only if this permit has been modified or revoked and reissued, or a minor modification made to identify the new permittee and incorporate such other requirements as may be necessary under the Clean Water Act. (40 CFR 122.61(a))
2. Automatic transfers. As an alternative to transfers under paragraph 1 of this section, any NPDES permit may be automatically transferred to a new permittee if:
  - a. The current permittee notifies DEP at least 30 days in advance of the proposed transfer date in paragraph 2.b. of this section; (40 CFR 122.61(b)(1))

- b. The notice includes the appropriate DEP transfer form signed by the existing and new permittees containing a specific date for transfer of permit responsibility, coverage and liability between them; (40 CFR 122.61(b)(2))
  - c. DEP does not notify the existing permittee and the proposed new permittee of its intent to modify or revoke and reissue this permit, the transfer is effective on the date specified in the agreement mentioned in paragraph 2.b. of this section; and (40 CFR 122.61(b)(3))
  - d. The new permittee is in compliance with existing DEP issued permits, regulations, orders and schedules of compliance, or has demonstrated that any noncompliance with the existing permits has been resolved by an appropriate compliance action or by the terms and conditions of the permit (including compliance schedules set forth in the permit), consistent with 25 Pa. Code 92a.51 (relating to schedules of compliance) and other appropriate DEP regulations. (25 Pa. Code 92a.71)
3. In the event DEP does not approve transfer of this permit, the new owner or controller must submit a new permit application.

#### C. Property Rights

The issuance of this permit does not convey any property rights of any sort, or any exclusive privilege. (40 CFR 122.41(g))

#### D. Duty to Reapply

If the permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the permittee must apply for a new permit. (40 CFR 122.41(b))

#### E. Other Laws

The issuance of this permit does not authorize any injury to persons or property or invasion of other private rights, or any infringement of state or local law or regulations.

### IV. ANNUAL FEES

Permittees shall pay an annual fee in accordance with 25 Pa. Code § 92a.62. Annual fee amounts are specified in the following schedule and are due on each anniversary of the effective date of the most recent new or reissued permit. All flows identified in the schedule are annual average design flows. (25 Pa. Code 92a.62)

Minor IW Facility without ELG (Effluent Limitation Guideline)	\$500
Minor IW Facility with ELG	\$1,500
Major IW Facility < 250 MGD (million gallons per day)	\$5,000
Major IW Facility ≥ 250 MGD	\$25,000
IW Stormwater Individual Permit	\$1,000
CAAP (Concentrated Aquatic Animal Production Facility)	\$0

As of the effective date of this permit, the facility covered by the permit is classified in the following fee category: **Major IW Facility <250 MGD.**

Invoices for annual fees will be mailed to permittees approximately three months prior to the due date. In the event that an invoice is not received, the permittee is nonetheless responsible for payment. Throughout a five year permit term, permittees will pay four annual fees followed by a permit renewal application fee in the last year of permit coverage. Permittees may contact the DEP at 717-787-6744 with questions related to annual fees.

Payment for annual fees shall be remitted to DEP at the address below by the anniversary date. Checks should be made payable to the Commonwealth of Pennsylvania.

PA Department of Environmental Protection  
Bureau of Point and Non-Point Source Management  
Re: Chapter 92a Annual Fee  
P.O. Box 8466  
Harrisburg, PA 17105-8466

**PART C**

**I. OTHER REQUIREMENTS**

- A. In accordance with Part A of this permit, the permittee shall submit a copy of the Discharge Monitoring Reports to each of the following:

Department of Environmental Protection (two copies)  
Clean Water Program  
400 Waterfront Drive  
Pittsburgh, PA 15222-4745

U.S. EPA - Region III  
NPDES Enforcement Branch (3WP42)  
Office of Permits and Enforcement  
Water Protection Division  
1650 Arch Street  
Philadelphia, PA 19103-2029

- B. Temperature Discharges

Based on the discharge and stream data currently available to the Department, it appears that WQBELs for temperature are necessary to protect the designated uses listed in the Department's Rules and Regulations for this receiving stream. The proposed temperature water quality based effluent limitations are included in Part A of the permit.

Additional, site specific data collection is necessary in order to confirm the need for the proposed thermal water quality based effluent limitations. Within 90 days of the effective date of this permit, the permittee shall submit a written plan to collect the necessary data ("Thermal Work Plan") to the Department for review and approval. The plan, at a minimum, shall include provisions to conduct a mixing zone analysis study (including stratification) and to review and compile any upstream temperature data to be used in the evaluation of thermal WQBELs. The proposed Thermal Work Plan shall include a schedule to allow for collection and compilation of all site specific data. The permittee shall implement the Thermal Work Plan as approved by the Department.

Within one year of the effective date of this permit, the permittee shall submit a progress report to the Department, compiling and analyzing the data and other information that were generated by implementation of the Thermal Work Plan

Within two years of the effective date of this permit, the permittee shall submit a written report to the Department, compiling and analyzing the data and other information that were generated by implementation of the Thermal Work Plan. At the time that the written report is submitted to the Department, the permittee shall either: (1) submit an application for a Water Quality Management Part II Permit for construction and operation of treatment technology that will result in compliance with the thermal WQBELs; or (2) request an opportunity to demonstrate that alternative, site-specific thermal WQBELs would be appropriate.

If the permittee requests an opportunity to demonstrate alternative, site-specific thermal WQBELS, it shall propose procedures for carrying out such demonstrations, which must be in accordance with the requirements of Section 316(a) of the Clean Water Act and the Department's Rules and Regulations. The permittee shall implement the procedures only upon receipt of the Department's written approval thereof and in compliance with the Department's approval.

If the permittee chooses this option, the requests for alternative thermal WQBELs and the associated submissions pursuant to Section 316(a) of the Clean Water Act must be submitted to the Department within three years of the effective date of this permit. The written request for alternative thermal WQBELS

shall be accompanied by a written request for a modification to the compliance schedule associated with the final water quality based thermal effluent limitations.

- C. Sludges and other solids shall be handled and disposed of in compliance with the Solid Waste Management Act of 1980 (Act 97) and with 25 Pa. Code, Chapters 261, 262, 263, and 264 (related to permits and requirements for landfilling and storage of hazardous sludge) and applicable federal regulations, the Federal Clean Water Act, RCRA and their amendments.
- D. Sludges and other solids shall be handled and disposed of in compliance with the Solid Waste Management Act of 1980 (Act 97) and with 25 Pa. Code, Chapters 287, 291, and 299 (relating to residual waste generators) and 288 and 289 (relating to residual waste landfills and impoundments) and the Federal Clean Water Act and its amendments.
- E. All discharges of floating materials, oil, grease, scum and substances which produce tastes, color, odors, turbidity or settle to form deposits shall be controlled at levels which will not be inimical or harmful to the water uses to be protected or to human, animal, plant or aquatic life.
- F. When sampling to determine compliance with mass effluent limitations in Part A of this permit, the discharge flow at the time of sampling must be measured, recorded and reported on the Discharge Monitoring Report Form.
- G. Instantaneous maximum limitations are imposed to allow for a grab sample to be collected by the appropriate regulatory agency to determine compliance. The permittee is not required to monitor for the instantaneous maximum limitation. However if grab samples are collected by the permittee, the results must be reported.
- H. There shall be no net addition of pollutants to non-contact cooling water over intake values except for heat and water conditioning additives for which complete information was submitted in the application or is required to be submitted as a condition of this permit.
- I. The discharge may not change the temperature of the receiving stream by more than 2°F in any one hour period.
- J. Total Residual Chlorine (TRC) Minimization

The permittee will ensure that applied chlorine dosages, used for disinfection or other purposes, are optimized to the degree necessary such that the total residual chlorine in the discharge does not cause an adverse stream impact. In doing so, the permittee shall consider relevant factors affecting chlorine dosage, such as wastewater characteristics, mixing and contact times, desired result of chlorination, and expected impact on the receiving water body.

To reduce or eliminate the amount of chlorine discharged into water bodies, the permittee must: (1) improve/adjust process controls and (2) improve operation/maintenance practices.

If the Department determines or receives documented evidence levels of TRC in the permittee's effluent are causing adverse impacts in the receiving water, the permittee shall institute necessary additional steps to reduce or eliminate such impact.

## II. TOXICS REDUCTION EVALUATION (TRE)

- A. Water Quality-Based Effluent Limitations (WQBELs)
  - 1. Based on the discharge and stream data currently available to the Department, the WQBELs for hexavalent chromium on Page 59 are necessary to protect the receiving stream uses designated in the Department's Rules and Regulations.



2. Within 60 days of the permit effective date (PED), the permittee must submit notification to the Department verifying one of the following options has been selected.
  - a. The permittee accepts the Department's data, assumptions and water quality modeling which was the basis for the WQBELs and will not proceed with optional site-specific data collection activities described in Section C of this condition. The WQBELs will be considered final and enforceable three years after the PED and should be used as the basis for conducting Phase II of the TRE.
  - b. During the period following permit issuance, and prior to the WQBELs becoming final, the permittee agrees to conduct site-specific discharge and/or stream data collection and provide the Department with data to verify or refine the WQBELs in accordance with the schedule in Section B.2, herein. If warranted, modified WQBELs will be established through a permit amendment. Any such permit amendment shall be considered a formal permitting action of the Department subject to applicable permit modification procedures.

If the permittee fails to select one of these options within 60 days of permit effective date, option A.2.a. is selected by default. If the permittee selects option A.2.b. and conducts TRE actions within the schedule in Section B.2 of this condition of the permit, herein, the Department will issue a written decision by letter or permit amendment. The permittee will have 30 days from the date of receipt of such written Department letter or decision to file an appeal of the final WQBELs.
3. In either case, the Permittee must conduct a TRE as outlined below. Phase I of the TRE has both required and optional components.

#### B. TRE Submission Requirements

1. The TRE shall be developed to:
  - a. confirm and quantify the presence of the pollutants in the discharge with WQBELs.
  - b. verify or refine the modeling data and/or assumptions used to develop the WQBELs.
  - c. identify sources of the pollutants with final WQBELs.
  - d. recommend management practices, wastewater treatment technologies, or other control techniques to reduce or eliminate these pollutants.
2. A copy of the Department's "Guidelines for Conducting a Toxics Reduction Evaluation" is enclosed for your use. The TRE and associated reports shall be completed and submitted in accordance with the following schedule:

<u>Action</u>	<u>Date</u>
a. submit notification specified in A.2 above	within 60 days of PED
b. submit work plan for conducting Phase I	within 90 days of PED
c. start Phase I	within 120 days of PED
d. submit complete Phase I report (3 copies)	within 18 months of PED
e. start Phase II	within 30 days of notice from the Department to proceed with Phase II
f. submit complete Phase II report	within 180 days of notice to proceed with Phase II
g. progress reports	every three months

starting 120 days after PED

C. Phase I TRE Requirements

1. The permittee is required to submit Phase I of the TRE consisting of the following components:
  - a. influent and effluent quality review
  - b. source inventory and evaluation
  - c. source reduction evaluation
  - d. implementation of pollution prevention, sound housekeeping practices, and other management practices.
2. The permittee has the option of providing all or some of the following site-specific data as part of Phase I for use in verifying and refining the WQBELs:
  - discharge hardness
  - discharge pollutant concentration and variability
  - design discharge flow
  - discharge mixing characteristics
  - pollutant fate characteristics
  - stream width, depth and slope
  - stream velocity
  - ambient stream data for pollutants, pH, temperature
  - instream hardness
  - water intake quality and quantity
  - treatment plant influent pollutant concentrations
  - chemical translators
  - Water Effects Ratio (WER)

The permittee should contact the Department for guidance in determining which of the above data will have a significant impact on the WQBELs and also for protocols on collecting and submitting the data. The Department will determine the adequacy of any site-specific data submitted and advise the permittee accordingly. If initial review of the submitted data suggests that additional data collection is necessary, the Department will so advise the permittee. The Department will notify the permittee what effect, if any, the data have on the WQBELs using the procedure outlined in A.2 above.

3. Site-Specific Criteria

The permittee may request an opportunity to demonstrate alternative, site-specific criteria for any pollutants with WQBELs. The procedures for carrying out such demonstrations must receive written approval in advance by the Department and must be in accordance with the requirements of Section 93.8 of the Department's Rules and Regulations.

If the permittee chooses this option, requests for alternative, site-specific criteria must be submitted to the Department as part of the Phase I TRE report. Where the demonstration results in more stringent limitations than those previously established by the Department, the more stringent limitation will apply. Any less stringent limitations which are approved by the Department shall not violate any other applicable water criteria.

4. Alternative Site Specific Method Detection Limits (MDL)

In some cases, the WQBEL may be less than the Method Detection Level (MDL) in the Department's Policy, 25 PA Code 16. In this event, the permittee has the option to demonstrate alternative, facility-specific MDLs to account for analytical matrix interference associated with the wastewater in question. The procedures for determining MDLs, published as Appendix B in 40 CFR 136 must be followed and complete documentation provided. The request for approval of alternative facility-specific MDLs including all documentation required to support such a request must be submitted to the Department with the Phase I TRE report. The Department may grant a facility specific MDL by specifying "not

detectable" as a WQBEL and including the numeric alternate MDL value for compliance purposes through the permit modification or renewal process.

D. Phase II TRE Requirements

The permittee should not proceed with Phase II until notified by the Department to do so. Depending on the results of Phase I the WQBELs may need to be modified or Phase II may not be necessary.

1. Source Reduction Evaluation

In addition to those items in C.1 above, as part of Phase II, the permittee must conduct source reduction evaluations including recycle, reuse, and process/chemical substitution. The intent of this portion of the TRE is to investigate and implement all low-cost, non-structural alternatives to reduce pollutants.

2. Final WQBEL Compliance Strategies and Schedule

A complete TRE report must consist of identification and assessment of all available pollution control options (Best Management Practices and/or treatment technologies and other structural alternatives) and their ability to comply with the final WQBELs or other WQBELs identified in response to Phase I. The permittee must select a specific pollution control option that will achieve the applicable WQBELs and specify a schedule for the implementation of this option.

3. Section 95.4 Time Extension Requests

In some cases, the final WQBEL may not be technologically achievable using any combination of control options. In this event, the permittee has the option of requesting an extension of time to achieve the WQBEL, provided the permittee demonstrates eligibility for time extension under the requirements contained in 25 Pa. Code 95, Section 95.4 of the Department's Rules and Regulations. If the permittee elects to submit the 95.4 time extension request, the request must be submitted with Phase II of the TRE report. Forms are available from the Department to be used for any such requests.

**III. REQUIREMENTS APPLICABLE TO STORM WATER OUTFALLS**

A. Prohibition of Non-Storm Water Discharges

1. Except as provided in A.2, all discharges to storm water outfalls listed in Part A of this permit shall be composed entirely of uncontaminated storm water.
2. The following non-storm water discharges may be authorized, provided the discharge is in compliance with D.2.b: discharges from firefighting activities; fire hydrant flushings, potable water sources including waterline flushings, irrigation drainage, lawn watering, routine external building washdown which does not use detergents or other compounds, pavement washwaters where spills or leaks of toxic or hazardous materials have not occurred (unless all spilled material has been removed) and where detergents are not used, air conditioning condensate, springs, uncontaminated groundwater, and foundation or footing drains where flows are not contaminated with process materials such as solvents.

B. Spills

This permit does not authorize the discharge of any polluting substances resulting from an on-site spill. Such spills shall be controlled through proper implementation of a PPC Plan as stated in Section D below.

- C. This permit does not authorize any discharge (storm water or non-storm water) containing any pollutant that may cause or contribute to an impact on aquatic life or pose a substantial hazard to human health or the environment due to its quantity or concentration.

D. Preparedness, Prevention and Contingency Plans

1. Development of Plan

Operators of facilities shall have developed a Preparedness, Prevention and Contingency (PPC) Plan in accordance with 25 Pa. Code § 91.34 and Document 400-2200-001, "Guidelines for the Development and Implementation of Environmental Emergency Response Plans". The PPC Plan shall identify potential sources of pollution that may reasonably be expected to affect the quality of storm water discharges from the facility. In addition, the PPC Plan shall describe the BMPs that are to be used to reduce the pollutants in storm water discharges at the facility ensuring compliance with the terms and conditions of this permit.

2. Non-Storm Water Discharges

- a. The PPC Plan shall contain a certification that the discharge has been tested or evaluated for the presence of non-storm water discharges. The certification shall include the identification of potential significant sources of non-storm water at the site, a description of the results of any test and/or evaluation for the presence of non-storm water discharges, the evaluation criteria or testing methods used, the date of any testing and/or evaluation, and the on-site drainage points that were directly observed during the test. Such certification may not be feasible if the facility operating the storm water discharge does not have access to an outfall, manhole, or other point of access to the ultimate conduit that receives the discharge. In such cases, the source identification section of the PPC Plan shall indicate why the certification was not feasible. A discharger that is unable to provide the certification must notify the Department within 180 days of the effective date of this permit.
- b. Except for flows from firefighting activities, sources of non-storm water listed in A.2. (authorized non-storm water discharges) that are combined with storm water discharges must be identified in the plan. The plan shall identify and ensure the implementation of appropriate pollution prevention measures for the non-storm water component(s) of the discharge.

3. Special Requirements for SARA Title III, Section 313 Facilities

- a. Facilities subject to SARA Title III, Section 313 shall include in the PPC Plan a description of releases to land or water of Section 313 water priority chemicals that have occurred within the last three years. Each of the following shall be evaluated for the reasonable potential for contributing pollutants to runoff: loading and unloading operations, outdoor storage activities, outdoor manufacturing or processing activities, significant dust or particulate generating process, and on-site waste disposal practices. Factors to consider include the toxicity of chemicals; quantity of chemicals used, produced or discharged; the likelihood of contact with storm water; and history of significant leaks or spills of toxic or hazardous pollutants.
- b. Engineering Certification. No storm water PPC Plan for facilities subject to SARA Title III, Section 313 requirements for chemicals that are classified as "Section 313 water priority chemicals" shall be effective unless it has been reviewed by a Registered Professional Engineer and certified to by such Professional Engineer. A Registered Professional Engineer shall recertify the PPC Plan every year thereafter. This certification may be combined with the required annual evaluation in D.4. By means of these certifications, the engineer, having examined the facility and being familiar with the provisions of this part, shall attest that the storm water PPC Plan has been prepared in accordance with good engineering practices. Such certification shall in no way relieve the owner or operator of a facility covered by the PPC Plan of the duty to prepare and fully implement such Plan.

4. Comprehensive Site Compliance Evaluations and Record Keeping

- a. Qualified personnel shall conduct site compliance evaluations at least once a year. Such evaluations shall include:

- Visual inspection and evaluation of areas contributing to a storm water discharge for evidence of, or the potential for, pollutants entering the drainage system.
  - Measures to reduce pollutant loadings shall be evaluated to determine whether they are adequate and properly implemented in accordance with the terms of the permit or whether additional control measures are needed.
  - Structural storm water management measures, sediment and erosion control measures, and other structural pollution prevention measures identified in the plan shall be observed to ensure that they are operating correctly.
  - A visual inspection of equipment needed to implement the plan, such as spill response equipment, shall be made.
- b. Based on the results of the inspection, the description of potential pollutant sources identified in the PPC Plan, and pollution prevention measures and controls identified in the plan shall be revised as appropriate within 15 days of such inspection and shall provide for implementation of any changes to the plan in a timely manner, but in no case more than 90 days after the inspection.
- c. A report summarizing the scope of the inspection shall be completed and made available upon request and retained as part of the PPC Plan for at least one year after coverage under this permit terminates.

#### E. Storm Water Sampling and Reporting

1. If storm water samples are required by Part A of this permit, they shall be collected as grab samples during the first 30 minutes of the discharge or as soon thereafter as practicable.
2. When the discharger is unable to collect samples due to adverse climatic conditions or other circumstances beyond the permittee's control, the discharger must submit, in lieu of sampling data, an explanation with the Discharge Monitoring Report(s) (DMR) of exactly why samples could not be collected, including available documentation of the event.
3. Storm water monitoring results shall be summarized on the attached DMR and submitted to the Department.

#### IV. CHEMICAL ADDITIVES

- A. Usage rates of any chemical additives used at this facility that may be discharged and blow-down rates shall be controlled by the permittee to prevent any impairments to receiving water uses and/or effluent limit violations. Chemical additives include, but are not limited to, any chemicals added to water for control of corrosion, scaling, algae, slime or fouling in cooling, boiler, or process water systems. Chemical additives also include, but are not limited to agents used to aid in treatment such as water softeners, flocculants, coagulants, emulsion breakers, anti-foaming agents, dispersants, oxygen scavengers, pH stabilizers, and regenerants. Usage rates shall be limited to the minimum amount necessary to accomplish the intended purpose of the chemical addition.
- B. Accurate and complete records of chemical usage and discharge volumes must be maintained and summarized on a monthly basis using the attached form and kept on-site by the permittee. These records must be produced upon request by the Department.
- C. Use of additives that contain one or more ingredients that are carcinogens are generally prohibited, and should be substituted with alternative products. If no alternatives are available, the permittee must document that no alternatives are available and that the carcinogen involved will be "not detectable" in the final effluent.
- D. If the additive is currently in use at the facility, it may continue to be used at the maximum rate unless the permittee is notified otherwise.

- E. The permittee is responsible for preventing impairments to receiving water uses.
- F. For any chemical additive that is a biocide or any chemical additive that may cause or contribute to a toxic or lethal effect to aquatic life that is used or is currently in use at this facility, requires Department approval. The information described below must be submitted within ninety (90) days of the effective date of this permit (with 2 copies) for all biocides.
  - 1. Trade name of the additive.
  - 2. Name, address and phone number of the chemical additive manufacturer.
  - 3. Material Safety Data Sheet (MSDS) or other information that includes a list of all ingredients in the product.
  - 4. The additive usage rate (in lb/day or gal/day).
  - 5. The conditioned water discharge rate (MGD).
  - 6. The "in-system" concentration of whole product which the usage rate in item d. above will produce (mg/l). Include the product density (lb/gal) for liquids used to convert usage rate (gal/day) to concentration (mg/l).
  - 7. Any available data regarding in-system degradation or decomposition of the additive and any other data or information that would be helpful to the Department in completing its review.
  - 8. The expected concentration of the product at the final outfall.
  - 9. The analytical test method that could be used to verify final outfall concentrations and the associated minimum analytical detection level.
  - 10. A flow diagram showing the point of chemical addition and the affected outfalls.
  - 11. Bioassay data on the whole product, including a 48-hour EC50 or LC50 value for a species in the genera Ceriodaphnia or Daphnia.
- G. Whenever a change in chemical additives that is a biocide or an increase in usage rates of these additives is desired by the permittee, a complete written notification shall be submitted at least sixty (60) days prior to the proposed use of the chemical. This notification, at a minimum shall include the information outlined above. If the information is complete, and its use is not specifically denied, use of the proposed chemical additive is allowed 60 days after notification. The usage rate shall not exceed the maximum rate reported pursuant to item d. above.

#### V. ADDITIONAL REQUIREMENTS

- A. For the purpose of determining compliance with any maximum daily temperature limitation in Part A of this permit the temperature value shall consist of the average of three (3) individual immersion stabilization temperature measurements over a twenty-four hour period. The individual temperature measurements shall be taken at equal intervals over the period as is practical and in no case shall any two individual temperature measurements be taken at less than a one (1) hour interval.
- B. USX shall notify the Department whenever dirty water quenching is done. Dirty water quench is the use of coke making wastewater (normally treated at the biological wastewater treatment plant) to quench at the hot coking operations. Notification shall be by telephone to the Department at the beginning of dirty water quench. The telephone call shall be followed by a letter to the Regional Clean Water Manager, within five (5) days of the end of the event with the following information:
  - a. Date and time dirty water quench began.

- b. Quantity of water sent to dirty water quench.
  - c. Date and time dirty water quench ends.
  - d. If dirty water quenching occurs more than once a month, USS may submit one letter for the month with all of the requested data for each dirty water quench event. The monthly letter is due by the fifth day of the next month.
- C. Outfalls 035, 045A, and 057 shall be sampled once per year for the parameters listed on the enclosed Data Reporting Form. The results shall be submitted to the Department – Attention Permits Chief within 60 days of the anniversary date of this permit on a copy of the Data Reporting Form. For the steam condensate outfalls, one outfall shall be selected as representative and only one sample needs to be collected over the life of this permit. The results shall be submitted to the Department within six months after the permit effective date.
- D. Samples for oil and grease at Outfall 183 shall be collected at 3 grabs per 24 hour period. The individual samples shall be analyzed and mathematically composited to determine compliance with the maximum daily limitation for mass. The permittee is not required to report the individual results.
- E. The following credits have been granted in the effluent limitations for internal Outfall 183 for sources of non-process wastewater, including groundwater remediation, Koppers wastewaters, and process area stormwater runoff (“Sources”)

Pollutant	Credit (lb/day)
Ammonia Nitrogen	24.44
Cyanide	0.56

The permittee shall confirm the mass credits for the Sources contributing to Internal Outfall 183 by conducting an evaluation of the contributions of mass and increased flow to internal Outfall 183 (“Credit Study”). Within 90 days of the effective date of this permit, the permittee shall submit a work plan for the Credit Study to the Department for approval. The Credit Study shall be designed to allow for revision of the credits granted in Part A of this permit pursuant to site specific data collection. The site specific data collection shall include collection of flow and samples of each Source and an evaluation of the removal efficiency of the Internal Outfall 183 treatment technology for each Source. The permittee shall collect at least three representative grab samples of each untreated Source and analyze each sample from each source for the following pollutants: total suspended solids, oil and grease, ammonia-nitrogen, total cyanide, benzo(a)pyrene, naphthalene, and total phenolics. Flow measurements shall be collected at the time of sampling. In addition, the permittee shall conduct an evaluation of the existing treatment technology and the appropriate removal efficiency of each pollutant using that treatment technology.

The permittee shall implement the work plan for the Credit Study as approved by the Department. Within two years of the effective date of this permit, the permittee shall submit a written report, compiling and analyzing the data and information generated by the Credit Study. Beginning 90 days after the effective date of this permit, and continuing every 90 days thereafter until the Final Credit Study Report is submitted, the permittee shall submit a Progress Report concerning the activities it has undertaken in compliance with this condition.

- F. The permittee shall survey the plant and the associated stormwater runoff outfalls to identify the sources of the pollutants that are listed in Part A of the permit. In addition, no later than 180 days after the effective date of this Permit, the permittee shall submit a Storm Water Pollution Prevention Plan (“SWPPP”) for all storm water runoff outfalls. The SWPPP shall identify Best Management Practices, housekeeping procedures, and control structures (collectively “BMPS”) that have been or will be installed or implemented to reduce the amount of pollutants in storm water discharges. The SWPP shall include a schedule for implementations of any BMPS, which have not yet been installed or implemented at the time that the SWPP is submitted

If after one year of sampling following complete implementation of the SWPPP, the permittee can demonstrate that implementation of the SWPPP has resulted in an exclusively uncontaminated storm water runoff discharge, the permittee may submit an application to amend this NPDES permit accordingly. In order for its application to be successful, the permittee must demonstrate that the characteristics of the storm water runoff have changed significantly and that only uncontaminated storm water runoff is being discharged from the outfall or outfalls in question.

If, within two years from the effective date of this Permit, the permittee has not demonstrated that implementation of the SWPP has resulted in only uncontaminated stormwater runoff discharges from all of the stormwater outfall, then the permittee shall submit an application for a Water Quality Management Part II Permit, authorizing construction and operation of treatment technology for the pollutants in those discharges. The permittee shall construct and operate the treatment technology as approved by the Department in the Water Quality Management Part II Permit, and shall achieve compliance with the final effluent limitations on or before October 15, 2015.

Beginning 90 days after the effective date of this Permit, and continuing every 90 days thereafter, the permittee shall submit progress reports documenting the activities it has undertaken in compliance with this paragraph. The permittee shall continue to submit these quarterly progress reports until either (1) this permit has been amended to delete the stormwater outfalls; or (2) the treatment technology authorized in the Water Quality Part II Permit is fully operational and the discharges from the stormwater outfalls are in compliance.

- G. Within 90 days of the effective date of this Permit, the permittee shall survey the plant to identify the potential sources of fluoride in the following storm water runoff outfalls: 001A, 009, 010, 011, 022, 054A, 068, 085, 086, 087, 088, and 089. The permittee shall conduct dry weather observations of these outfalls often enough to determine whether there are any non-stormwater contributions to them. If the permittee identifies any non-stormwater contributions to those Outfalls or if Part A of the permit authorizes the discharge of non-stormwater sources, then the permittee shall sample the non-stormwater component of the discharge. The permittee shall collect three dry weather samples of discharges from each of these outfalls and shall cause those samples to be analyzed for fluoride.

If, as a result of the survey described in the preceding paragraph, the permittee discovers that there are any outfalls that discharge non-stormwater sources that are not authorized in Part A of the permit, the permittee shall survey the plant to identify the sources of the non-stormwater discharges, and implement measures to eliminate those non-stormwater sources. If the non-stormwater discharges cannot be eliminated, then the permittee shall submit an application to amend this Permit accordingly. This submission shall accompany the report described in the following paragraph.

Within 240 days of the effective date of this permit, the permittee shall submit a written report to the Department outlining its findings. In the report the permittee shall: (a) identify the sources of wastewater contributing fluoride to the discharges; (b) describe those measures that were tried after issuance of this permit and their effectiveness in eliminating or reducing fluoride in the discharges; and (c) describe and submit schedules for those measures that will be put into effect. The report shall contain the analytical results pertaining to any samples taken of any non-stormwater discharges. In the event that the permittee identifies sources that are not authorized in Part A of this permit, then the report shall be accompanied by the necessary NPDES permit amendment application, requesting authorization to discharge the unauthorized, non-stormwater discharges.