

Application Type Amendment, Major  
 Facility Type Industrial  
 Major / Minor Minor

**NPDES PERMIT FACT SHEET  
 INDIVIDUAL INDUSTRIAL WASTE (IW)  
 AND IW STORMWATER**

Application No. PA0081604 A-2  
 APS ID 618840  
 Authorization ID 1481420

**Applicant and Facility Information**

Applicant Name	<u>PA DEP SCRO</u>	Facility Name	<u>ADSCO Landfill</u>
Applicant Address	<u>909 Elmerton Avenue</u> <u>Harrisburg, PA 17110-9207</u>	Facility Address	<u>174 Cranberry Road</u> <u>Aspers, PA 17304-9765</u>
Applicant Contact	<u>Benjamin Thonus</u>	Facility Contact	<u>Steven DeMars</u>
Applicant Phone	<u>(717) 705-4938</u>	Facility Phone	<u>(717) 705-4832</u>
Client ID	<u>62499</u>	Site ID	<u>238854</u>
SIC Code	<u>4953</u>	Municipality	<u>Tyrone Township</u>
SIC Description	<u>Trans. &amp; Utilities - Refuse Systems</u>	County	<u>Adams</u>
Date Application Received	<u>April 19, 2024</u>	EPA Waived?	<u>Yes</u>
Date Application Accepted	<u>April 19, 2024</u>	If No, Reason	<u></u>
Purpose of Application	<u>Change construction schedule, final limits compliance date, and eliminate outfall 002</u>		

**Summary of Review**

Due to weather issues, the permittee requested an extension of time for the final limits compliance due date. The existing permit requires that the construction be completed by June 1, 2024 and that the final limits for outfall 001 take effect June 1, 2024. The draft amendment changes the final limits compliance date for outfall 001 to October 1, 2024.

The permittee also advised Clean Water that the pipe formerly installed as a groundwater drain was 1) no longer discharging any water, 2) deemed by them to not be needed any longer, and 3) impossible to route into the modified treatment system as proposed in the feasibility study due to site conditions. The pipe has been cut and capped. Therefore, there is no longer an outfall 002.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
x		<i>Bonnie J. Boylan</i> Bonnie J. Boylan / Environmental Engineering Specialist	April 19, 2024
x		Maria D. Bebenek for Daniel W. Martin, P.E. / Environmental Engineer Manager	April 19, 2024
x		Maria D. Bebenek Maria D. Bebenek, P.E. / Environmental Program Manager	April 19, 2024

