



Discharge and Stream Data – 2 - Receiving Waters and PWS

Discharge, Receiving Waters and Water Supply Information			
Outfall No.	<u>001</u>	Design Flow (MGD)	<u>.0005</u>
Latitude	<u>40° 6' 26.45"</u>	Longitude	<u>-75° 42' 43.61"</u>
Quad Name	<u>Downingtown</u>	Quad Code	<u>08-21-3</u>
Wastewater Description: <u>Sewage Effluent</u>			
Receiving Waters	<u>Unnamed Tributary to Black Horse Creek (HQ-TSF, MF)</u>	Stream Code	<u>00338</u>
NHD Com ID	<u>26089184</u>	RMI	<u>0.4</u>
Drainage Area	<u>0.25 mi<sup>2</sup></u>	Yield (cfs/mi <sup>2</sup> )	<u>0.1</u>
Q <sub>7-10</sub> Flow (cfs)	<u>0.025</u>	Q <sub>7-10</sub> Basis	<u>Pennsylvania StreamStats</u>
Elevation (ft)	<u>609.2</u>	Slope (ft/ft)	<u></u>
Watershed No.	<u>3-H</u>	Chapter 93 Class.	<u>HQ-TSF, MF</u>
Existing Use	<u></u>	Existing Use Qualifier	<u></u>
Exceptions to Use	<u></u>	Exceptions to Criteria	<u></u>
Assessment Status	<u>Attaining Use(s)</u>		
Cause(s) of Impairment	<u></u>		
Source(s) of Impairment	<u></u>		
TMDL Status	<u>Final</u>	Name	<u>Christina River Basin</u>

Changes Since Last Permit Issuance: No Change