

Application Type New
Facility Type Storm Water
Major / Minor Minor

**NPDES PERMIT FACT SHEET
INDIVIDUAL INDUSTRIAL WASTE (IW)
AND IW STORMWATER**

Application No. PA0276391
APS ID 1029821
Authorization ID 1338581

Applicant and Facility Information

Applicant Name	<u>Station Of PA Inc.</u>	Facility Name	<u>Station Of PA - Macungie</u>
Applicant Address	<u>409 Elk Street</u> <u>Carnegie, PA 15106</u>	Facility Address	<u>3096 Pa-100</u> <u>Macungie, PA 18062</u>
Applicant Contact	<u>Tom Ganley</u>	Facility Contact	<u>Andrew Krahulik</u>
Applicant Phone	<u>(412) 290-5738</u>	Facility Phone	<u>(610) 421-6039</u>
Client ID	<u>298048</u>	Site ID	<u>827891</u>
SIC Code	<u>4151,4173</u>	Municipality	<u>Macungie Borough</u>
SIC Description	<u>Trans. & Utilities - Bus Terminal And Service Facilities, Trans. & Utilities - School Buses</u>	County	<u>Lehigh</u>
Date Application Received	<u>January 8, 2021</u>	EPA Waived?	<u>Yes</u>
Date Application Accepted	<u>January 8, 2021</u>	If No, Reason	<u></u>
Purpose of Application	<u>A new NPDES permit to discharge stormwater associated with an industrial activity</u>		

Summary of Review

The applicant is requesting a new NPDES permit to discharge stormwater associated with an industrial activity. The receiving stream(s), Swabia Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The receiving stream does not have an existing use classification that is more protective than the designated use and the discharge is not expected to affect public water supplies.

The facility is classified under SIC Code 4151 - Establishments primarily engaged in operating buses to transport pupils to and from school. The PAG-03 General Permit Appendix L contains the site specific best management practices (BMPs) and monitoring requirements for this industrial stormwater classification. The General Stormwater Permit is the minimum standard for all Individual Stormwater permits based on SIC Code.


The requirements will also include prohibition of non-stormwater discharges; Hazardous Substances Release; a PPC Plan; Comprehensive Site Compliance Inspection; Record keeping and Report values for Total Suspended Solids (TSS) and with a 30.0 mg/l limit for Oil & Grease.

A PPC is in place at the facility and it has a grass covered detention basin swale.

The NMS query "Violations – eFACTS – Open Violations for Client" was run. There are currently no open violations

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*,

Approve	Deny	Signatures	Date
X		 Bernard Feist, P.E. / Environmental Engineer	January 26, 2021
X		Amy M. Bellanca (signed) Amy M. Bellanca, P.E. / Environmental Engineer Manager	2-1-21

Summary of Review

DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Outfall No.	<u>001</u>	Design Flow (MGD)	<u>0</u>
Latitude	<u>40° 31' 51.52"</u>	Longitude	<u>-75° 36' 3.33"</u>
Quad Name	<u></u>	Quad Code	<u></u>
Wastewater Description: <u>Stormwater</u>			
Receiving Waters	<u>Swabia Creek (HQ-CWF, MF)</u>	Stream Code	<u>3579</u>
Watershed No.	<u>2-C</u>	Chapter 93 Class.	<u>HQ-CWF, MF</u>
Existing Use	<u></u>	Existing Use Qualifier	<u></u>
Assessment Status	<u>Impaired</u>		
Cause(s) of Impairment	<u>PATHOGENS, SILTATION</u>		
Source(s) of Impairment	<u>AGRICULTURE, SOURCE UNKNOWN</u>		

Changes Since Last Permit Issuance: N/A

Other Comments: New Permit