

Application Type New
Facility Type MS4
Permit Type Individual

NPDES PERMIT FACT SHEET
MS4s

Application No. PAI130093
APS ID 1054849
Authorization ID 1381808

Applicant and Facility Information

Applicant Name	<u>Upper Oxford Township Chester County</u>	Facility Name	<u>Upper Oxford Township MS4 UA</u>
Applicant Address	<u>1185 Limestone Road</u> <u>Oxford, PA 19363-1056</u>	Facility Address	<u>1185 Limestone Road</u> <u>Oxford, PA 19363-1056</u>
Applicant Contact	<u>Jane Daggett</u>	Facility Contact	<u>Jane Daggett</u>
Applicant Phone	<u>(610) 932-9233</u>	Facility Phone	<u>(610) 932-9233</u>
Client ID	<u>94753</u>	Site ID	<u>630049</u>
SIC Code	<u>9199</u>	Municipality	<u>Upper Oxford Township</u>
SIC Description	<u>Public Admin. - Genral Government, Nec</u>	County	<u>Chester</u>
Date Application Received	<u>December 23, 2021</u>		
Date Application Accepted	<u></u>		
Purpose of Application	<u></u>		

Internal Review and Recommendations

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
		Elizabeth A Mahoney / Environmental Group Manager	February 15, 2022
		Jenifer L. Fields, P.E. / Environmental Program Manager	