

Application Type

Renewal

Facility Type

MS4

Permit Type

Individual

NPDES PERMIT FACT SHEET
MS4s

Application No.

PAI132202

APS ID

489052

Authorization ID

1479973

Applicant and Facility Information

Applicant Name	<u>Moore Township</u>	Facility Name	<u>Moore Township MS4</u>
Applicant Address	<u>2491 Community Drive</u>	Facility Address	<u>2491 Community Drive</u>
Applicant Contact	<u>Bath, PA 18014-8841</u>	Facility Contact	<u>Bath, PA 18014-8841</u>
Applicant Phone	<u>(610) 759-9449</u>	Facility Phone	<u>(610) 759-9449</u>
Client ID	<u>56209</u>	Site ID	<u>618792</u>
SIC Code	<u>9199</u>	Municipality	<u>Moore Township</u>
SIC Description	<u>Public Admin. - Genral Government, Nec</u>	County	<u>Northampton</u>
Date Application Received	<u>April 8, 2024</u>		
Date Application Accepted	<u>April 8, 2024</u>		
Purpose of Application	<u>INDIVIDUAL MS4 PERMIT RENEWAL</u>		

Internal Review and Recommendations

Moore Township, Northampton County has requested a renewal of their NPDES MS4 Permit. A Pollutant Reduction Plan (PRP) amendment has not been proposed with this submittal. If the originally approved or approved amended version of the PRP has not been completed, the permittee is reminded that it must be completed.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
X		<i>Paul R. Grella</i> (signed) Paul R. Grella, E.I.T. / Senior Civil Engineer Hydraulic	July 15, 2024
X		Amy M. Bellanca, P.E. / Program Manager	