

Application Type Renewal
Facility Type MS4
Permit Type Individual

NPDES PERMIT FACT SHEET
MS4s

Application No. PAI133523
APS ID 792240
Authorization ID 1270473

Applicant and Facility Information

Applicant Name	<u>Terre Hill Borough Lancaster County</u>	Facility Name	<u>Terre Hill Borough MS4</u>
Applicant Address	<u>PO Box 250 300 Broad Street</u> <u>Terre Hill, PA 17581-0250</u>	Facility Address	<u>PO Box 250 300 Broad Street</u> <u>Terre Hill, PA 17581-0250</u>
Applicant Contact	<u>Robert Rissler</u>	Facility Contact	<u>Robert Rissler</u>
Applicant Phone	<u>(717) 445-4581</u>	Facility Phone	<u>(717) 445-4581</u>
Client ID	<u>117805</u>	Site ID	<u>614812</u>
SIC Code	<u>9199</u>	Municipality	<u>Terre Hill Borough</u>
SIC Description	<u>Public Admin. - Genral Government, Nec</u>	County	<u>Lancaster</u>
Date Application Received	<u>April 15, 2019</u>		
Date Application Accepted	<u>June 20, 2019</u>		
Purpose of Application	<u>Application for an individual MS4 NPDES permit for discharge of stormwater.</u>		

Internal Review and Recommendations

Per 40 CFR § 122.33, and PA Title 25 § 92a.3, Terre Hill Borough (the applicant) is required to seek coverage under a NPDES permit issued by the state of Pennsylvania. Due to Special Protection waters, the applicant has submitted a renewal application for coverage under an individual permit. Per PA Title 25 § 92a.54, the applicant is eligible for permit coverage.

The applicant discharges to the following waters: Temple Creek (CWF, MF), UNT Black Creek (HQ-WWF, MF) and Unnamed Tributary to Conestoga River (WWF, MF)

According to the MS4 Requirements Table, the applicant is subject to the following IP appendix requirements:
Appendix D for the Chesapeake Bay impairment
Appendix E for the Conestoga River impairment

To comply with Appendices D and E, the applicant has submitted a combined Chesapeake Bay and Local Impairment Pollutant Reduction Plan (PRP).

There are no unresolved violations associated with the applicant that should affect issuance of coverage.

The PRP public participation requirements must be completed prior to issuance of the final permit.

It is recommended that individual permit coverage is granted in accordance with 40 CFR §123.35.

Approve	Deny	Signatures	Date
X		<i>Jacob S. Rakowsky</i> Jacob S. Rakowsky, E.I.T. / Project Manager	8/22/2023
X		<i>Scott M. Arwood</i> Scott M. Arwood, P.E. / Environmental Engineer Manager	8/24/2023

Internal Review and Recommendations

DEP has reviewed the revised PRP received on 8/15/2023 via email. DEP offers the following comments and recommendations based on the review, which will be evaluated by DEP during the permit term:

1. The proposed rain garden within the drainage area of Outfall 024 was not labeled on the map. Please update the map accordingly.
2. Existing BMP EX005 was used to reduce the baseline load, but the following information should be provided: latitude and longitude coordinates; the permit number, if any, that authorized installation of the BMP; the date, to the best of the permittee's knowledge, that the BMP was installed; O&M activities and frequencies associated with the BMP.
3. Please be advised that the final designs for stream restoration BMPs should be in general accordance with DEP's "Considerations of Stream Restoration Project" document, available at www.dep.pa.gov/ms4.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.