

Application Type New
Facility Type MS4
Permit Type Individual

NPDES PERMIT FACT SHEET
MS4s

Application No. PAI133541
APS ID 483071
Authorization ID 1205648

Applicant and Facility Information

Applicant Name	<u>Brecknock Township Lancaster County</u>	Facility Name	<u>Brecknock Township MS4</u>
Applicant Address	<u>1026 Dry Tavern Road</u> <u>Denver, PA 17517-9741</u>	Facility Address	<u>1026 Dry Tavern Road</u> <u>Denver, PA 17517-9741</u>
Applicant Contact	<u>Carol Martin</u>	Facility Contact	<u>Carol Martin</u>
Applicant Phone	<u>(717) 445-5933</u>	Facility Phone	<u>(717) 445-5933</u>
Client ID	<u>117365</u>	Site ID	<u>614547</u>
SIC Code	<u>9199</u>	Municipality	<u>Brecknock Township</u>
SIC Description	<u>Public Admin. - Genral Government, Nec</u>	County	<u>Lancaster</u>
Date Application Received	<u>September 16, 2017</u>		
Date Application Accepted	<u>November 29, 2017</u>		
Purpose of Application	<u>Application for an individual MS4 NPDES permit for discharge of stormwater.</u>		

Internal Review and Recommendations

Per 40 CFR § 122.33, and PA Title 25 § 92a.3, Brecknock Township is required to seek coverage under a NPDES permit issued by the state of Pennsylvania. Brecknock Township has submitted an application for coverage under an individual permit. Due to Special Protection waters, the applicant has submitted an application for coverage under an individual permit. Per PA Title 25 § 92a.54, the applicant is eligible for permit coverage. The applicant was previously covered under PAG133602.

According to the MS4 Requirements Table, the applicant is subject to the following IP appendix requirements:
Appendix D – Chesapeake Bay Nutrient and Sediment Impairment
Appendix E – UNT to Muddy Creek, Little Muddy Creek, and Conestoga River Nutrient and Sediment Impairment

To comply with Appendices D and E, the applicant has submitted a combined Chesapeake Bay and Local Impairment Plan.

There are no unresolved violations associated with the applicant that would affect issuance of coverage.

It is recommended that individual permit coverage is granted in accordance with 40 CFR §123.35.

The public participation requirements for the revised PRP have not yet been met. The public participation requirements must be met prior to issuance of the final permit.

Your Revised Pollutant Reduction Plan (PRP) was received via OnBase on 6/28/2023. Additional mapping was received via OnBase on 7/17/2023. DEP has reviewed your PRP and has the following comments, which will be included with the issuance of the final permit and should be addressed during the permit term:

1. Please be advised that the final designs for stream restoration BMPs should be in general accordance with DEP's

Approve	Deny	Signatures	Date
X		<i>Jacob S. Rakowsky</i> Jacob S Rakowsky, E.I.T. / Project Manager	7/19/2023
X		<i>Scott M. Arwood</i> Scott M. Arwood, P.E. / Environmental Engineer Manager	7/20/2023

Internal Review and Recommendations

“Considerations of Stream Restoration Projects” document, available at www.dep.pa.gov/ms4 in order to receive full pollutant reduction credit.

2. While design details are not required at this time, please ensure that the final designs for vegetated swales and/or bioswales adhere to the loading ratio guidelines in the Stormwater BMP Manual (or similar resource).
3. BMP #5 is proposing to retrofit an existing basin into a dry extended detention basin. Please be advised that if the existing basin was constructed under a Chapter 102 permit and is providing current treatment, the retrofitted basin can only take credit for the excess reduction above and beyond regulatory requirements. Please adjust calculations accordingly.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP’s discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.