

Application Type

Renewal

Facility Type

MS4

Permit Type

Individual

NPDES PERMIT FACT SHEET
MS4s

Application No.

PAI136118

APS ID

1094157

Authorization ID

1449739

Applicant and Facility Information

Applicant Name	South Strabane Township Washington County		
Applicant Address	550 Washington Road	Facility Name	South Strabane Township
	Washington, PA 15301-9621	Facility Address	550 Washington Road
Applicant Contact	Jeffrey Ziegler	Facility Contact	Same as Applicant
Applicant Phone	(724) 225-9055	Facility Phone	Same as Applicant
Client ID	67489	Site ID	253278
SIC Code	9900	Municipality	South Strabane Township
SIC Description	Non-classifiable Establishments	County	Washington
Date Application Received	<u>August 3, 2023</u>		
Date Application Accepted	<u>August 7, 2023</u>		
Purpose of Application	Application for a renewal of an Individual NPDES permit for discharge of stormwater from urbanized area of South Strabane Township MS4.		


Internal Review and Recommendations

The applicant has submitted a renewal MS4 individual permit application for its urbanized stormwater. The previous permit was issued on January 15, 2019. The applicant has indicated in the application that it will rely on Pennsylvania's Chapter 102 program for E & S controls and post-construction Storm Water Management Program requirements.

Per DEP PAG-13 permit document (3800-PM-BCW0100d May,2016), this MS4 is discharging to High Quality stream Unnamed Tributary of Chartiers Creek (HQ-WWF) per application, which for this reason this discharge can't be permitted under a General Permit.

Per application, South Strabane Township has four (4) permitted main Outfalls (100, 200, 300, and 900) under this individual MS4 permit , which collects stormwater generated from the surrounding drainage areas and discharge that flow to the specified receiving waters (see table below). DEP MS4 Outfall field screening report on March 2023 identified more than 90 minor Outfalls within the permitted area, all these Outfalls are mapped on the provided MS4 map accompanied this application.

Outfall Number	Receiving Stream	Impaired	Approved TMDL	WLA	CH 93 Designation
100	UNT to Chartiers Creek	Yes	Yes	No	WWF
200	UNT to Chartiers Creek	Yes	Yes	No	HQ-WWF
300	Chartiers Creek	Yes	Yes	No	WWF
900	Catfish Creek	Yes	No	No	WWF

Approve	Deny	Signatures	Date
X		 Hazim Aldalli / Environmental Engineering Specialist	May 29, 2024
X		 Mahbuba Iasmin, Ph.D. P.E. / Environmental Engineering Manager	June 24, 2024

Internal Review and Recommendations

This MS4 has submitted its MS4 Annual Report, which was received by the Department on 10/5/2023.

The previous permit has a Pollution Reduction Plan (PRP) final report review, Appendix E will be added to this renewal permit. The permittee is required to submit the PRP Final Report by September 30, 2024.

This MS4 discharges to Little Chartiers Creek (HQ-WWF), which is in Chartiers Creek TMDL for PCB and Chlordane. It also discharges to Chartiers Creek (WWF), which is in Chartiers Creek Watershed TMDL for metals – Aluminum, Iron and Manganese. Appendices A, B, and C will be included in the permit.

The MS4 has no assigned/applicable WLAs for these pollutants. Therefore, submission of a TMDL Plan is not required.

This MS4 was inspected on October 16, 2023 with no violations noted. There are no existing compliance issues with this MS4 per the Operations compliance report and WMS Client ID report.

Draft permit issuance is recommended.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.