



Application Type
Facility Type
Major / Minor

Renewal
Storm Water
Minor

**NPDES PERMIT FACT SHEET
INDIVIDUAL INDUSTRIAL WASTE (IW)
AND IW STORMWATER**

Application No. **PAS202210**
APS ID **797294**
Authorization ID **1483700**

Applicant and Facility Information

Applicant Name	Silberline Manufacturing Co. Inc.	Facility Name	Silberline Manufacturing Tidewood Facility
Applicant Address	130 Lincoln Drive Tamaqua, PA 18252-4321	Facility Address	36 Progress Avenue Tamaqua, PA 18252-4334
Applicant Contact	Jennifer Mermon	Facility Contact	Mary Thomas
Applicant Phone	(570) 668-8307	Facility Phone	(570) 668-8485
Client ID	81932	Site ID	251722
SIC Code	3399	Municipality	Rush Township
SIC Description	Manufacturing - Primary Metal Products, Nec	County	Schuylkill
Date Application Received	May 3, 2024	EPA Waived?	Yes
Date Application Accepted	May 3, 2024	If No, Reason	
Purpose of Application	Renewal of NPDES stormwater permit.		

Summary of Review

The applicant is requesting renewal of their NPDES permit to discharge stormwater associated with industrial activity to an unnamed tributary to Nesquehoning Creek, a high quality, cold water fishery, migratory fishery-designated receiving stream (HQ-CWF, MF) in State Water Plan Basin 02-B. Per the Department's current existing use list, the receiving stream does not have an existing use classification that is more protective than the designated use. The discharge is not expected to affect public water supplies.

This facility discharges its Stormwater to the unnamed tributary through four outfalls (001,002,003,004). All four (04) Outfalls are considered representative and are linked to the primary facility.

This facility industrial activities are manufacturing primary Metals not elsewhere classified, and secondary smelting of Aluminum. This industry is classified as SIC code 3399 which fall under **Appendix B** of PAG03 General permit.

Semiannual Monitoring /reporting are for Total Nitrogen, Total phosphorus, Total Aluminum, Total Iron, Total Lead, Total Copper, Total Zinc, Oil & Grease and Total Suspended Solids (TSS). Benchmarks exist for TSS and Oil & Grease.

Benchmarks values are not effluent limitations and exceedances do not constitute permit violations. However, if the permittee's sampling demonstrates exceedances of benchmark values for two or more consecutive monitoring periods, the permittee shall take action in accordance with Part C. III. F. of the permit.

A corrective action plan must be submitted to DEP if the discharge concentration for the parameters exceeds the benchmark values for two or more consecutive monitoring periods.

Previous limit for TSS is removed in this current permit due to change in new PAG03 General permit of 2023.

Approve	Deny	Signatures	Date
X		Hakim Yesli (signed) Hakim Yesli / Environmental Engineering Specialist	July 24, 2025
X		Amy M. Bellanca (signed) Amy M. Bellanca, P.E. / Program Manager	7-25-25

Summary of Review

PPC plan implementation and completion of an annual inspection and compliance evaluation are required under this permit. Permittee is reminded to update their PPC plan yearly or as necessary.

WMS Query by client report was run and there are no pending violations for this client.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

