

Application Type

Renewal

Facility Type

Storm Water

Major / Minor

Minor

**NPDES PERMIT FACT SHEET
INDIVIDUAL INDUSTRIAL WASTE (IW)
AND IW STORMWATER**

Application No.

PAS322204

APS ID

800279

Authorization ID

1429445

Applicant and Facility Information

Applicant Name	<u>Crayola LLC</u>	Facility Name	<u>Crayola LLC Bethlehem Plant</u>
Applicant Address	<u>1100 Church Lane</u>	Facility Address	<u>2475 Brodhead Road</u>
	<u>Easton, PA 18040-6638</u>		<u>Bethlehem, PA 18020-8906</u>
Applicant Contact	<u>Carissa Eyman</u>	Facility Contact	<u>Carissa Eyman</u>
Applicant Phone	<u>(484) 896-8772</u>	Facility Phone	<u>(484) 896-8772</u>
Client ID	<u>254565</u>	Site ID	<u>465274</u>
SIC Code	<u>3952</u>	Municipality	<u>Bethlehem Township</u>
SIC Description	<u>Manufacturing - Lead Pencils and Art Goods</u>	County	<u>Northampton</u>
Date Application Received	<u>March 3, 2023</u>	EPA Waived?	<u>Yes</u>
Date Application Accepted	<u>March 3, 2023</u>	If No, Reason	<u> </u>
Purpose of Application	<u>Stormwater Industrial permit renewal.</u>		

Summary of Review

The applicant is requesting renewal of an NPDES permit to discharge stormwater associated with an industrial activity to Unnamed Tributary to Monocacy Creek a HQ-CWF/MF (high quality, cold water fishery, migratory fishery-designated) receiving stream in watershed Basin 2-C (Lower Lehigh). Per the Department's current existing use list, the receiving stream does not have an existing use classification that is more protective than the designated use.

An administrative deficiency notice was sent to the permittee on March 13, 2023; response was received March 30, 2023.

The facility is classified under SIC Code 3952 - Establishments primarily engaged in manufacturing lead pencils, pencil leads, and crayons; and materials and equipment for artwork, such as air-brushes, drawing tables and boards, palettes, sketch boxes, pantographs, artists' colors and waxes, pyrography goods, drawing inks, and drafting materials. The PAG-03 General Permit **Appendix F** contains the site-specific best management practices (BMPs) and monitoring requirements for this industrial stormwater classification. The monitoring requirements are for pH (S.U.), Chemical Oxygen Demand (COD), Total Suspended Solids, Nitrate-Nitrite as N, Total Phosphorus, Total Nitrogen, Aluminum, Iron, Lead, and Zinc.

Benchmarks exist for pH, TSS, COD and Nitrate-Nitrite as N. A benchmark value is the concentration of a pollutant in stormwater discharges that serves as a threshold for the determination of whether existing site BMPs are effective controlling stormwater pollution. The benchmark values can be found in Part C. V. F. of the permit. A corrective action plan must be submitted to DEP if the discharge concentration for the parameters exceed the benchmark values for two or more consecutive monitoring periods.


A site Inspection (RTPT) was performed December 08, 2022.

Preparedness Prevention contingency and Spill Prevention Plan revised May 17, 2022 was submitted with this application.

Approve	Deny	Signatures	Date
X		Hakim Yesli (signed) Hakim Yesli / Environmental Engineering Specialist	December 12, 2024.
X		Amy M. Bellanca (signed) Amy M. Bellanca, P.E. / Program Manager	12-27-24

Summary of Review

There are no open violations for this client.



e-Map showing Location of Crayola Facility and Monocacy Creek surrounding it. the discharge is to Unnamed Tributary to Monocacy

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

