

Application Type Renewal
Facility Type Stormwater
Major / Minor Minor

**NPDES PERMIT FACT SHEET
INDIVIDUAL INDUSTRIAL WASTE (IW)
AND IW STORMWATER**

Application No. PAS602204
APS ID 546549
Authorization ID 1360064

Applicant and Facility Information

Applicant Name	<u>SR Recycling, Inc.</u>	Facility Name	<u>SR Recycling, Inc.</u>
Applicant Address	<u>400 Daniels Road (State Route 946) Nazareth, PA 18064-8753</u>	Facility Address	<u>400 Daniels Road (State Route 946) Nazareth, PA 18064-8753</u>
Applicant Contact	<u>Stephen Recker, Owner/Operator</u>	Facility Contact	<u>Stephen Recker, Owner/Operator</u>
Applicant Phone	<u>(610) 614-0346</u>	Facility Phone	<u>(610) 614-0346</u>
Client ID	<u>239089</u>	Site ID	<u>651406</u>
SIC Code	<u>5015</u>	Municipality	<u>Bushkill Township</u>
SIC Description	<u>Wholesale Trade - Motor Vehicle Parts, Used</u>	County	<u>Northampton</u>
Date Application Received	<u>July 1, 2021</u>	EPA Waived?	<u>Yes</u>
Date Application Accepted	<u>July 13, 2021</u>	If No, Reason	<u>-</u>
Purpose of Application	<u>Renewal of NPDES permit for discharge of industrial stormwater.</u>		

Summary of Review

The applicant is requesting a renewal of their NPDES permit to discharge stormwater associated with industrial activity to an Unnamed Tributary to East Branch Monocacy Creek, a HQ-CWF, MF (High Quality-Cold Water Fishes, Migratory Fishes) designated receiving stream in state water plan basin 2-C (Lower Lehigh River). As per the Department's current existing use list, the receiving stream segment does not have an existing use classification that is more protective than its designated use.

The NPDES Permit Application listed the SIC Code as 5093. The previous permit fact sheet listed the SIC as 5015. DEP reached out to the permittee's consultant for verification. The consultant instructed DEP that the facility has not changed and that SIC Code 5015 from the previous permit is correct.

SIC code 5015 (Wholesale Trade – Motor Vehicle Parts, Used) falls under Appendix O monitoring requirements of the PAG-03 General Permit. Semi-annual monitoring and reporting for Total Suspended Solids (TSS), Oil & Grease, Total Aluminum, Total Iron, and Total Lead are required under this permit.

Benchmark values exist for TSS and Oil & Grease. A benchmark value is the concentration of a pollutant in stormwater discharges that serves as a threshold for the determination of whether existing site BMPs are effective in controlling stormwater pollution. The benchmark values can be found in Part C. V. F. of the permit. A corrective action plan must be submitted to DEP if the discharge concentration for the parameters exceed the benchmark values for two or more consecutive monitoring periods.

There is one outfall at the rear of the property that discharges to a vegetated swale. The permit application states that the owner routinely inspects the outfall for any illicit discharges, structural integrity, and to ensure no excessive erosion occurs.

PPC Plan implementation and completion of an annual inspection and compliance evaluation are required under the permit.

Approve	Deny	Signatures	Date
X		/s/ Allison Seyfried / Environmental Engineering Specialist	January 20, 2022
X		/s/ Amy M. Bellanca, P.E. / Environmental Engineer Manager	1-25-22

Summary of Review

A Water Management System Inspection query indicated on February 7, 2019 a Compliance Evaluation was performed. The previously issued permit expired on December 31, 2021. The renewal application was received on July 1, 2021. There are currently no open violations for this client that warrant withholding issuance of the permit.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

