

Application Type
Facility Type
Major / Minor

Renewal
Storm Water
Minor

**NPDES PERMIT FACT SHEET
INDIVIDUAL INDUSTRIAL WASTE (IW)
AND IW STORMWATER**

Application No. **PAS802227**
APS ID **761262**
Authorization ID **1389281**

Applicant and Facility Information

Applicant Name	Dayton Superior Corporation	Facility Name	Dayton Superior Corporation - Allentown Distribution Center
Applicant Address	1125 Byers Road	Facility Address	7130 Ambassador Drive
	Miamisburg, OH 45342		Allentown, PA 18106
Applicant Contact	Amy Morissette	Facility Contact	Troy Heiland
Applicant Phone	(937) 866-0711	Facility Phone	(610) 366-3890
Client ID	290470	Site ID	753358
SIC Code	4225	Municipality	Upper Macungie Township
SIC Description	Trans. & Utilities - General Warehousing and Storage	County	Lehigh
Date Application Received	March 15, 2022	EPA Waived?	Yes
Date Application Accepted	March 15, 2022	If No, Reason	-
Purpose of Application	Renewal of NPDES permit.		


Summary of Review

Draft permits were previously issued for this renewal by different reviewers. Due to the length of time since the last draft permit was issued, a new draft must be issued before the final permit. Several minor changes were made to this draft compared to the previous draft permits which were issued on 10/24/2022 and 5/10/2023.

The applicant is requesting renewal of their NPDES permit to discharge stormwater associated with industrial activity to an unnamed tributary to Iron Run, a HQ-CWF/MF designated receiving stream in state water plan basin 02-C (Lower Lehigh River). As per the Department's current existing use list, the receiving stream does not have an existing use classification that is more protective than its designated use. Stormwater discharges from all three site outfalls enter the Mill Road drainage ditch before traveling through above/underground stormwater channels and eventually entering Iron Run a few hundred feet to the south of State Route 222.

The application indicates the facility is a masonry material merchant wholesaler (NAICS Code No. 423320) warehouse with limited outside storage for metal braces and shoring equipment outdoors to the west of the building with a waste dumpster in the same area. The site PPC Plan indicates this facility is classified under SIC code 4225 (Trans. & Utilities – General Warehousing and Storage), which appears to accurately reflect the industrial activities at the site. SIC code 4225 falls under Appendix L monitoring requirements of the PAG-03 general permit. Semiannual monitoring and reporting for Total Suspended Solids (TSS), Oil & Grease, Total Nitrogen and Total Phosphorus are required under this permit.

Benchmark values are included in the permit for TSS (100 mg/L) and Oil & Grease (30 mg/L). If stormwater discharge concentrations for any parameter exceeds the benchmark value at the same outfall for two or more consecutive monitoring periods, the permittee shall develop a corrective action plan to reduce the concentrations of the parameter(s) in stormwater discharges. The permittee shall submit the corrective action plan to DEP within 90 days of the end of the monitoring period

Approve	Deny	Signatures	Date
X		 Brian Burden, E.I.T. / Project Manager	February 18, 2025
X		 Edward Dudick, P.E. / Environmental Engineer Manager	February 18, 2025

Summary of Review

triggering the need for the plan. Additional requirements are applicable (see Part C.III.G) if the benchmark values continue to be exceeded.

Standard template Part C conditions are carried over in this renewal, including the requirement to implement a PPC plan as well as completion of an annual inspection and compliance evaluation.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

