

1 - PRODUCT IDENTIFICATION

PRODUCT NAME:.....5015

PRODUCT NUMBER:5015

OTHER MEANS OF INDENTIFATICATION:Clear, colorless liquid, amine odor similar to ammonia.

RECOMMENDED USE:....Boiler water.

RESTRICTIONS ON USE:.... Use only as directed.

COMPANY:..... CHEMTRON CORPORATION

3500 Harry S. Truman Blvd St. Charles, MO 63301

636-940-5445 (Mon-Fri., 8:00-4:00) www.chemtroncorporation.com

EMERGENCY PHONE:(800) 424-9300 (CHEMTREC)

REVISION DATE:....MAY 16, 2016

2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:.....Corrosive. Clear, colorless, liquid with an amine (ammonia) odor. Product is corrosive to eyes, skin, and respiratory system. Skin absorption, inhalation, or ingestion may also result in toxic effects.

CLASSIFICATION 29 CFR 1910.1200:Product is hazardous by OSHA criteria.

STOT-SE (single target organ toxicity - single exposure), Category 3 respiratory tract irritation





GHS SIGNAL WORD:Danger

Causes serious eye damage.

H335: May cause respiratory irritation



P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately, call a doctor.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing for 15 min. call a doctor.

P363: Wash contaminated clothing before reuse.

P403+233: Store in a well ventilated place. Keep container tightly closed

P405: Store locked up

P501: Dispose of contents/container in accordance with local state and federal regulations.

HAZARDS NOT OTHERWISE CLASSIFIED: None known.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTPERCENTCAS NUMBERAmmonium Hydroxide10-301336-21-6Ethanolamine5-15141-43-5

The exact percent by weight of the ingredients in this formulation is proprietary.

4 - FIRST-AID MEASURES

BREATHING (INHALATION):If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for
breathing. If experiencing respiratory symptoms: Call a doctor.
SWALLOWING (INGESTION): If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately, call a poison
control center or doctor.
EYES: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing for 15 minutes. Immediately, call a doctor.
SKIN (DERMAL):If on skin (or hair): Immediately, take off all contaminated clothing. Rinse skin with
water. Use safety shower if available. Immediately, call a doctor.
ACUTE SYMPTOMS:Burning pain and severe corrosive skin damage. Causes serious eye damage. Systoms
mayinclude stinging, tearing, redness, selling, and blurred vision.
DELAYED EFFECTS: Permanent eye damage including blindness could result. may cause respiratory
irritation.
IMMEDIATE OR SPECIAL TREATMENT:Provide general supportive measures and treat symptomatically.
Chemical burns: flush with water immediatel. While flushing, remove clothes which do not adhere to affected area. Call an

ambluance, continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.



5 - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA:......Use media appropriate for surrounding fire. Water fog, foam, dry chemcial powder carbon dioxide. Do not use water jet as an extinguisher, as this will spread the fire.

possible, move containers away from fire. Cool fire exposed containers with water spray. If containers rupture or leak, product may evolve oxides of nitrogen and oxides of carbon.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:.....Prevent entry into waterways, sewer, basements or confined areas. Large spills need to stop the flow of materials, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to precent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spill wipe up with absorbent material (e.g.cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original container for re-use.

PERSONAL PRECAUTIONS:....Keep unnecessary personnal away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during celan-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

7 - HANDLING and STORAGE

Store locked up. Store in original tightly closed container. Store away from imcompatible materials.

HANDLING:......Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS:No exposure limits noted for ingredients.

PROTECTIVE CLOTHING:Wear chemical splash goggles and protective industrial rubber gloves. When conditions warrant use, add face shield, apron, and/or rubber boots.

ADDITIONAL MEASURES:......Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing

and protective equipment to remove contminants.

rtes should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, ot other engineering controls to maintain airborne levels below recommended exposure limits. Eye wash facilities and emergency shower must be

available when handling this product.



9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE:Clear, colorless liquid.

ODOR:amine odor similar to ammonia

BOILING POINT:212° F

VAPOR PRESSURE:.....No data available.

VAPOR DENSITY (AIR=1):No data available

SOLUBILITY IN WATER:Completely miscible in water.

FLASH POINT:....>140 deg F

EVAPORATION RATE:.....No data available.

MELTING POINT/FREEZING POINT: <32° F

10 - STABILITY and REACTIVITY

REACTIVITY:The product is stable and non reactive under normal conditions of use, storage and

transport.

STABILITY:.....Stable under normal conditions.

HAZARDOUS POLYMERIZATION:Hazardous polymerization does not occur.

INCOMPATIBILITY:.....Stong oxidizing agents.

HAZARDOUS REACTIONS:Contact with incompatible materials.

HAZARDOUS DECOMP:No hazardous decomposition products are known.

11 - TOXICOLOGICAL INFORMATION

LIKELY ROUTES OF EXPOSURE:Eye or skin contact; inhalation of mist or aerosol

TOXICOLOGICAL CHARACTERISTICS:Burning pain and severe corrosive skin damage. Causes serious

eye damage. Symtoms may include stinging, tearing, rednes, selling, and blurred vision.

Permanent eye damage including blindness could result. May cause respiratory

irritation.

IMMEDIATE EFFECTS:Irritation or burns to eyes, skin, upper respiratory system, or other tissues.

CHRONIC EFFECTS:Not Known.

NUMERICAL MEASURES OF TOXICITY:No toxicology available on the formulated product. Toxicology

data for product ingredients:

LISTED CARCINOGEN:None of the product ingredients are listed as carcinogens by IARC, NTP, or OSHA.



12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

PRODUCT 5015	DATA			
Ceriodaphnia dubia	48h	LC50	135 mg/l	
Fathead Minnow	96h	LC50	78 mg/l	

BIOACCUMULATIVE POTENTIAL:No data available.

MOBILITY IN SOIL:.... No data available.

OTHER ADVERSE EFFECTS: .. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:Collect and reclaim or dispose in a sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not containinate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with all applicable regulations.

14 - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Ammonia Solution

HAZARD CLASS:8,

UN/NA NUMBER: UN2672 PACKAGING GROUP:.....III



TRANSPORT IN BULK:Product container meets or exceeds DOT requirements. Material is a Packing Group II

corrosive base. No extraordinary measures are required for shipment in bulk tanks

including totes. See 49 CFR 172.101 & 49 CFR172.102.

SPECIAL PRECAUTIONS:If needed, see Column 7 entries in the DOT hazardous materials table and associated designations at 49 CFR172.102 for detailed descriptions of authorized containers, tank

material specifications, maximum degree of filling, minimum pressure tests, and other information.



15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

EPA SRA Title III Chemical Listings:

TSCA (Toxic Substance Control Act) STATUS:......All ingredients listed or exempt.

SECTION 311/312:Yes

SECTION 302:......No chemicals in this material are subject the reporting.

SARA SECTION 313:.....Not listed.

US EPA CERLA:Ammonium Hydroxide

16 - OTHER INFORMATION

NFPA HAZARD RANKING

HEALTH	FIRE	REACTIVITY	SPECIAL
3	0	0	

HMIS HAZARD RANKING

HEALTH	FIRE	REACTIVITY	PPE
3	0	0	

This data is offered in good faith and believed to be accurate, but it is for the users to satisfy themselves of the product suitability for their own purpose. There is no warrenty expressed or implied. The recommended hygiene and safe handling procedures are believed to be generally applicable. The information given is designed only as a guidance. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.