Version: 2.0

Effective Date: Jun-03-2022 Previous Date: May-28-2020



SAFETY DATA SHEET STEAMATE* PAP7010

1. Identification

Product identifier STEAMATE PAP7010

Other means of identification None.

Recommended use Steam condensate treatment.

Recommended restrictions None known.

Company/undertaking identification

SUEZ WTS USA, Inc. 4636 Somerton Road Trevose, PA 19053

T 215 355 3300, F 215 953 5524

Emergency telephone

(800) 877 1940

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1
Specific target organ toxicity, repeated Category 2

exposure

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. May cause damage to organs through

prolonged or repeated exposure.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves, protective

clothing, eye protection and face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. If skin irritation or rash occurs: Get medical advice or attention. Take off

contaminated clothing and wash before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

CAS# **Percent** Components TSRN 125438 - 12065 Amine Carboxylates

Composition comments

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this SDS for our assessment of the potential hazards of this formulation.

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Remove contaminated clothing. Wash immediately with plenty of water. If skin irritation occurs:

Get medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed **General information**

Severe eve irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers / tanks with water spray.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage Precautions for safe handling Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Provide

adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial

hygiene practices. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: STEAMATE* PAP7010

8. Exposure controls/personal protection

Occupational exposure limits This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. The choice of an appropriate glove does not only

depend on its material but also on other quality features and is different from one producer to the

other. Glove selection must take into account any solvents and other hazards present.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. A respiratory protection

program that meets OSHA's 29 CFR 1910.34 and ANSI Z88.2 requirements must be followed

whenever workplace conditions warrant a respirator's use.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Liquid
Physical state Liquid.
Form Liquid.

Color Colorless to light yellow

Odor Odorless
Odor threshold Not available.

PH (concentrated product) 8.3 Neat

Melting point/freezing point 32 °F (0 °C)

Initial boiling point and boiling 212 °F (100 °C)

range

Flash point Not Applicable
Evaporation rate Slower than Ether
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 18 mmHg

Vapor pressure temp. 70 °F (21 °C)

Vapor density < 1
Relative density 1

Relative density temperature 70 °F (21 °C)

Solubility(ies)

Solubility (water) 100 %

Partition coefficient No (n-octanol/water)

Not available.

Auto-ignition temperature

Not available.

Not available.

Not available.

Not available.

Not available.

77 °F (25 °C)

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Material name: STEAMATE* PAP7010

Pour point 37 °F (3 °C)

Specific gravity

VOC 0 % ESTIMATED

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions
Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Immediate effects: Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Delayed effects:

Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
---------	---------	--------------

STEAMATE PAP7010

Acute Dermal

LD50 Rabbit > 5000 mg/kg (Calculated according to

GHS additivity formula)

Inhalation

LC50 Rat > 5 mg/l/4h (Calculated according to GHS

additivity formula)

Oral

LD50 Rat > 5000 mg/kg (Calculated according to

GHS additivity formula)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye damage.

irritation

caacco concac cyc aan

Respiratory or skin sensitization

Respiratory sensitization This product is not expected to cause respiratory sensitization.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Not classified.

Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not classified.

Material name: STEAMATE* PAP7010 Page: 4 / 8

Specific target organ toxicity single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Chronic effects May cause damage to organs through prolonged or repeated exposure.

12. Ecological information

Ecotoxicity

Product		Species	Test Results	
STEAMATE PAP7010)			
Aquatic				
Crustacea	ChV	Ceriodaphnia	3.53 mg/L, 7 D	
	IC25	Ceriodaphnia	3.87 mg/L, 7 D	
	LC50	Ceriodaphnia	3.27 mg/L, 48 H	
		Daphnia magna	2.5 mg/L, 48 H	
	LOEL	Ceriodaphnia	5 mg/L, 7 D	
	NOEL	Ceriodaphnia	2.5 mg/L, 48 H	
			2.5 mg/L, 7 D	
		Daphnia magna	1.25 mg/L, 48 H	
Fish	ChV	Fathead Minnow	1.76 mg/L, 7 D	
	IC25	Fathead Minnow	1.97 mg/L, 7 D	
	LC50	Fathead Minnow	5.6 mg/L, 96 H	
		Rainbow Trout	7.1 mg/L, 96 H	
	LOEL	Fathead Minnow	2.5 mg/L, 7 D	
	NOEL	Fathead Minnow	2.5 mg/L, 96 H	
			1.25 mg/L, 7 D	
		Rainbow Trout	5 mg/L, 96 H	

Bioaccumulative potential No data available. No data available. Mobility in soil Other adverse effects Not available.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

Some containers may be exempt from Dangerous Goods/Hazmat Transport Regulations, please check BOL for exact container classification.

IATA

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (AMINE CARBOXYLATES)

Material name: STEAMATE* PAP7010

Transport hazard class(es)

Subsidiary risk Packing group Ш **Environmental hazards** Yes **ERG Code** 171

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMINE CARBOXYLATES), **UN** proper shipping name

MARINE POLLUTANT


Transport hazard class(es)

Class 9 Subsidiary risk Packing group Ш **Environmental hazards**

Marine pollutant Yes F-A, S-F **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Version number: 2.0

Material name: STEAMATE* PAP7010

Page: 6 / 8

SARA 311/312 Hazardous

chemical

Skin corrosion or irritation

Classified hazard

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

categories

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Yes

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Developmental toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

No ingredient listed.

16. Other information, including date of preparation or last revision

Issue date Mar-16-2020
Revision date Jun-03-2022

Version # 2.0

NFPA ratings Health: 3
Flammability: 0
Instability: 0

NFPA ratings



Material name: STEAMATE* PAP7010 Page: 7 / 8

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

List of abbreviations ACGIH: American Conference of Governmental Industrial Hygienists

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstract Service Registration Number

COD: Chemical Oxygen Demand

DOT: Department of Transportation (49 CFR 172.101).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association

IMDG: International Maritime Dangerous Goods Code

LC50: Lethal Concentration, 50%

LD50: Lethal Dose, 50%

NOEL: No Observed Effect Level

OSHA: Occupational Safety & Health Administration.

STEL: Short Term Exposure Limit TOC: Total Organic Carbon

TSRN indicates a Trade Secret Registry Number is used in place of the CAS number.

TWA: Time Weighted Average

References: No data available

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

Prepared by This SDS has been prepared by SUEZ Regulatory Department (1-215-355-3300).

* Trademark of SUEZ. May be registered in one or more countries.

Material name: STEAMATE* PAP7010

Version number: 2.0

Page: 8 / 8