

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 12/15/2011 Revision date: 7/31/2024 Supersedes: 11/29/2018 Version: 6.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : DECON-QUAT® 200C Product code : SDS VEL-110

1.2. Recommended use and restrictions on use

Recommended use : Disinfectant, Cleaning agent

Restrictions on use : For manufacturing and industrial use only

1.3. Supplier

Veltek Associates, Inc.

15 Lee Blvd

Malvern, PA 19355-1234 USA

Telephone: +1 610-644-8335 - Fax: +1 610-644-8336

E-mail: vai@sterile.com

In Canada distributed by: Canada Clean Room (CCR)

20 Cope Dr.

Kanata, ON K2M 2V8, Canada Telephone: 1-(888)-595-8070

1.4. Emergency telephone number

Emergency number : CARECHEM 24: 1-215-207-0061

1-866-928-0789 (toll free USA) Canada: 1-800-579-7421 (toll free) Mexico: +52-55-5004-8763

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4 H227 Combustible liquid
Acute toxicity (oral) Category 4 H302 Harmful if swallowed

Skin corrosion/irritation Category 1C H314 Causes severe skin burns and eye damage

Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage

Specific target organ toxicity (repeated exposure) Category 2 H373 May cause damage to organs through prolonged or repeated

exposure

Hazardous to the aquatic environment – Acute Hazard Category 1 H400 Very toxic to aquatic life

Hazardous to the aquatic environment – Chronic Hazard Category 2 H411 Toxic to aquatic life with long lasting effects

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)









Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Signal word (GHS US) : Danger

Hazard statements (GHS US) : H227 - Combustible liquid H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H314 - Causes severe skin burns and eye damag

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 - Do not breathe vapors.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear eye protection, protective gloves, protective clothing. P301+P312 - If swallowed: Call a doctor if you feel unwell.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P330 - Rinse mouth.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use water, alcohol resistant foam, carbon dioxide (CO2) to

extinguish.

P391 - Collect spillage.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to an authorized waste collection point.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Didecyldimethylammonium chloride	CAS-No.: 7173-51-5		Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	CAS-No.: 68424-85-1	6.4 - 7.1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethanol	CAS-No.: 64-17-5	2.1 - 4.2	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Tetrasodium ethylene diamine tetraacetate	CAS-No.: 64-02-8	2.9 - 3.2	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
Alcohols, C9-11, branched and linear, ethoxylated	CAS-No.: 68439-46-3	2.3 - 2.5	Eye Irrit. 2A, H319 Aquatic Acute 2, H401

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep at rest in a position comfortable for breathing. If symptoms

develop, obtain medical attention.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Obtain

immediate medical attention.

First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Ensure that folded skin of eyelids is

thoroughly washed with water. Obtain immediate medical attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Give 100 - 200 ml of water to drink. Obtain immediate

medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Inhalation of vapors may cause respiratory irritation.

Symptoms/effects after skin contact : Causes burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Severe irritation or burns to the mouth, throat, esophagus, and stomach. Harmful if swallowed.

: May cause damage to organs (respiratory tract) through prolonged or repeated exposure (if

inhaled).

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

Chronic symptoms

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water. Alcohol-resistant foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid and vapor. Fire may produce irritating, corrosive and/or toxic gases.

Hydrogen chloride. Nitrogen oxides.

7/31/2024 (Revision date) EN (English US) 3/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion hazard : On heating, there is a risk of bursting due to internal pressure build-up. Use water for cooling

exposed containers.

Hazardous decomposition products in case of fire : Hydrogen chloride. Nitrogen oxides.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Keep upwind. Use water for cooling exposed

containers. Do not allow run-off from fire fighting to enter drains or water courses.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use

self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all unnecessary exposure.

6.1.1. For non-emergency personnel

Emergency procedures : Remove all sources of ignition. Ventilate area. Do not breathe vapors. Do not get in eyes, on

skin, or on clothing. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Use chemically protective clothing.

Emergency procedures : Remove all sources of ignition. Ventilate area. Do not breathe vapors. Do not get in eyes, on

skin, or on clothing.

6.2. Environmental precautions

Collect spillage. Do not allow to enter drains or water courses. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak, if possible without risk. Dam up the liquid spill.

Methods for cleaning up : Absorb with earth, sand or other non-combustible material and transfer to containers for later

disposal.

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Provide adequate ventilation. Do not breathe vapors. Do not get in eyes, on skin, or on clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood.

Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial

hygiene and safety practice. Take off immediately all contaminated clothing and wash it before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Keep only in the original container in a cool, well

ventilated place away from : Incompatible materials.

Incompatible materials : Strong acids. Strong alkalis. Strong oxidizing agents.

7/31/2024 (Revision date) EN (English US) 4/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)			
USA - ACGIH - Occupational Exposure Limits			
Local name	Ethanol		
ACGIH STEL (ppm)	1000 ppm		
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)		
Regulatory reference	ACGIH 2024		
USA - OSHA - Occupational Exposure Limits			
Local name	Ethyl alcohol (Ethanol)		
OSHA PEL (TWA) (mg/m³)	1900 mg/m³		
OSHA PEL TWA	1000 ppm		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide

: Provide adequate ventilation. Emergency eye wash stations and safety showers should be

available in the immediate vicinity of any potential exposure.

Environmental exposure controls : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Wear suitable protective clothing.

Hand protection:

Wear chemically resistant protective gloves. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.

Eye protection:

Chemical goggles or face shield

Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact. Impervious footwear must be worn

Respiratory protection:

In case of inadequate ventilation: Use an approved air purifying respirator to control exposure. Follow respirator protection requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use.

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colorless to straw-colored liquid.
Color : Colorless to straw yellow

Odor : Organic

Odor threshold : No data available

pH : 6-8

Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : 155.3 °F (68.5 °C) (Tag closed cup)

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) Combustible liquid. Vapor pressure No data available Relative vapor density at 20°C No data available Relative density 1.006 (Water = 1)Solubility Water: Miscible Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available

Viscosity, kinematic : 13.6 mm²/s (22 °C/71.6 °F)

Viscosity, dynamic : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7). Combustible liquid and vapor.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong oxidizing agents. Strong alkalis. Strong acids.

10.6. Hazardous decomposition products

Fire may produce irritating, corrosive and/or toxic gases. Hydrogen chloride. Nitrogen oxides.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

SECTION 11: Toxicological Information				
11.1. Information on toxicological effects				
Acute toxicity (dermal) : Acute toxicity (inhalation) :	Harmful if swallowed. Not classified Not classified			
DECON-QUAT® 200C				
ATE US (oral)	500 mg/kg body weight			
Didecyldimethylammonium chloride (7173-51-	-5)			
LD50 oral, rat	≈ 329 mg/kg body weight (OECD 401 method)			
LD50 dermal, rabbit	> 1000 mg/kg body weight (OECD 402 method)			
ATE US (oral)	500 mg/kg body weight			
Tetrasodium ethylene diamine tetraacetate (64	4-02-8)			
LD50 oral, rat	1780 – 2000 mg/kg			
ATE US (oral)	1780 mg/kg body weight			
ATE US (gases)	4500 ppmV/4h			
ATE US (vapors)	11 mg/l/4h			
ATE US (dust, mist)	1.5 mg/l/4h			
LOAEC, Inhalation, rat	ca. 30 mg/m³ (6h)			
Alcohols, C9-11, branched and linear, ethoxyl	ated (68439-46-3)			
LD50 oral, rat	3488 mg/kg (female)(Read-across)			
LD50 dermal, rabbit	> 2000 mg/kg (male)(Read-across)			
LC50 inhalation, rat (mg/l)	> 1.6 mg/l - 4 Hours (Read-across)			
ATE US (oral)	3488 mg/kg body weight			
Quaternary ammonium compounds, benzyl-C	12-16-alkyldimethyl, chlorides (68424-85-1)			
LD50 oral, rat	350 mg/kg (OECD 401 method)			
LD50 oral	280.8 mg/kg			
LD50 dermal, rabbit	2848 mg/kg (EPA OPPTS 870.1200)			
LD50 dermal	704 mg/kg			
LC50 inhalation, rat (Dust/Mist - mg/l/4h)	0.054 mg/l/4h			
ATE US (oral)	350 mg/kg body weight			
ATE US (dermal)	2848 mg/kg body weight			
Ethanol (64-17-5)				
LD50 oral, rat	10470 mg/kg			
LC50 inhalation, rat (mg/l)	116.9 mg/l			
ATE US (oral)	10470 mg/kg body weight			
ATE US (vapors)	116.9 mg/l/4h			
ATE US (dust, mist)	116.9 mg/l/4h			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation : Causes severe skin burns.

pH: 6 - 8

Serious eye damage/irritation : Causes serious eye damage.

pH: 6 - 8

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Ethanol (64-17-5)

IARC group 1 - Carcinogenic to humans, (Ethanol in alcoholic beverages)

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Tetrasodium ethylene diamine tetraacetate (64-02-8)

STOT-repeated exposure May cause damage to organs (respiratory tract) through prolonged or repeated exposure (Inhalation).

Aspiration hazard : Not classified

Viscosity, kinematic : 13.6 mm²/s (22 °C/71.6 °F) Likely routes of exposure : Skin and eye contact.

Symptoms/effects after inhalation : Inhalation of vapors may cause respiratory irritation.

Symptoms/effects after skin contact : Causes burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Severe irritation or burns to the mouth, throat, esophagus, and stomach. Harmful if swallowed.

Chronic symptoms : May cause damage to organs (respiratory tract) through prolonged or repeated exposure (if

inhaled).

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Didecyldimethylammonium chloride (7173-51-5)			
LC50 fish	≈ 0.49 mg/l - 96 Hours (Danio rerio), (OECD 203 method)		
EC50 Daphnia	≈ 0.029 mg/l - 48 Hours (Daphnia magna, Mobility), (OECD 202 method)		
ErC50 algae	≈ 0.062 mg/l - 72 Hours (Pseudokirchneriella subcapitata), (OECD 201 method)		
NOEC chronic crustacea	≈ 0.021 mg/l - 21 days (Daphnia magna, reproduction), (OECD 211 method)		
NOEC, algae	≈ 0.013 mg/l (72 Hours, Pseudokirchneriella subcapitata, Growth rate (OECD 201 method))		
Tetrasodium ethylene diamine tetraacetate (64-02-8)			
LC50 fish	> 100 mg/l 96h - Oncorhynchus mykiss (OECD 203 method)		
EC50 Daphnia	> 114 mg/l 48h - Daphnia Magna (OECD 202 method)		
EC50 72h - Algae [1]	> 100 72h - Raphidocelis subcapitata (OECD 201 method)		
NOEC chronic fish	≥ 35.1 mg/l 35d - Danio rerio (OECD 210 method)		
NOEC chronic crustacea	25 mg/l 21d - Daphnia Magna (OECD 211 method)		
NOEC chronic algae	79.4 mg/l 72h - Raphidocelis subcapitata (OECD 201 method)		
Alcohols, C9-11, branched and linear, ethoxylated (68439-46-3)			
LC50 fish	6.28 mg/l - 96 Hours (Oncorhynchus mykiss)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohols, C9-11, branched and linear, ethoxylated (68439-46-3)			
EC50 Daphnia	2.5 mg/l - 48 Hours (Daphnia magna, Mobility)		
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)			
LC50 fish	0.064 mg/l		
EC50 Daphnia	0.0059 mg/l		
NOEC chronic fish	32.2 μg/L - 28d (Pimephales promelas) U.S. EPA FIFRA 72-4(a)		
NOEC chronic crustacea	0.00415 mg/l		
Ethanol (64-17-5)			
LC50 fish	11200 mg/l (calculated value)		
LC50 other aquatic organisms	4432 mg/l - 7 days (Lemna gibba)		
EC50 Daphnia	5012 mg/l (calculated value) (freshwater)		
EC50 - Crustacea [2]	857 mg/l (calculated value) (marine water)		
EC50 72h - Algae [1]	275 mg/l - 72 Hours (Chlorella vulgaris)		
NOEC (chronic)	280 mg/l - 7 days (Lemna gibba)		
NOEC chronic fish	250 mg/l - 120 Hours (Danio rerio)		
NOEC chronic crustacea	9.6 mg/l - 10 days (Ceriodaphnia dubia, reproduction)		
NOEC chronic algae	11.5 mg/l - 72 Hours (Chlorella vulgaris)		

12.2. Persistence and degradability

DECON-QUAT® 200C		
Persistence and degradability	Not established.	
Didecyldimethylammonium chloride (7173-51-5)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	≈ 69 % - 28 days (Activated sludge), (OECD 301D method)	
Tetrasodium ethylene diamine tetraacetate (64-02-8)		
Persistence and degradability	Not readily biodegradable.	
Alcohols, C9-11, branched and linear, ethoxyl	ated (68439-46-3)	
Persistence and degradability	Readily biodegradable.	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)		
Persistence and degradability	Readily biodegradable.	
Ethanol (64-17-5)		
Persistence and degradability	Readily biodegradable.	

12.3. Bioaccumulative potential

Didecyldimethylammonium chloride (7173-51-5)		
Log Pow	≈ 2.59 (20 °C, pH ≈ 7), (OECD 105 method)	
Bioaccumulative potential	Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tetrasodium ethylene diamine tetraacetate (64-02-8)			
BCF - Fish [1]	1.8 l/kg		
Log Pow	-13.17 (calculated value)		
Bioaccumulative potential	Not expected to bioaccumulate.		
Alcohols, C9-11, branched and linear, ethoxylated (68439-46-3)			
Log Pow	3.74 (25 °C)		
Bioaccumulative potential	Not expected to bioaccumulate.		
Quaternary ammonium compounds, benzyl-C	12-16-alkyldimethyl, chlorides (68424-85-1)		
BCF - Fish [1]	79 l/kg		
Bioaccumulative potential	Low bioaccumulation potential.		
Ethanol (64-17-5)			
Log Pow	-0.35 (20 °C)		
Bioaccumulative potential Low bioaccumulation potential.			

12.4. Mobility in soil

DECON-QUAT® 200C		
Ecology - soil	Miscible with water.	
Didecyldimethylammonium chloride (7173-51-5)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.75 (20 °C), (OECD 106 method)	
Ecology - soil	Expected to adsorb to soil. Low mobility (soil).	
Tetrasodium ethylene diamine tetraacetate (64-02-8)		
Ecology - soil	Mobile in soils.	
Alcohols, C9-11, branched and linear, ethoxylated (68439-46-3)		
Ecology - soil	Adsorbs into the soil moderately.	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)		
Ecology - soil	Expected to be relatively immobile in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

7/31/2024 (Revision date) EN (English US) 10/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.1. UN number

DOT NA No : UN1903 : UN1903 UN-No. (TDG) UN-No. (IMDG) 1903 UN-No. (IATA) : 1903

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Disinfectants, liquid, corrosive n.o.s. (Didecyldimethylammonium chloride; Quaternary

ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

Proper Shipping Name (TDG) DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Didecyldimethylammonium chloride;

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

Proper Shipping Name (IMDG) DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Didecyldimethylammonium chloride;

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

Proper Shipping Name (IATA) Disinfectant, liquid, corrosive, n.o.s. (Didecyldimethylammonium chloride; Quaternary

ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 8 Hazard labels (DOT) : 8



TDG

Transport hazard class(es) (TDG) : 8 8

Hazard labels (TDG)



IMDG

Transport hazard class(es) (IMDG) : 8

Hazard labels (IMDG)



8

Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) 8



14.4. Packing group

Packing group (DOT) : 111 : III Packing group (TDG) Packing group (IMDG) : 111 Packing group (IATA) : 111

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.5. Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes



Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN1903

: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite DOT Special Provisions (49 CFR 172.102)

> (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature

during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241 DOT Quantity Limitations Passenger aircraft/rail (49 : 5 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a **DOT Vessel Stowage Location**

passenger vessel.

TDG

UN-No. (TDG) : UN1903

TDG Special Provisions : 16 - (1) The technical name of at least one of the most dangerous substances that predominantly

contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and

(3).

: 5 L

: 60 L

(2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the

disclosure of the technical name:

(a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;

(b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;

(c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;

(d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or

(e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.

(3) Despite subsection (1), the technical name for the following dangerous goods is not required

to be shown on a small means of containment:

(a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or

(b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.

Explosive Limit and Limited Quantity Index

Excepted quantities (TDG) Passenger Carrying Road Vehicle or Passenger

Carrying Railway Vehicle Index

: E1 : 5 L

7/31/2024 (Revision date) EN (English US) 12/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency Response Guide (ERG) Number : 153

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

DECON-QUAT® 200C		
	Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Acute toxicity (any route of exposure) Health hazard - Skin corrosion or Irritation Health hazard - Serious eye damage or eye irritation Health hazard - Specific target organ toxicity (single or repeated exposure)	

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Didecyldimethylammonium chloride	7173-51-5	Present	Active	
Tetrasodium ethylene diamine tetraacetate	64-02-8	Present	Active	
Alcohols, C9-11, branched and linear, ethoxylated	68439-46-3	Present	Active	XU
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	Present	Active	TP
Ethanol	64-17-5	Present	Active	

15.2. International regulations

CANADA

Didecyldimethylammonium chloride (7173-51-5)

Listed on the Canadian DSL (Domestic Substances List)

Tetrasodium ethylene diamine tetraacetate (64-02-8)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C9-11, branched and linear, ethoxylated (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

Listed on the Canadian DSL (Domestic Substances List)

Ethanol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

DECON-QUAT® 200C

This chemical is a pesticide product registered by the United States Environmental Protection Agency (10324-141-68959) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below in Section 16. The pesticide label also includes other important information, including directions for use.

Canada DIN #02374919.

Didecyldimethylammonium chloride (7173-51-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Tetrasodium ethylene diamine tetraacetate (64-02-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Alcohols, C9-11, branched and linear, ethoxylated (68439-46-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations	
` '	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List	

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 7/31/2024

Data sources : US OSHA HazCom (GHS) 25 May 2012. ECHA (European Chemicals Agency),

http://echa.europa.eu/.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: Danger. Keep out of reach of children. Marine Pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5lt or less for liquids or having a net mass per single or inner packaging of 5kg or less for solids are not subject to any other provisions of this Code relevant to marine pollutants provided the packagings meet the general requirements of 4.1.1.1, 4.1.1.2, and 4.1.1.4 to 4.1.1.8. In the case of marine pollutants also meeting the criteria of inclusion in another hazards class all provisions of the Code relevant to any additional hazards continue to apply. Classification procedure. Physical hazards: On basis of test data. Health hazards: On basis of test data & Calculation method. Environmental hazards: On basis of test data & Calculation method.

Full text of H-phrases		
H225	Highly flammable liquid and vapor	
H226	Flammable liquid and vapor	
H227	Combustible liquid	
H302	Harmful if swallowed	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H373	May cause damage to organs through prolonged or repeated exposure	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	

Abbreviations and acronyms			
	ACGIH (American Conference of Government Industrial Hygienists)		
	ATE (Acute Toxicity Estimate)		
	CAS (Chemical Abstracts Service) number		
	DNEL (Derived No Effect Level)		
	EC50 (Effective Concentration 50%)		
	IARC (International Agency for Research on Cancer)		
	IATA (International Air Transport Association)		
	IMDG (International Maritime Dangerous Goods Code)		
	IMO (International Maritime Organisation)		
	LC50 (Lethal Concentration 50%)		
	LD50 (Lethal Dose 50%)		
	OECD (Organisation for Economic Co-operation and Development)		
	OSHA (Occupational Safety and Health Administration) (US)		
	PBT (Persistent, Bioaccumulative and Toxic)		
	PNEC (Predicted No Effect Concentration)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


Abbreviations and acronyms		
	STEL (Short Term Exposure Limit)	
	TSCA (Toxic Substances Control Act) (US)	
	TWA (Time Weighted Average)	
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)	
	vPvB (very Persistent and very Bioaccumulative)	

NFPA health hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire

conditions.



Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

: * - Chronic (long-term) health effects may result from repeated overexposure

Flammability : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient

temperatures before ignition will occur. Includes liquids having a flash point at or above 100 $\mbox{\it F}$

but below 200 F. (Classes II IIIA)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : C - Safety glasses, Gloves, Synthetic apron

Indication of changes:					
Section	Changed item	Change	Comments		
1	Identification	Modified	No additional information available		
2	Hazards identification	Modified	No additional information available		
3	Composition/Information on ingredients	Modified	No additional information available		
4	First aid measures	Modified	No additional information available		
5	Fire fighting measures	Modified	No additional information available		
6	Accidental release measures	Modified	No additional information available		
7	Handling and storage	Modified	No additional information available		
8	Exposure controls / Personal protection equipment	Modified	No additional information available		
10	Stability and reactivity	Modified	No additional information available		
11	Toxicological information	Modified	No additional information available		
12.	Ecological information	Modified	No additional information available		
13	Disposal considerations	Modified	No additional information available		
14	Transport information	Modified	No additional information available		
15	Regulatory information	Modified	No additional information available		
16	Other information	Modified	No additional information available		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.