

PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S)
(800) 424-9300 (24 Hours) CHEMTREC

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : NALCO® 7330

APPLICATION: BIOCIDE

COMPANY IDENTIFICATION: Nalco Company

1601 W. Diehl Road Naperville, Illinois 60563-1198

EMERGENCY TELEPHONE NUMBER(S): (800) 424-9300 (24 Hours) CHEMTREC

NFPA 704M/HMIS RATING

HEALTH: $3/3^*$ FLAMMABILITY: 0/0 INSTABILITY: 0/0 OTHER: 0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme * = Chronic Health Hazard

2. COMPOSITION/INFORMATION ON INGREDIENTS

Our hazard evaluation has identified the following chemical substance(s) as hazardous. Consult Section 15 for the nature of the hazard(s).

 Hazardous Substance(s)
 CAS NO
 % (w/w)

 Magnesium Nitrate
 10377-60-3
 1.0 - 5.0

 5-Chloro-2-Methyl-4-Isothiazolin-3-one
 26172-55-4
 1.0 - 5.0

 2-Methyl-4-Isothiazolin-3-one
 2682-20-4
 0.1 - 1.0

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER

CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE OR SKIN BURNS. HARMFUL IF INHALED, SWALLOWED OR ABSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Mixers, loaders, and others exposed to this product must wear: long-sleeved shirt and long pants; chemical resistant gloves such as nitrile or butyl rubber; shoes plus socks; goggles and face shield; and chemical resistant apron. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly. Do not apply this product in a way that will contact workers or other persons. May evolve oxides of carbon (COx) under fire conditions. May evolve HCl under fire conditions. May evolve oxides of nitrogen (NOx) and sulfur (SOx) under fire conditions.



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

PRIMARY ROUTES OF EXPOSURE:

Eye, Skin

HUMAN HEALTH HAZARDS - ACUTE:

EYE CONTACT:

Corrosive. Will cause eye burns and permanent tissue damage.

SKIN CONTACT:

Corrosive; causes permanent skin damage. May cause sensitization by skin contact. Skin irritation effects can be delayed for hours. Harmful if absorbed through skin.

INGESTION:

Not a likely route of exposure. Corrosive; causes chemical burns to the mouth, throat and stomach. Harmful if swallowed.

INHALATION:

Elevated temperatures or mechanical action may form vapors, mists or fumes which may be irritating to the eyes, nose, throat and lungs. Harmful by inhalation.

AGGRAVATION OF EXISTING CONDITIONS:

A review of available data does not identify any worsening of existing conditions.

HUMAN HEALTH HAZARDS - CHRONIC:

No adverse effects expected other than those mentioned above.

4. FIRST AID MEASURES

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or a doctor immediately for treatment advice. DO NOT INDUCE VOMITING. Do not give anything to drink.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Based on the individual reactions of the patient, the physician's judgement should be used to control symptoms and clinical condition.

5. | FIRE FIGHTING MEASURES

FLASH POINT: None



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

EXTINGUISHING MEDIA:

Not expected to burn. Use extinguishing media appropriate for surrounding fire.

FIRE AND EXPLOSION HAZARD:

May evolve oxides of carbon (COx) under fire conditions. May evolve HCl under fire conditions. May evolve oxides of nitrogen (NOx) and sulfur (SOx) under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING:

In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Restrict access to area as appropriate until clean-up operations are complete. Ensure clean-up is conducted by trained personnel only. Ventilate spill area if possible. Do not touch spilled material. Stop or reduce any leaks if it is safe to do so. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Notify appropriate government, occupational health and safety and environmental authorities.

METHODS FOR CLEANING UP:

SMALL SPILLS: Soak up spill with absorbent material. Place residues in a suitable, covered, properly labeled container. Wash affected area. LARGE SPILLS: Soak up with inert absorbent material. Transfer contaminated material to suitable containers for disposal. Contaminated surfaces should be swabbed with deactivation solution, let stand for 30 minutes and rinse thoroughly with clean water. DO NOT add deactivation solution to the waste container to deactivate the absorbed material.

*DEACTIVATION SOLUTION - prepare fresh a solution of 5% Sodium bicarbonate and 5% Sodium hypochlorite in water. Use a ratio of 10 volumes decontamination solution per estimated volume of residual spill. Wash site of spillage thoroughly with water. Contact an approved waste hauler for disposal of contaminated recovered material. Dispose of material in compliance with regulations indicated in Section 13 (Disposal Considerations).

ENVIRONMENTAL PRECAUTIONS:

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters, unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label. Do not contaminate surface water.

7. HANDLING AND STORAGE

HANDLING:

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists. Keep the containers closed when not in use. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Ensure all containers are labeled.

STORAGE CONDITIONS:

Store the containers tightly closed. Store separately from oxidizers. Store in suitable labeled containers.



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

SUITABLE CONSTRUCTION MATERIAL:

Hastelloy C-276, Polyethylene, HDPE (high density polyethylene), EPDM, Plexiglass, Stainless Steel 316L, Nylon, PTFE, Perfluoroelastomer, Polytetrafluoroethylene/polypropylene copolymer

UNSUITABLE CONSTRUCTION MATERIAL:

Mild steel, Carbon Steel C1018, Stainless Steel 304, Copper, Aluminum, Brass, Buna-N, Polypropylene, PVC, Ethylene propylene, Neoprene, Polyurethane, Fluoroelastomer, Chlorosulfonated polyethylene rubber Shipping and long term storage compatibility with construction materials can vary; we therefore recommend that compatibility is tested prior to use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

This product contains the following component(s) with a recognised or recommended OEL value:

Substance(s)	Category:	ppm	mg/m3	Non-Standard Unit
5-Chloro-2-Methyl-4-Isothiazolin-3-one	Manufacturer's Recommendation/TWA		0.076	
	Manufacturer's Recommendation/STEL		0.23	
2-Methyl-4-Isothiazolin-3-one	Manufacturer's Recommendation/TWA		1.5	
	Manufacturer's Recommendation/STEL		4.5	

ENGINEERING MEASURES:

General ventilation is recommended. Use local exhaust ventilation if necessary to control airborne mist and vapor.

RESPIRATORY PROTECTION:

If significant mists, vapors or aerosols are generated an approved respirator is recommended. A suitable filter material depends on the amount and type of chemicals being handled. Consider the use of filter type: Multi-contaminant cartridge. with a Particulate pre-filter. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

HAND PROTECTION:

When handling this product, the use of chemical gloves is recommended. The choice of work glove depends on work conditions and what chemicals are handled. Please contact the PPE manufacturer for advice on what type of glove material may be suitable. Gloves should be replaced immediately if signs of degradation are observed.

SKIN PROTECTION:

Wear chemical resistant apron, chemical splash goggles, impervious gloves and boots. A full slicker suit is recommended if gross exposure is possible.

EYE PROTECTION:

Wear a face shield with chemical splash goggles.



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

HYGIENE RECOMMENDATIONS:

Use good work and personal hygiene practices to avoid exposure. Eye wash station and safety shower are necessary. If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse. Always wash thoroughly after handling chemicals. When handling this product never eat, drink or smoke.

HUMAN EXPOSURE CHARACTERIZATION:

Based on our recommended product application and personal protective equipment, the potential human exposure is: Moderate

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid

APPEARANCE Light green Light yellow

ODOR Mild

SPECIFIC GRAVITY
DENSITY
SOLUBILITY IN WATER
PH (100 %)
FREEZING POINT
BOILING POINT
1.026
8.5 lb/gal
Complete
3.0 - 5.0
25 °F / -4 °C
HOUSE POINT
1.026

VOC CONTENT 0.80 % EPA Method 24

Note: These physical properties are typical values for this product and are subject to change.

10. STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions.

HAZARDOUS POLYMERIZATION:

Hazardous polymerization will not occur.

CONDITIONS TO AVOID:

Freezing temperatures.

MATERIALS TO AVOID:

Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.

HAZARDOUS DECOMPOSITION PRODUCTS:

Under fire conditions: Oxides of carbon, Oxides of nitrogen, Oxides of sulfur, HCl



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

11. TOXICOLOGICAL INFORMATION

The following results are for the product along with results on the active substances.

ACUTE ORAL TOXICITY:

Species: Rat

LD50: 3,810 mg/kg Test Descriptor: Product

ACUTE DERMAL TOXICITY:

Species: Rabbit

LD50: > 5,000 mg/kg

Test Descriptor: Product

ACUTE INHALATION TOXICITY:

Species: Rat

LC50: 13.7 mg/l (4 hrs)

Test Descriptor: Product

PRIMARY SKIN IRRITATION:

Remarks: A 1.5% active solution is corrosive to skin, a 0.6% active solution is a severe skin irritant, a

0.3% active solution is a moderate skin irritant and a 0.06% active solution is a non-irritant.

PRIMARY EYE IRRITATION:

Remarks: A 1.5% active solution is corrosive to the eyes, a 0.3% active solution is an eye irritant and

0.06% active solution is a non-irritant.

SENSITIZATION:

Repeated or prolonged contact may cause sensitization in some individuals. A Guinea pig (Buehler Technique) sensitization study with an induction dosage of 90 ppm of active ingredients followed by an insult of 429 ppm of active ingredients was positive. A human repeated insult patch study of 28 ppm active ingredients followed by an insult of 56 ppm of active ingredients resulted in no effect to the subjects tested.

CHRONIC TOXICITY DATA:

A 90-day dietary study in dogs of 840 ppm of isothiazolinone resulted in no mortalities or pathological findings. A 90-day dermal study in rabbits of 0.4 mg/kg/day of isothiazolinone resulted in irritation but no pathological effects. A 30-month skin painting study with mice using 400 ppm isothiazolinone three times per week showed no increased tumor frequency over control. A teratology study with rabbits and rats was negative using dosages of 1.5 to 15 mg/kg isothiazolinone. Mutagenicity results have been equivocal.

CARCINOGENICITY:

None of the substances in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the American Conference of Governmental Industrial Hygienists (ACGIH).



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

HUMAN HAZARD CHARACTERIZATION:

Based on our hazard characterization, the potential human hazard is: High

12. | ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL EFFECTS:

The following results are for the product along with results on the active substances.

ACUTE FISH RESULTS:

Species	Exposure	LC50	Test Descriptor
Sheepshead Minnow	96.00 hrs	32.000 mg/l	Product
Bluegill Sunfish	96 hrs	18.67 mg/l	Product
Fathead Minnow	144 hrs	8 mg/l	Product (estimated)
Rainbow Trout	96 hrs	12.67 mg/l	Product
Inland Silverside	96 hrs	16.62 mg/l	Product

ACUTE INVERTEBRATE RESULTS:

Species	Exposure	LC50	EC50	Test Descriptor
Ceriodaphnia dubia	48 hrs	15 mg/l		Product (estimated)
Mysid Shrimp (Mysidopsis bahia)	96.00 hrs	18.000 mg/l		Product
Daphnia magna	48 hrs	8.7 - 12 mg/l		Product (estimated)
Blue Mussel	48 hrs	865 mg/l		Product (estimated)
American Oyster	48 hrs	1,730 mg/l		Product (estimated)

AVIAN RESULTS:

Species	Exposure	LC50	Test Descriptor
Bobwhite Quail	8 Days	> 60 mg/kg >	Active Substance
		560 ppm	

PERSISTENCY AND DEGRADATION:

Total Organic Carbon (TOC): 7,850 mg/l

Chemical Oxygen Demand (COD): 20,000 mg/l

The degradation of the major active substance begins with ring opening and elimination of chloride ion. Degradation leads to the formation of a variety of small organic acids, methylamine, carbon dioxide and elemental sulfur. The half life of each active substance is dependent upon the initial concentration.

MOBILITY:

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	Water	Soil/Sediment
<5%	30 - 50%	50 - 70%

The portion in water is expected to be soluble or dispersible.

BIOACCUMULATION POTENTIAL

This preparation or material is not expected to bioaccumulate.

ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Moderate

Based on our recommended product application and the product's characteristics, the potential environmental exposure is: Moderate

If released into the environment, see CERCLA/SUPERFUND in Section 15.

13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper Shipping Name / Hazard Class may vary by packaging, properties, and mode of transportation. Typical Proper Shipping Names for this product are as follows.

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

LAND TRANSPORT:

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Technical Name(s): ISOTHIAZOLINONE MICROBIOCIDE

UN/ID No: UN 3265

Hazard Class - Primary : 8
Packing Group : II



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S)
(800) 424-9300 (24 Hours) CHEMTREC

Flash Point : None Reportable Quantity (per package) : 132,270 lbs

RQ Component: CUPRIC NITRATE

AIR TRANSPORT (ICAO/IATA):

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Technical Name(s): ISOTHIAZOLINONE MICROBIOCIDE

UN/ID No: UN 3265

Hazard Class - Primary : 8
Packing Group : II

Reportable Quantity (per package): 132,270 lbs

RQ Component: CUPRIC NITRATE

MARINE TRANSPORT (IMDG/IMO):

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Technical Name(s): ISOTHIAZOLINONE MICROBIOCIDE

UN/ID No: UN 3265

Hazard Class - Primary : 8
Packing Group : II

15. | REGULATORY INFORMATION

This section contains additional information that may have relevance to regulatory compliance. The information in this section is for reference only. It is not exhaustive, and should not be relied upon to take the place of an individualized compliance or hazard assessment. Nalco accepts no liability for the use of this information.

NATIONAL REGULATIONS, USA:

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

Based on our hazard evaluation, the following substance(s) in this product is/are hazardous and the reason(s) is/are shown below.

Magnesium Nitrate: Oxidizer

5-Chloro-2-Methyl-4-Isothiazolin-3-one: Corrosive, Sensitizer

2-Methyl-4-Isothiazolin-3-one: Corrosive, Sensitizer

CERCLA/SUPERFUND, 40 CFR 302:

This product contains the following Reportable Quantity (RQ) Substance. Also listed is the RQ for the product.

RQ Substance RQ

Cupric Nitrate 132,270 lbs



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (TITLE III) - SECTIONS 302, 311, 312, AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

This product does not contain substances listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 AND 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370):

Our hazard evaluation has found this product to be hazardous. The product should be reported under the following indicated EPA hazard categories:

X Immediate (Acute) Health HazardDelayed (Chronic) Health Hazard

Fire Hazard

Sudden Release of Pressure Hazard

- Reactive Hazard

Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product contains the following substance(s), (with CAS # and % range) which appear(s) on the List of Toxic Chemicals

 Hazardous Substance(s)
 CAS NO
 % (w/w)

 Magnesium Nitrate
 10377-60-3
 1.0 - 5.0

TOXIC SUBSTANCES CONTROL ACT (TSCA):

This product is exempted under TSCA and regulated under FIFRA. The inerts are on the Inventory List.

FOOD AND DRUG ADMINISTRATION (FDA) Federal Food, Drug and Cosmetic Act:

When use situations necessitate compliance with FDA regulations, this product is acceptable under: 21 CFR 176.300 Slimicides 21 CFR 176.170 Components of paper and paperboard in contact with aqueous and fatty foods and 21 CFR 176.180 Components of paper and paperboard in contact with dry foods. 21 CFR 176.170 Components of paper and paperboard in contact with aqueous and fatty foods and 21 CFR 176.180 Components of paper and paperboard in contact with dry foods.

The following limitations apply:

Maximum dosage <u>Limitation</u>

FOR 176.300: 0.125% (ACTIVES) of dry weight fiber

FOR 176.170/180: 1675 PPM as an antimicrobial agent for finished coating formulations and for

additives used in the manufacture of paper and paperboard, including

fillers, binders, pigment sluries and sizing solutions

FOR 176.170/180: 3350 PPM as an antimicrobial agent for polymer latex emulsions in paper coatings

NSF NON-FOOD COMPOUNDS REGISTRATION PROGRAM (former USDA List of Proprietary Substances & Non-Food Compounds):

Non-Food Compounds):

NSF Registration number for this product is: 062419



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

This product is acceptable for treating boilers, steam lines, and/or cooling systems where neither the treated water nor the steam produced may contact edible products in and around food processing areas, excluding such use in areas where meat and poultry are processed (G10).

FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT (FIFRA) : EPA Reg. No. 1706-153

In all cases follow instructions on the product label.

This product has been certified as KOSHER/PAREVE for year-round use INCLUDING THE PASSOVER SEASON by the CHICAGO RABBINICAL COUNCIL.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 / formerly Sec. 307, 40 CFR 116.4 / formerly Sec. 311 :

This product may contain trace levels (<0.1% for carcinogens, <1% all other substances) of the following substance(s) listed under the regulation. Additional components may be unintentionally present at trace levels.

Su	bstance(s)	Citations
•	Cupric Nitrate	Sec. 307, Sec. 311
	·	
•	Nitric Acid	Sec. 311

CLEAN AIR ACT, Sec. 112 (Hazardous Air Pollutants, as amended by 40 CFR 63), Sec. 602 (40 CFR 82, Class I and II Ozone Depleting Substances):

Substances listed under this regulation are not intentionally added or expected to be present in this product. Listed components may be present at trace levels.

CALIFORNIA PROPOSITION 65:

Substances listed under California Proposition 65 are not intentionally added or expected to be present in this product.

MICHIGAN CRITICAL MATERIALS:

This product contains the following substances listed in the regulation. Additional components may be unintentionally present at trace levels.

Copper

STATE RIGHT TO KNOW LAWS:

The following substances are disclosed for compliance with State Right to Know Laws:

Copper 7440-50-8 Magnesium Nitrate 10377-60-3

INTERNATIONAL CHEMICAL CONTROL LAWS:



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA):

Substances regulated under the Pest Control Products Act are exempt from CEPA New Substance Notification requirements.

AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on the Inventory of Existing Chemical Substances China (IECSC).

EUROPE

The substances in this preparation have been reviewed for compliance with the EINECS or ELINCS inventories.

JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

KOREA

All substances in this product comply with the Toxic Chemical Control Law (TCCL) and are listed on the Existing Chemicals List (ECL)

NEW ZEALAND

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

16. OTHER INFORMATION

Due to our commitment to Product Stewardship, we have evaluated the human and environmental hazards and exposures of this product. Based on our recommended use of this product, we have characterized the product's general risk. This information should provide assistance for your own risk management practices. We have evaluated our product's risk as follows:

* The human risk is: Moderate

* The environmental risk is: Moderate

Any use inconsistent with our recommendations may affect the risk characterization. Our sales representative will assist you to determine if your product application is consistent with our recommendations. Together we can implement an appropriate risk management process.

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should



PRODUCT

NALCO® 7330

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

be evaluated so that appropriate handling practices and training programs can be established to insure safe workplace operations. Please consult your local sales representative for any further information.

REFERENCES

Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices, American Conference of Governmental Industrial Hygienists, OH., (Ariel Insight™ CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),

Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Title 29 Code of Federal Regulations, Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA), (Ariel Insight™ CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH.

(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Ariel Insight[™] (An integrated guide to industrial chemicals covered under major regulatory and advisory programs), North American Module, Western European Module, Chemical Inventories Module and the Generics Module (Ariel Insight[™] CD-ROM Version), Ariel Research Corp., Bethesda, MD.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Prepared By: Product Safety Department

Date issued: 02/14/2011 Version Number: 2.0