

**PRODUCT** 

# NALCO® EC1417A

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : NALCO® EC1417A

APPLICATION: CORROSION INHIBITOR

COMPANY IDENTIFICATION: Nalco Company

1601 W. Diehl Road Naperville, Illinois 60563-1198

EMERGENCY TELEPHONE NUMBER(S): (800) 424-9300 (24 Hours) CHEMTREC

NFPA 704M/HMIS RATING

HEALTH:  $3/3^*$  FLAMMABILITY: 3/3 INSTABILITY: 0/0 OTHER: 0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme \* = Chronic Health Hazard

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Our hazard evaluation has identified the following chemical substance(s) as hazardous. Consult Section 15 for the nature of the hazard(s).

Hazardous Substance(s)	CAS NO	% (w/w)
Methanol	67-56-1	10.0 - 30.0
Organic sulfonic acid salt	Proprietary	1.0 - 5.0
Heavy Aromatic Naphtha	64742-94-5	1.0 - 5.0
Quaternary ammonium compound	Proprietary	5.0 - 10.0
Isopropanol	67-63-0	1.0 - 5.0
Thioglycolic Acid	68-11-1	1.0 - 5.0
Naphthalene	91-20-3	0.1 - 1.0
Imidazoline Salts	Proprietary	5.0 - 10.0
Quaternary ammonium compound	Proprietary	10.0 - 30.0

### 3. HAZARDS IDENTIFICATION

### \*\*EMERGENCY OVERVIEW\*\*

### **DANGER**

Corrosive. May cause tissue damage. Flammable. Toxic by inhalation, in contact with skin and if swallowed. Contains methanol. Methanol may cause central nervous system effects or permanent vision damage if inhaled, swallowed or absorbed through the skin in large amounts. This product contains naphthalene. The International Agency for Research on Cancer (IARC) has evaluated naphthalene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and inadequate evidence in humans). Keep container tightly closed. Keep away from heat. Keep away from sources of ignition - No smoking. Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Avoid breathing vapor. If respiratory symptoms develop, remove to fresh air, rest, treat symptomatically. Get medical attention. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with



**PRODUCT** 

# **NALCO® EC1417A**

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

plenty of water. Use a mild soap if available.

Wear a face shield. Wear chemical resistant apron, chemical splash goggles, impervious gloves and boots. Flammable Liquid; may release vapors that form flammable mixtures at or above the flash point. Vapors can travel to a source of ignition and flash back. Empty product containers may contain product residue. Do not pressurize, cut, heat, weld, or expose containers to flame or other sources of ignition. May evolve oxides of carbon (COx) under fire conditions. May evolve oxides of nitrogen (NOx) under fire conditions.

#### PRIMARY ROUTES OF EXPOSURE:

Eye, Skin, Inhalation

#### **HUMAN HEALTH HAZARDS - ACUTE:**

#### **EYE CONTACT:**

Corrosive. Will cause eye burns and permanent tissue damage.

#### SKIN CONTACT:

Corrosive; causes permanent skin damage. Harmful in contact with skin. Methanol may be absorbed through the skin and cause central nervous system effects which may result in permanent visual changes including blindness.

#### INGESTION:

Corrosive; causes chemical burns to the mouth, throat and stomach. Toxic if swallowed. The main hazard of methyl alcohol arises from its misuse as a drinking substitute for ethyl alcohol. As little as 15 ml of 40% methyl alcohol may cause death. Sublethal doses may cause central nervous system effects and may result in permanent visual changes including blindness.

#### **INHALATION:**

Elevated temperatures or mechanical action may form vapors, mists or fumes which may be irritating to the eyes, nose, throat and lungs. Toxic by inhalation.

### AGGRAVATION OF EXISTING CONDITIONS:

A review of available data does not identify any worsening of existing conditions.

### **HUMAN HEALTH HAZARDS - CHRONIC:**

This product contains naphthalene. The International Agency for Research on Cancer (IARC) has evaluated naphthalene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and inadequate evidence in humans).

# 4. FIRST AID MEASURES

### **EYE CONTACT:**

Immediately flush eye with water for at least 15 minutes while holding eyelids open. PROMPT ACTION IS ESSENTIAL IN CASE OF CONTACT. Get immediate medical attention.

### SKIN CONTACT:

Immediately flush with plenty of water for at least 15 minutes. Use a mild soap if available. For a large splash, flood body under a shower. Get immediate medical attention. Contaminated clothing, shoes, and leather goods must be discarded or cleaned before re-use.



**PRODUCT** 

# **NALCO® EC1417A**

**EMERGENCY TELEPHONE NUMBER(S)** 

(800) 424-9300 (24 Hours) CHEMTREC

#### INGESTION:

Get immediate medical attention. DO NOT INDUCE VOMITING. If conscious, washout mouth and give water to drink.

#### **INHALATION:**

Remove to fresh air, treat symptomatically. Get immediate medical attention.

### NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Based on the individual reactions of the patient, the physician's judgement should be used to control symptoms and clinical condition.

# 5. FIRE FIGHTING MEASURES

FLASH POINT: 60 °F / 15.6 °C ( Closed Cup )

### **EXTINGUISHING MEDIA:**

Foam, Carbon dioxide, Dry powder, Other extinguishing agent suitable for Class B fires, For large fires, use water spray or fog, thoroughly drenching the burning material.

Water mist may be used to cool closed containers.

### FIRE AND EXPLOSION HAZARD:

Flammable Liquid; may release vapors that form flammable mixtures at or above the flash point. Vapors can travel to a source of ignition and flash back. Empty product containers may contain product residue. Do not pressurize, cut, heat, weld, or expose containers to flame or other sources of ignition. May evolve oxides of carbon (COx) under fire conditions. May evolve oxides of nitrogen (NOx) under fire conditions.

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING:

In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.

### 6. ACCIDENTAL RELEASE MEASURES

## PERSONAL PRECAUTIONS:

Restrict access to area as appropriate until clean-up operations are complete. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Stop or reduce any leaks if it is safe to do so. Keep people away from and upwind of spill/leak. Ventilate spill area if possible. Remove sources of ignition. Ensure clean-up is conducted by trained personnel only. Do not touch spilled material. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Notify appropriate government, occupational health and safety and environmental authorities.

#### METHODS FOR CLEANING UP:

SMALL SPILLS: Soak up spill with absorbent material. Place residues in a suitable, covered, properly labeled container. Wash affected area. LARGE SPILLS: Contain liquid using absorbent material, by digging trenches or by diking. Reclaim into recovery or salvage drums or tank truck for proper disposal. Clean contaminated surfaces with water or aqueous cleaning agents. Contact an approved waste hauler for disposal of contaminated recovered material. Dispose of material in compliance with regulations indicated in Section 13 (Disposal Considerations).

### **ENVIRONMENTAL PRECAUTIONS:**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment., Prevent material from entering sewers or waterways., If drains, streams, soil or sewers become contaminated, notify local authority.



**PRODUCT** 

**NALCO® EC1417A** 

EMERGENCY TELEPHONE NUMBER(S)
(800) 424-9300 (24 Hours) CHEMTREC

# 7. HANDLING AND STORAGE

#### **HANDLING:**

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Do not breathe vapors/gases/dust. Keep the containers closed when not in use. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Ensure all containers are labeled. Do not use, store, spill or pour near heat, sparks or open flame.

### STORAGE CONDITIONS:

Store in suitable labeled containers. Store the containers tightly closed. Store away from heat and sources of ignition. Have appropriate fire extinguishers available in and near the storage area. Connections must be grounded to avoid electrical charges. Store separately from oxidizers. Avoid direct sunlight. At temperatures greater than 30'C a component of this product may degrade leading to the production of Hydrgoen Sulfide (H2S).

#### SUITABLE CONSTRUCTION MATERIAL:

PVC, HDPE (high density polyethylene), Ethylene propylene, Polypropylene, Stainless Steel 304, Stainless Steel 316L, Hastelloy C-276, PTFE, Perfluoroelastomer, Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.

### **UNSUITABLE CONSTRUCTION MATERIAL:**

Copper, Aluminum, Mild steel, Polyethylene, Plexiglass, EPDM, Brass, Nylon, Buna-N, Natural rubber, Polyurethane, Neoprene, Polytetrafluoroethylene/polypropylene copolymer, Chlorosulfonated polyethylene rubber, Fluoroelastomer

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### OCCUPATIONAL EXPOSURE LIMITS:

Exposure guidelines have not been established for this product. Available exposure limits for the substance(s) are shown below.

Substance(s)	Category:	ppm	mg/m3	Non-Standard Unit
Methanol	ACGIH/TWA ACGIH/STEL ACGIH/Skin*	200 250		Offic
	OSHA Z1/PEL	200	260	
Isopropanol	ACGIH/TWA ACGIH/STEL OSHA Z1/PEL	200 400 400	980	
Thioglycolic Acid	ACGIH/TWA ACGIH/Skin*	1		
Naphthalene	ACGIH/TWA ACGIH/STEL ACGIH/Skin*	10 15		
	OSHA Z1/PEL	10	50	
Heavy Aromatic Naphtha	Manufacturer's Recommendation/TWA		100	



**PRODUCT** 

**NALCO® EC1417A** 

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

#### **ENGINEERING MEASURES:**

The use of local exhaust ventilation is recommended to control emissions near the source. Laboratory samples should be handled in a fumehood. Provide mechanical ventilation of confined spaces.

#### **RESPIRATORY PROTECTION:**

Where concentrations in air may exceed the limits given in this section, the use of air supplied breathing apparatus is recommended. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

#### **HAND PROTECTION:**

When handling this product, the use of chemical gauntlets is recommended. The choice of work glove depends on work conditions and what chemicals are handled. Please contact the PPE manufacturer for advice on what type of glove material may be suitable. Gloves should be replaced immediately if signs of degradation are observed.

### SKIN PROTECTION:

Wear chemical resistant apron, chemical splash goggles, impervious gloves and boots. A full slicker suit is recommended if gross exposure is possible.

#### **EYE PROTECTION:**

Wear a face shield with chemical splash goggles.

### **HYGIENE RECOMMENDATIONS:**

Use good work and personal hygiene practices to avoid exposure. Eye wash station and safety shower are necessary. If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse. Always wash thoroughly after handling chemicals. When handling this product never eat, drink or smoke.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid

APPEARANCE Dark Amber

ODOR Characteristic

SPECIFIC GRAVITY 0.95 @ 60 °F / 15.6 °C

DENSITY 7.89 lb/gal SOLUBILITY IN WATER Complete

VISCOSITY 15 cps @ 77 °F / 25 °C VOC CONTENT 40.3 % Calculated

Note: These physical properties are typical values for this product and are subject to change.

<sup>\*</sup> Can be absorbed through the skin.



**PRODUCT** 

# **NALCO® EC1417A**

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

# 10. STABILITY AND REACTIVITY

#### STABILITY:

Stable under normal conditions. At temperatures greater than 30°C a component of this product may degrade leading to the production of hydrogen sulfide (H2S).

### **HAZARDOUS POLYMERIZATION:**

Hazardous polymerization will not occur.

### **CONDITIONS TO AVOID:**

Avoid extremes of temperature. Heat and sources of ignition including static discharges.

#### MATERIALS TO AVOID:

Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.

### HAZARDOUS DECOMPOSITION PRODUCTS:

Under fire conditions: Oxides of carbon, Oxides of nitrogen, Oxides of sulfur

# 11. TOXICOLOGICAL INFORMATION

No toxicity studies have been conducted on this product.

### SENSITIZATION:

This product is not expected to be a sensitizer.

#### **CARCINOGENICITY:**

This product contains naphthalene. The International Agency for Research on Cancer (IARC) has evaluated naphthalene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and inadequate evidence in humans).

# **HUMAN HAZARD CHARACTERIZATION:**

Based on our hazard characterization, the potential human hazard is: High

### 12. | ECOLOGICAL INFORMATION

## **ECOTOXICOLOGICAL EFFECTS:**

The following results are for the product.

### Acute Fish Results:

Species	Exposure	Test Type	Value	Test Descriptor
Fathead Minnow	96 hrs	LC50	3.56 mg/l	Product

# ACUTE INVERTEBRATE RESULTS:

Species	Exposure	Test Type	Value	Test Descriptor
Ceriodaphnia dubia	48 hrs	LC50	0.64 mg/l	Product



**PRODUCT** 

# **NALCO® EC1417A**

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

#### **MOBILITY:**

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	Water	Soil/Sediment
<5%	30 - 50%	50 - 70%

The portion in water is expected to be soluble or dispersible.

#### **BIOACCUMULATION POTENTIAL**

Component substances have a low potential to bioconcentrate.

### ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: High

If released into the environment, see CERCLA/SUPERFUND in Section 15.

## 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Hazardous Waste: D001

Hazardous wastes must be transported by a licensed hazardous waste transporter and disposed of or treated in a properly licensed hazardous waste treatment, storage, disposal or recycling facility. Consult local, state, and federal regulations for specific requirements.

# 14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper Shipping Name / Hazard Class may vary by packaging, properties, and mode of transportation. Typical Proper Shipping Names for this product are as follows.

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

#### LAND TRANSPORT:

Proper Shipping Name : FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. Technical Name(s) : Methanol, Quaternary ammonium compound



**PRODUCT** 

# **NALCO® EC1417A**

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

UN/ID No:

Hazard Class - Primary:

Hazard Class - Secondary:

Hazard Class - Tertiary:

Packing Group:

UN 3286

6.1

8

II

Flash Point : 15.6 °C / 60 °F Reportable Quantity (per package) : 18,000 lbs RQ Component : METHANOL

## AIR TRANSPORT (ICAO/IATA):

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper Shipping Name : FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

Technical Name(s): Methanol, Quaternary ammonium compound

UN/ID No: UN 3286

Hazard Class - Primary : 3
Hazard Class - Secondary : 6.1
Hazard Class - Tertiary : 8
Packing Group : II

Reportable Quantity (per package): 18,000 lbs RQ Component: METHANOL

### MARINE TRANSPORT (IMDG/IMO):

Proper Shipping Name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

Technical Name(s): Methanol, Quaternary ammonium compound

UN/ID No: UN 3286

Hazard Class - Primary:

Hazard Class - Secondary:

Hazard Class - Tertiary:

Packing Group:

3
6.1
8
II

\*Marine Pollutant: QUATERNARY AMMONIUM COMPOUND

\*Note: This product is regulated as a Marine Pollutant when shipped by Rail, Highway (in bulk quantities), or Air (if no other hazard class applies), and when shipped by water in all quantities.

### 15. REGULATORY INFORMATION

This section contains additional information that may have relevance to regulatory compliance. The information in this section is for reference only. It is not exhaustive, and should not be relied upon to take the place of an individualized compliance or hazard assessment. Nalco accepts no liability for the use of this information.

NATIONAL REGULATIONS, USA:



**PRODUCT** 

# **NALCO® EC1417A**

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

### OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

Based on our hazard evaluation, the following substance(s) in this product is/are hazardous and the reason(s) is/are shown below.

Methanol: Flammable, Toxic, Target Organ Effect - Eye

Organic sulfonic acid salt: Irritant

Heavy Aromatic Naphtha: Combustible., Irritant Quaternary ammonium compound: Corrosive

Isopropanol: Flammable, Eye irritant Thioglycolic Acid: Corrosive, Toxic

Naphthalene: Skin irritant, Combustible., Cancer suspect agent (refer to Section 3)

Imidazoline Salts: Irritant

Quaternary ammonium compound: Corrosive

### CERCLA/SUPERFUND, 40 CFR 302:

This product contains the following Reportable Quantity (RQ) Substance. Also listed is the RQ for the product. If a reportable quantity of product is released, it requires notification to the NATIONAL RESPONSE CENTER, WASHINGTON, D.C. (1-800-424-8802).

RQ Substance RQ Methanol 18,000 lbs

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (TITLE III) - SECTIONS 302, 311, 312. AND 313:

### SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355) :

This product does not contain substances listed in Appendix A and B as an Extremely Hazardous Substance.

### SECTIONS 311 AND 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370):

Our hazard evaluation has found this product to be hazardous. The product should be reported under the following indicated EPA hazard categories:

- X Immediate (Acute) Health Hazard X Delayed (Chronic) Health Hazard
- X Fire Hazard
- Sudden Release of Pressure Hazard
- Reactive Hazard

Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

### SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product contains the following substance(s), (with CAS # and % range) which appear(s) on the List of Toxic Chemicals

 Hazardous Substance(s)
 CAS NO
 % (w/w)

 Methanol
 67-56-1
 10.0 - 30.0

 Isopropanol
 67-63-0
 5.0 - 10.0



**PRODUCT** 

# **NALCO® EC1417A**

<b>EMERGENCY TELEPHONE</b>	NUMBER(S)
(800) 424-9300 (24 Hours)	CHEMTREC

Naphthalene 91-20-3 0.1 - 1.0

### TOXIC SUBSTANCES CONTROL ACT (TSCA):

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 / formerly Sec. 307, 40 CFR 116.4 / formerly Sec. 311 :

This product contains the following substances listed in the regulation. Additional components may be unintentionally present at trace levels.

Substance(s)	Citations
Naphthalene	Sec. 307, Sec. 311
<ul><li>Acetic Acid</li><li>Benzyl Chloride</li></ul>	Sec. 311

CLEAN AIR ACT, Sec. 112 (Hazardous Air Pollutants, as amended by 40 CFR 63), Sec. 602 (40 CFR 82, Class I and II Ozone Depleting Substances):

This product contains the following substances listed in the regulation. Additional components may be unintentionally present at trace levels.

Substance(s)	Citations
Methanol	Sec. 112
<ul><li>Naphthalene</li><li>Chloroacetic Acid</li><li>Benzyl Chloride</li></ul>	

### **CALIFORNIA PROPOSITION 65:**

This product contains the following substances which require warning under California Proposition 65. Additional components may be unintentionally present at trace levels.

Substance(s)	Concentration	EFFECTS
<ul><li>Naphthalene</li><li>Benzyl Chloride</li></ul>	< 1 % < .1 %	Causes Cancer

### MICHIGAN CRITICAL MATERIALS:

This product contains the following substances listed in the regulation. Additional components may be unintentionally present at trace levels.

Naphthalene

# STATE RIGHT TO KNOW LAWS:

The following substances are disclosed for compliance with State Right to Know Laws:

Methanol 67-56-1



**PRODUCT** 

# **NALCO® EC1417A**

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

Isopropanol67-63-0Thioglycolic Acid68-11-1Naphthalene91-20-3

# INTERNATIONAL CHEMICAL CONTROL LAWS:

### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA):

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

#### **AUSTRALIA**

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### **CHINA**

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### **EUROPE**

The substances in this preparation have been reviewed for compliance with the EINECS or ELINCS inventories.

#### **JAPAN**

This product contains substance(s) which are not in compliance with the Law Regulating the Manufacture and Importation Of Chemical Substances and are not listed on the Existing and New Chemical Substances list (ENCS).

#### **KOREA**

All substances in this product comply with the Toxic Chemical Control Law (TCCL) and are listed on the Existing Chemicals List (ECL)

### **PHILIPPINES**

This product contains substance(s) which are not in compliance with the Republic Act 6969 (RA 6969) and may require additional review.

# 16. OTHER INFORMATION

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to insure safe workplace operations. Please consult your local sales representative for any further information.

#### REFERENCES

Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices, American Conference of Governmental Industrial Hygienists, OH., (Ariel Insight™ CD-ROM Version), Ariel Research Corp., Bethesda, MD.



**PRODUCT** 

# **NALCO® EC1417A**

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),

Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Title 29 Code of Federal Regulations, Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA), (Ariel Insight™ CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH

(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Ariel Insight<sup>™</sup> (An integrated guide to industrial chemicals covered under major regulatory and advisory programs), North American Module, Western European Module, Chemical Inventories Module and the Generics Module (Ariel Insight<sup>™</sup> CD-ROM Version), Ariel Research Corp., Bethesda, MD.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Prepared By: Product Safety Department

Date issued: 12/19/2011 Version Number: 5.0