

# SAFETY DATA SHEET **KLARAID\* CB1430**

# 1. Identification

Product identifier	KLARAID CB1430
Other means of identification	Not available.
Recommended use	Flocculant
Recommended restrictions	None known.

#### Company/undertaking identification

GE Betz, Inc. 4636 Somerton Road Trevose, PA 19053 T 215 355 3300, F 215 953 5524

#### Emergency telephone

(800) 877 1940

# 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
OSHA defined hazards	Not classified.	
Label elements		
	$\wedge$	
	•	
	$\mathbf{V}$	
Signal word	Warning	
Hazard statement	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.	
Precautionary statement		
Prevention	Avoid breathing mist or vapor. Wash thoroughly well-ventilated area. Wear protective gloves. We	
Response	If on skin: Wash with plenty of water/. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor// if you feel unwell. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.	
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

# 3. Composition/information on ingredients

## Mixtures

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Ammonium sulfate		7783-20-2	20 - 40
Ammonium chloride		12125-02-9	2.5 - 10
Acetic Acid		64-19-7	1 - 2.5
Composition comments	Information for specific product ingredients as requested as the specific product ingredients as requested as the specific product of the specific pro		
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in a pos CENTER or doctor/physician if you feel unwell.	sition comfortable for brea	thing. Call a POISON
Skin contact	Wash with plenty of soap and water. If skin irritatio contaminated clothing and wash before reuse.	n occurs: Get medical advi	ce/attention. Take off
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. Get medical attention if symptoms or	ccur.	
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, s irritation. May cause redness and pain.	swelling, and blurred vision	. May cause respiratory
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat syr Symptoms may be delayed.	nptomatically. Keep victim	under observation.
General information	Ensure that medical personnel are aware of the mo themselves.	aterial(s) involved, and take	precautions to protect
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon die	oxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will	spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be forn	ned.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protec	tive clothing must be worr	in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so wit	hout risk.	
Specific methods	Use standard firefighting procedures and consider	the hazards of other involv	ed materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release measu	res		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people av areas. Wear appropriate protective equipment and or mists. Do not touch damaged containers or spill clothing. Ensure adequate ventilation. Local author be contained. For personal protection, see section	l clothing during clean-up. ed material unless wearing ities should be advised if si	Avoid inhalation of vapors appropriate protective
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is with possible. Cover with plastic sheet to prevent spread place into containers. Prevent entry into waterway product recovery, flush area with water.	out risk. Dike the spilled mc ding. Absorb in vermiculite,	dry sand or earth and
	Small Spills: Wipe up with absorbent material (e.g. a residual contamination.	cloth, fleece). Clean surface	thoroughly to remove
Environmental precautions	Never return spills to original containers for re-use. Prevent raw product from entering sewers or the ir	•	

Environmental precautions Prevent raw product from entering sewers or the immediate environment. Water contaminated with this product may be sent to a sanitary sewer treatment facility, in accordance with any local agreement, a permitted waste treatment facility or discharged under a permit.

# 7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Protect from freezing. Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Acetic Acid (CAS 64-19-7)	PEL	25 mg/m3	
		10 ppm	
US. ACGIH Threshold Limit Val	ues		
Components	Туре	Value	Form
Acetic Acid (CAS 64-19-7)	STEL	15 ppm	
	TWA	10 ppm	
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
12123-02-37	TWA	10 mg/m3	Fume.
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	Form
Acetic Acid (CAS 64-19-7)	STEL	37 mg/m3	
		15 ppm	
	TWA	25 mg/m3	
		10 ppm	
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
	TWA	10 mg/m3	Fume.
ogical limit values	No biological exposure limits noted for	the ingredient(s).	
ropriate engineering controls	Good general ventilation (typically 10 a matched to conditions. If applicable, us engineering controls to maintain airbor have not been established, maintain ai emergency shower must be available v	se process enclosures, local exho rne levels below recommended e rborne levels to an acceptable le	iust ventilation, or other exposure limits. If exposure lin
vidual protection measures, su	ch as personal protective equipment		
Eye/face protection	Splash proof chemical goggles.		
Skin protection			
Hand protection	Chemical resistant gloves. The choice of also on other quality features and is dif into account any solvents and other ha	fferent from one producer to the	
Other	Wear appropriate chemical resistant cl	lothing. Use of an impervious ap	ron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece. A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWEI WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.		
	Wear appropriate thermal protective clothing, when necessary.		
Thermal hazards	wear appropriate thermal protective c	iouning, when necessury.	

#### 9. Physical and chemical properties

Appearance	
Color	White to off-white
Physical state	Dispersion
Odor	Mild
Odor threshold	Not available.
pH (concentrated product)	3.6

Melting point/freezing point	14 °F (-10 °C)
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	Not applicable.
Evaporation rate	< 1 (Ether = 1)
Flammability (solid, gas)	Not available.
Upper/lower flammability or explos	sive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	18 mm Hg
Vapor pressure temp.	70 °F (21 °C)
Vapor density	< 1 (Air = 1)
Relative density	1.2
Relative density temperature	70 °F (21 °C)
Solubility(ies)	
Solubility (water)	3 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Viscosity temperature	70 °F (21 °C)
Other information	
Percent volatile	0 (Estimated)
Pour point	19 °F (-7 °C)
Specific gravity	1.2
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Protect from freezing.
Incompatible materials	Strong oxidizing agents.

products 11. Toxicological information

fire.

# Information on likely routes of exposure

Hazardous decomposition

May cause slight gastrointestinal irritation with possible nausea, vomiting, abdominal discomfort and diarrhea.
Prolonged inhalation may be harmful. May cause irritation to the respiratory system.
Causes skin irritation.
Causes serious eye irritation.
May cause redness and pain. May cause respiratory irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
May cause respiratory irritation.

Oxides of carbon, nitrogen, and sulphur evolved in fire. Hydrogen chloride gas (HCl). Ammonia evolved in

Product	Species	Test Results	
KLARAID CB1430 (CAS Mixture)			
Acute			
Dermal			
LD50	Rabbit	> 5000 mg/kg, (Calculated according to GHS additivity formula)	
Oral LD50	Rat	> 5000 mg/kg, (Calculated according to GHS additivity formula)	
Components	Species	Test Results	
Acetic Acid (CAS 64-19-7)	Species		
Acute			
Dermal			
LD50	Rabbit	1060 mg/kg	
Inhalation		5.5	
LC50	Rat	11.4 mg/L, 4 Hour	
Oral		g, _,	
LD50	Rat	3310 mg/kg	
Ammonium chloride (CAS 12125-02-		5510 mg/kg	
	9)		
Acute			
Dermal	Dabbit	2000 mg/l/g	
LD50	Rabbit	> 2000 mg/kg	
Oral			
LD50	Rat	1410 mg/kg	
Ammonium sulfate (CAS 7783-20-2)			
Acute			
Dermal LD50	Rabbit	> 5000 mg/kg	
Oral LD50	Rat	4250 mg/kg	
* Estimates for product may be	based on additional component data not shown.		
Skin corrosion/irritation	·		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitization	Not available.		
Respiratory sensitization			
Skin sensitization	This product is not expected to cause skin sensitization		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IA	ARC, ACGIH, NTP, or OSHA.	
OSHA Specifically Regulated Su Not listed.	ıbstances (29 CFR 1910.1001-1050)		
Reproductive toxicity	This product is not expected to cause reproductive or	developmental effects.	
Specific target organ toxicity - single exposure	May cause respiratory irritation.		
Specific target organ toxicity - repeated exposure	Not available.		
Aspiration hazard	Based on available data, the classification criteria are airways.	not met. May be harmful if swallowed and enters	
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information			
Ecotoxicity	The product is not classified as environmentally hazard possibility that large or frequent spills can have a harn		
Material name: KLARAID* CB1430 Version number: 1.0		Page: 5 / 8	

Product		Species	Test Results
KLARAID CB1430 (CAS Mixture	-		
	LC50	Zebra Fish	> 10 mg/l, Acute Toxicity, 96 hour, (Simila Product)
Crustacea	LC50	Daphnia magna	> 10 mg/l, Acute Toxicity, 48 hour, (Simila Product)
* Estimates for product may b	pe based on add	litional component data not show	۱.
ioaccumulative potential	No data ava	ailable.	
Partition coefficient n-octan Acetic Acid	ol / water (log K	<b>(ow)</b> -0.2	
1obility in soil	No data ava	ailable.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potention endocrine disruption, global warming potential) are expected from this component.		
nvironmental fate	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability			
	At natural p	Hs (>6) the product degrades due	to hydrolysis to more than 70% in 28 days.
13. Disposal consideration	s		
Disposal instructions	material und		iners at licensed waste disposal site. Incinerate the proved incinerator. Dispose of contents/container in national regulations.
ocal disposal regulations.	Dispose in accordance with all applicable regulations.		
lazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposed company.		
Vaste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied		
14. Transport information			
тот			
Not regulated as dangerous g	goods.		
Some containers may be DOT	<sup>-</sup> Exempt, please	e check BOL for exact container clo	ssification.
ATA			
Not regulated as dangerous g	goods.		
MDG Not regulated as dangerous g	roodc		
Not regulated as daligerous (	J000S.		
15. Regulatory informatior	ı		
JS federal regulations	CFR 1910.12		ined by the OSHA Hazard Communication Standard, 29 ntory List.
TSCA Section 12(b) Export No			
Not regulated.			
CERCLA Hazardous Substan			
Acetic Acid (CAS 64-19-7 Ammonium chloride (CAS		Listed. Listed.	
SARA 304 Emergency release		Listed.	
Not regulated. OSHA Specifically Regulated	Substances (29	9 CFR 1910.1001-1050)	

Hazard categories	Immediate Hazard - Ye Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	S		
SARA 302 Extremely hazardo	ous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.	
Ammonium sulfate Ammonium chloride		7783-20-2 12125-02-9	20 - 40 2.5 - 10	
Other federal regulations			. and will require volume tracki Canada. All other ingredients ar	
Clean Air Act (CAA) Sect	ion 112 Hazardous Air Poll	utants (HAPs) List		
Not regulated. Clean Air Act (CAA) Sect	ion 112(r) Accidental Relea	use Prevention (40 CFR 68.2	130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
Inventory status				
Country(s) or region	Inventory name			On inventory (yes/no)*
Canada	Domestic Substances L	.ist (DSL)		No
Canada	Non-Domestic Substan	ices List (NDSL)		Yes
		ith the inventory requirements	s administered by the governing co ting on the inventory administered	
US state regulations			nent Act of 1986 (Proposition 65 s carcinogens or reproductive t	
US - Massachusetts RTK	<ul> <li>Substance List</li> </ul>			
Acetic Acid (CAS 64- Ammonium chloride Ammonium sulfate <b>US - Pennsylvania RTK -</b>	e (CAS 12125-02-9) (CAS 7783-20-2)			
Acetic Acid (CAS 64- Ammonium chloride Ammonium sulfate <b>US - Rhode Island RTK</b>	19-7) e (CAS 12125-02-9)			
	e (CAS 12125-02-9)	ent of Justice (California F	lealth and Safety Code Section	n 11100)
Not listed. <b>US. New Jersey Worker</b> Not regulated.	and Community Right-to-I	Know Act		
US. California Proposition 65				
California Safe Drinking \			65): This material is not known	to contain any

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

No ingredient listed.

- US California Proposition 65 CRT: Listed date/Developmental toxin No ingredient listed.
- US California Proposition 65 CRT: Listed date/Female reproductive toxin No ingredient listed.

### US - California Proposition 65 - CRT: Listed date/Male reproductive toxin No ingredient listed.

# 16. Other information, including date of preparation or last revision

Issue date	Nov-29-2014
Revision date	Nov-29-2014
Version #	1.0
List of abbreviations	CAS: Chemical Abstract Service Registration Number TWA: Time Weighted Average STEL: Short Term Exposure Limit TLV: Threshold Limit Value LD50: Lethal Dose, 50% LC50: Lethal Concentration, 50% NOEL: No Observed Effect Level COD: Chemical Oxygen Demand BOD: Biochemical Oxygen Demand TOC: Total Organic Carbon IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods Code TSRN indicates a Trade Secret Registry Number is used in place of the CAS number. ACGIH: American Conference of Governmental Industrial Hygienists NFPA: National Fire Protection Association
References:	No data available
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.
Revision Information	Product and Company Identification: Physical States Physical & Chemical Properties: Multiple Properties Transport Information: Material Transportation Information Regulatory Information: United States HazReg Data: North America GHS: Classification
Prepared by	This SDS has been prepared by GE Water & Process Technologies Regulatory Department (1-215-355-3300).
* Tradomark of Gonoral Electri	ic Company, May be registered in one or more countries

\* Trademark of General Electric Company. May be registered in one or more countries.