

SAFETY DATA SHEET STEAMATE* FM1003

1. Identification

STEAMATE FM1003

Product identifier Other means of identification Recommended use Recommended restrictions

Not available. Steam condensate treatment. None known.

Company/undertaking identification

GE Betz, Inc. 4636 Somerton Road Trevose, PA 19053 T 215 355 3300, F 215 953 5524

Emergency telephone

(800) 877 1940

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	Not available.	
Hazard statement	The mixture does not meet the criteria for classification.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
Response	Wash hands after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	
3. Composition/information on ingredients		
Mixtures		
Composition comments	This product does not contain hazardous ingredients in reportable concentrations.	
4. First-aid measures		
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.	
Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.	
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.	

Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
5. Fire-fighting measures Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
0 0	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the	Do not use water jet as an extinguisher, as this will spread the fire.

equipment/instructionsSpecific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Normal chemical handling.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store in dry, cool, well ventilated area. Store away from oxidizers. Store away from incompatible materials (see Section 10 of the SDS). Store in accordance with local/regional/national/international regulation.

8. Exposure controls/personal protection

•	•	
Occupational exposure limits	No exposure limits noted for ingredient(s).	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Splash proof chemical goggles.	
Skin protection		
Hand protection	Chemical resistant gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Glove selection must take into account any solvents and other hazards present.	
Other	Wear suitable protective clothing. Chemical resistant gloves.	

Respiratory protection	If ventilation is insufficient, suitable respiratory protection must be provided. Respiratory protection not required. No personal respiratory protective equipment normally required. A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Color	Off-white to yellow
Physical state	Dispersion
Odor	Mild
Odor threshold	Not available.
pH (concentrated product)	6.8
pH in aqueous solution	7.1 (5% DISP.)
Melting point/freezing point	32 °F (0 °C)
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	> 213 °F (> 101 °C) P-M(CC)
Evaporation rate	< 1 (Ether = 1)
Flammability (solid, gas)	Not available.
Upper/lower flammability or explos	ive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	18 mm Hg
Vapor pressure temp.	70 °F (21 °C)
Vapor density	< 1 (Air = 1)
Relative density	1
Relative density temperature	70 °F (21 °C)
Solubility(ies)	
Solubility (water)	0 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	23 cps
Viscosity temperature	70 °F (21 °C)
Other information	
Percent volatile	0 (Estimated)
Pour point	37 °F (3 °C)
Specific gravity	1

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and trans		rt.
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	Hazardous polymerization does not occur.	
Conditions to avoid	None under normal conditions.	
Incompatible materials	Strong oxidizing agents.	
Material name: STEAMATE* FM1003		Pc
Version number: 1.0		

11. Toxicological information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	May cause irritation to respiratory organs.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Prolonged and repetitive exposure, depending on the route(s), may develop transient irritation on skin, eyes, ingestion tract, and/or respiratory tract.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results	
STEAMATE FM1003 (CAS Mixture)			
Acute			
Oral			
LD50	Rat	> 5000 mg/kg	
* Estimates for product may be	based on additional component data not shown.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization			
Respiratory sensitization	Not available.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
OSHA Specifically Regulated Su	ubstances (29 CFR 1910.1001-1050)		
Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Based on available data, the classification criteria are not met. May be harmful if swallowed and enters airways.		

12. Ecological information

Ecotoxicity No data available

Product		Species	Test Results
STEAMATE FM1003 (CA	S Mixture)		
	LC50	Fathead Minnow	11770 mg/l, Acute Toxicity, 96 hour, (Estimated)
	NOEL	Fathead Minnow	4100 mg/l, Acute Toxicity, 96 hour, (Estimated)
Crustacea	LC50	Daphnia magna	1700 mg/l, Acute Toxicity, 48 hour, (Estimated)
	NOEL	Daphnia magna	700 mg/l, Acute Toxicity, 48 hour, (Estimated)

* Estimates for product may be based on additional component data not shown.

No data available.

Bioaccumulative potential

Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
Environmental fate	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	
	No data available
13. Disposal considerations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

Some containers may be DOT exempt, please check BOL for exact container classification.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act	Not regulated.
(SDWA)	

Inventory status		
Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	ents of this product comply with the inventory requirements administered by the governing a components of the product are not listed or exempt from listing on the inventory administered	
Food and drug administration	ALL ingredients in this product are authorized in 21CFR173.310 for use as boiler water additives where the steam may contact food.	
NSF Registered and/or meets USDA (according to 1998 guidelines):	Registration No. – 141000 Category Code(s): G5 Cooling and retort water treatment products G6 Boiler treatment products, steam line products – food contact	
US state regulations	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.	
US - Massachusetts RTK -	Substance List	
Not regulated.		
US - Pennsylvania RTK - H	lazardous Substances	
Not regulated. US - Rhode Island RTK		
Not regulated.		

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.
- US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

No ingredient listed.

- US California Proposition 65 CRT: Listed date/Developmental toxin No ingredient listed.
- US California Proposition 65 CRT: Listed date/Female reproductive toxin No ingredient listed.
- US California Proposition 65 CRT: Listed date/Male reproductive toxin No ingredient listed.

16. Other information, including date of preparation or last revision

Issue date	Nov-10-2014
Revision date	Nov-10-2014
Version #	1.0
List of abbreviations	CAS: Chemical Abstract Service Registration Number NFPA: National Fire Protection Association ACGIH: American Conference of Governmental Industrial Hygienists TWA: Time Weighted Average STEL: Short Term Exposure Limit LD50: Lethal Dose, 50% LC50: Lethal Concentration, 50% NOEL: No Observed Effect Level COD: Chemical Oxygen Demand BOD: Biochemical Oxygen Demand TOC: Total Organic Carbon TSRN indicates a Trade Secret Registry Number is used in place of the CAS number. IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods Code TLV: Threshold Limit Value
References:	No data available

Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Disclosure Overrides Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Transport Information: Material Transportation Information Regulatory Information: Other HazReg Data: Pacific Rim GHS: Classification
Prepared by	This SDS has been prepared by GE Water & Process Technologies Regulatory Department (1-215-355-3300).

* Trademark of General Electric Company. May be registered in one or more countries.