

# SAFETY DATA SHEET

## MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Version 2.0

Revision Date 11/05/2021

Print Date 03/30/2022

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Material number : 000000000000296285

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 350 Joe Frank Harris Parkway, SE  
Emerson, GA 30137

Telephone : 404-352-1680

#### Emergency telephone numbers

**For SDS Information** : Compliance Services 1-877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	liquid
Colour	clear
Odour	odourless

#### GHS Classification

Skin corrosion : Category 1B

Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms :



Corrosion

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

# SAFETY DATA SHEET

## MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Version 2.0

Revision Date 11/05/2021

Print Date 03/30/2022

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P310 Immediately call a POISON CENTER/doctor.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
potassium carbonate	584-08-7	>= 5 - < 10
sodium carbonate	497-19-8	>= 5 - < 10
Sodium metasilicate (disodium salt)	6834-92-0	>= 0 - < 5
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 5 - < 10

The exact percentages of disclosed substances are withheld as trade secrets.

## SECTION 4. FIRST AID MEASURES

- General advice : Do not leave the victim unattended.
- If inhaled : If inhaled, remove to fresh air.  
If symptoms persist, call a physician.  
If breathing is difficult, give oxygen.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
If symptoms persist, call a physician.  
Wash contaminated clothing before reuse.
- In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.  
Drink plenty of water.  
Do NOT induce vomiting.  
If symptoms persist, call a physician.

# SAFETY DATA SHEET

## MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Version 2.0

Revision Date 11/05/2021

Print Date 03/30/2022

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : none
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

---

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of aerosol. Avoid dust accumulation in enclosed space. Use only with adequate ventilation.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
- Materials to avoid : No materials to be especially mentioned.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.

## SAFETY DATA SHEET

### MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Version 2.0

Revision Date 11/05/2021

Print Date 03/30/2022

Hand protection	
Remarks	: Impervious gloves
Eye protection	: Safety glasses
Skin and body protection	: Protective suit
Hygiene measures	: Wash hands before breaks and at the end of workday. Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink.

---

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear
Odour	: odourless
Odour Threshold	: No data available
pH	: 11 - 14
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Vapour pressure	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: completely miscible
Solubility in other solvents	: soluble
Partition coefficient: n-octanol/water	: No data available
Viscosity	
Viscosity, kinematic	: No data available

---

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
------------	----------

# SAFETY DATA SHEET

## MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Version 2.0

Revision Date 11/05/2021

Print Date 03/30/2022

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Exothermic reaction with strong acids. No decomposition if stored and applied as directed.
Conditions to avoid	: Exposure to air.
Incompatible materials	: No data available
Hazardous decomposition products	: Carbon dioxide (CO <sub>2</sub> ) Carbon monoxide Nitrogen oxides (NO <sub>x</sub> )

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

##### Carcinogenicity:

###### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

###### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

###### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate : 1,097 mg/kg  
Method: Calculation method

##### Components:

###### potassium carbonate:

Acute oral toxicity : LD50 Oral Rat: 1,870 mg/kg

###### sodium carbonate:

Acute oral toxicity : LD50 Oral Rat: 4,090 mg/kg

Acute inhalation toxicity : LC50 Rat: 5,750 mg/l  
Exposure time: 2 h

###### Sodium metasilicate (disodium salt):

Acute oral toxicity : LD50 Rat: 1,153 mg/kg

#### Skin corrosion/irritation

##### Product:

Remarks: Causes severe irritation of eyes, skin and mucous membranes.

# SAFETY DATA SHEET

## MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Version 2.0

Revision Date 11/05/2021

Print Date 03/30/2022

### Serious eye damage/eye irritation

**Product:**

Remarks: Severe eye irritation

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

**Components:**

**tetrasodium ethylenediaminetetraacetate:**

Exposure routes: Inhalation

Assessment: May cause damage to organs through prolonged or repeated exposure.

### Aspiration toxicity

No data available

### Further information

**Product:**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

**Product:**

Partition coefficient: n- : Remarks: No data available

# SAFETY DATA SHEET

## MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Version 2.0

Revision Date 11/05/2021

Print Date 03/30/2022

octanol/water

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):  
UN3266, Corrosive liquid, basic, inorganic, n.o.s., (POTASSIUM CARBONATE, SODIUM METASILICATE), 8, III

Transportation Regulation: IMDG (Vessel):  
UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (POTASSIUM CARBONATE, SODIUM METASILICATE), 8, III

Transportation Regulation: IATA (Cargo Air):  
UN3266, Corrosive liquid, basic, inorganic, n.o.s., (POTASSIUM CARBONATE, SODIUM METASILICATE), 8, III

Transportation Regulation: IATA (Passenger Air):  
UN3266, Corrosive liquid, basic, inorganic, n.o.s., (POTASSIUM CARBONATE, SODIUM METASILICATE), 8, III

# SAFETY DATA SHEET

## MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Version 2.0

Revision Date 11/05/2021

Print Date 03/30/2022

Transportation Regulation: TDG (Canada):  
UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (POTASSIUM CARBONATE, SODIUM METASILICATE), 8, III

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.



# SAFETY DATA SHEET

## MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Version 2.0

Revision Date 11/05/2021

Print Date 03/30/2022

The components of this product are reported in the following inventories:

**TSCA** On TSCA Inventory  
**DSL** All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

---

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>INSTABILITY</b>	<b>0</b>
<b>SPECIAL HAZARD.</b>	

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme

#### HMIS III:

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

---

### OSHA - GHS Label Information:

# SAFETY DATA SHEET

## MICROSOLVE SOFT METAL ACTIVATOR\_55GL

Version 2.0

Revision Date 11/05/2021

Print Date 03/30/2022

Hazard pictograms :



Corrosion

Signal word :

Hazard statements :

Precautionary statements :

**Danger:**

Causes severe skin burns and eye damage.

**Prevention:** Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Wash contaminated clothing before reuse.

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	2.0
Revision Date:	11/05/2021
Print Date:	03/30/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.